
Device Configuration

- ```
- System Language: en
- All Enabled Languages: ["en"]
- Feature Flag: GenerativePlayground/ADMv8: true
```

---

AFM + ADM Subscriptions

---

---

---

Use Case Asset Availability

---

---

- ✓ asset is downloaded and able to be fetched

- ✓ asset is downloaded and able to be fetched
- ✗ asset is not able to be fetched

- asset is not marked as required for this specific use-case variant

Asset Availability will be displayed for each <language> parameter relevant to the current device

Availability for com.apple.Settings.AppleIntelligence:

```
* X NOT ready for: ["(da)", "(tr)", "(en)", "(zh_HK)", "(de)", "(pt)", "(it)",
"(ja)", "(sv)", "(zh_TW)", "(fr)", "(ko)", "(es)", "(zh)", "(nb)", "(vi)",
"(nl)"]
```

[illegible]



|                                                                        |   |   |   |   |   |   |   |   |   |   |   |   |
|------------------------------------------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|
|                                                                        | X | X |   | X |   | X |   |   |   |   |   |   |
| com.apple.fm.language.instruct_3b.tokenizer.generic                    | X | X | X | X | X | X | X | X | X | X | X | X |
|                                                                        | X | X | X | X | X | X |   |   |   |   |   |   |
| com.apple.fm.language.instruct_3b.urgency_classification.generic       | X | X | X | X | X | X | X | X | X | X | X | X |
|                                                                        | X | X | X | X | X | X |   |   |   |   |   |   |
| com.apple.gm.overrides.model_config.all.generic                        | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
|                                                                        | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |   |   |   |   |   |   |
| com.apple.gm.safety.disabledusecases.generic                           | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
|                                                                        | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |   |   |   |   |   |   |
| com.apple.gm.safety_deny.input.bullets_transform.generic               | X | X | X | X | X | X | X | X | X | X | X | X |
|                                                                        | X | X | X | X | X | X |   |   |   |   |   |   |
| com.apple.gm.safety_deny.input.concise_tone.generic                    | X | X | X | X | X | X | X | X | X | X | X | X |
|                                                                        | X | X | X | X | X | X |   |   |   |   |   |   |
| com.apple.gm.safety_deny.input.foundation_models_framework.api.generic | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
|                                                                        | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |   |   |   |   |   |   |
| com.apple.gm.safety_deny.input.friendly_tone.generic                   | X | X | X | X | X | X | X | X | X | X | X | X |
|                                                                        | X | X | X | X | X | X |   |   |   |   |   |   |
| com.apple.gm.safety_deny.input.magic_rewrite.generic                   | X | X | X | X | X | X | X | X | X | X | X | X |
|                                                                        | X | X | X | X | X | X |   |   |   |   |   |   |
| com.apple.gm.safety_deny.input.mail_reply.long_form_basic.generic      | X | X | X | X | X | X | X | X | X | X | X | X |
|                                                                        | X | X | X | X | X | X |   |   |   |   |   |   |
| com.apple.gm.safety_deny.input.mail_reply.long_form_ga.generic         | X | X | X | X | X | X | X | X | X | X | X | X |
|                                                                        | X | X | X | X | X | X |   |   |   |   |   |   |
| com.apple.gm.safety_deny.input.mail_reply.long_form_rewrite.generic    | X | X | X | X | X | X | X | X | X | X | X | X |
|                                                                        | X | X | X | X | X | X |   |   |   |   |   |   |
| com.apple.gm.safety_deny.input.mail_reply.snippet.generic              | X | X | X | X | X | X | X | X | X | X | X | X |
|                                                                        | X | X | X | X | X | X |   |   |   |   |   |   |
| com.apple.gm.safety_deny.input.messages_action.generic                 | X | X | X | X | X | X | X | X | X | X | X | X |
|                                                                        | X | X | X | X | X | X |   |   |   |   |   |   |
| com.apple.gm.safety_deny.input.messages_reply.all.generic              | X | X | X | X | X | X | X | X | X | X | X | X |
|                                                                        | X | X | X | X | X | X |   |   |   |   |   |   |
| com.apple.gm.safety_deny.input.photos_memories.base.generic            | X | X | X | X | X | X | X | X | X | X | X | X |
|                                                                        | X | X | X | X | X | X |   |   |   |   |   |   |
| com.apple.gm.safety_deny.input.photos_memories.global_trait.generic    | X | X | X | X | X | X | X | X | X | X | X | X |
|                                                                        | X | X | X | X | X | X |   |   |   |   |   |   |
| com.apple.gm.safety_deny.input.photos_memories.story_title.generic     | X | X | X | X | X | X | X | X | X | X | X | X |
|                                                                        | X | X | X | X | X | X |   |   |   |   |   |   |
| com.apple.gm.safety_deny.input.photos_memories.user_query.generic      | X | X | X | X | X | X | X | X | X | X | X | X |
|                                                                        | X | X | X | X | X | X |   |   |   |   |   |   |
| com.apple.gm.safety_deny.input.professional_tone.generic               | X | X | X | X | X | X | X | X | X | X | X | X |
|                                                                        | X | X | X | X | X | X |   |   |   |   |   |   |
| com.apple.gm.safety_deny.input.proofreading_review.generic             | X | X | X | X | X | X | X | X | X | X | X | X |
|                                                                        | X | X | X | X | X | X |   |   |   |   |   |   |

[illegible]

[illegible]

|                                                                               |   |   |   |   |   |   |   |   |   |   |   |   |
|-------------------------------------------------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|
| com.apple.gm.server.instruct_server_v1.photos_memories_storyteller_v2.generic | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ |
| com.apple.gm.server.instruct_server_v1.professional_tone.generic              | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ |
| com.apple.gm.server.instruct_server_v1.tables_transform.generic               | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ |
| com.apple.gm.server.instruct_server_v1.takeaways_transform.generic            | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ |
| com.apple.gm.server.instruct_server_v1.text_summarizer.generic                | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ |

Availability for com.apple.Settings.AppleIntelligence.Diffusion:

\* ✗ NOT ready for: ["(en)", "(ja)", "(de)", "(fr)", "(it)", "(pt)", "(es)"]

| Required Resource Name                                                   | (de) | (en) | (es) | (fr) | (it) | (ja) | (pt) |
|--------------------------------------------------------------------------|------|------|------|------|------|------|------|
| com.apple.fm.language.instruct_300m.adm_people_grounding.generic         | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    |
| com.apple.fm.language.instruct_300m.adm_prompt_rewriting.generic         | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    |
| com.apple.fm.language.instruct_300m.base.generic                         | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    |
| com.apple.fm.language.instruct_300m.image_tokenizer.generic              | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    |
| com.apple.fm.language.instruct_300m.misc_safety.generic                  | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    |
| com.apple.fm.language.instruct_300m.prepubescent_safety.generic          | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    |
| com.apple.fm.language.instruct_300m.safety.generic                       | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    |
| com.apple.fm.language.instruct_300m.structural_integrity.generic         | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    |
| com.apple.fm.language.instruct_300m.tokenizer.generic                    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    |
| com.apple.fm.visual.image_diffusion_v1.animation.generic                 | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    |
| com.apple.fm.visual.image_diffusion_v1.base.generic                      | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    |
| com.apple.fm.visual.image_diffusion_v1.emoji.generic                     | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    |
| com.apple.fm.visual.image_diffusion_v1.illustration.generic              | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    |
| com.apple.fm.visual.image_diffusion_v1.personalized_animation.generic    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    |
| com.apple.fm.visual.image_diffusion_v1.personalized_emoji.generic        | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    |
| com.apple.fm.visual.image_diffusion_v1.personalized_illustration.generic | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    |
| com.apple.fm.visual.image_diffusion_v1.personalized_sketch.generic       | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    |
| com.apple.fm.visual.image_diffusion_v1.sketch.generic                    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    |

|                                                                     |   |   |   |   |   |   |   |
|---------------------------------------------------------------------|---|---|---|---|---|---|---|
| com.apple.fm.visual.image_diffusion_v1.style_scribble.generic       | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ |
| com.apple.fm.visual.imagescaler.upscaler.generic                    | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ |
| com.apple.fm.visual.understanding.conditioning.generic              | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ |
| com.apple.gm.safety_deny.input.summarization.visual_prompt.generic  | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ |
| com.apple.gm.safety_deny.input.visual_generation.base.generic       | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ |
| com.apple.gm.safety_deny.output.summarization.visual_prompt.generic | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ |
| com.apple.gm.safety_embedding_deny.all.generic                      | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |

Availability for Automated.Reminders.AutoCategorization:  
 \*  ready for: ["(es)", "(ko)", "(it)", "(zh)", "(en)", "(ja)", "(fr)",  
 "(de)", "(pt)"]

```
* ☒ ready for: ["(en)"]
```

```
* ☒ ready for: ["(en)"]
```

```
* ☒ ready for: ["(en)"]
```

```
* ☒ ready for: ["(en)"]
```

```
* ☒ ready for: ["(en)"]
```

Availability for FitnessIntelligence.WorkoutVoice.Intro:

\* ☒ ready for: ["(en)"]

| Required Resource Name | (en) |
|------------------------|------|
|                        |      |

Availability for FitnessIntelligence.WorkoutVoice.Outro:

\* ☒ ready for: ["(en)"]

| Required Resource Name | (en) |
|------------------------|------|
|                        |      |

Availability for FitnessIntelligence.WorkoutVoice.Split:

\* ☒ ready for: ["(en)"]

| Required Resource Name | (en) |
|------------------------|------|
|                        |      |

Availability for GenerativeAssistant.composition:

\* ☒ ready for: ["(all)"]

| Required Resource Name | (all) |
|------------------------|-------|
|                        |       |

Availability for GenerativeAssistant.knowledge:

\* ☒ ready for: ["(all)"]

| Required Resource Name | (all) |
|------------------------|-------|
|                        |       |

Availability for GenerativeAssistant.knowledgeFallback:

\* ☒ ready for: ["(all)"]

| Required Resource Name | (all) |
|------------------------|-------|
|                        |       |

Availability for GenerativeAssistant.mediaQA:

\* ☒ ready for: ["(all)"]

| Required Resource Name | (all) |
|------------------------|-------|
|                        |       |

Availability for GenerativeAssistant.visualIntelligenceCamera:

\* ☒ ready for: ["(all)"]

| Required Resource Name | (all) |
|------------------------|-------|
|                        |       |

Availability for GenerativeEdit.CleanUp:

\* ☒ ready for: ["(all)"]

| Required Resource Name                           | (all)                               |
|--------------------------------------------------|-------------------------------------|
| com.apple.fm.photos.genedit.magiccleanup.generic | <input checked="" type="checkbox"/> |



Availability for Reminders.IntelligentReminderExtraction:  
\*  ready for: ["(es)", "(en)", "(fr)", "(de)", "(pt)", "(it)", "(ko)", "(ja)", "(zh)"]

| Required Resource Name<br>(zh) | (de) | (en) | (es) | (fr) | (it) | (ja) | (ko) | (pt) |
|--------------------------------|------|------|------|------|------|------|------|------|
|                                |      |      |      |      |      |      |      |      |

Availability for Shortcuts.AskAFMAction:  
\*  ready for: ["(pt)", "(es)", "(ko)", "(en)", "(de)", "(ja)", "(fr)", "(it)", "(zh)"]

| Required Resource Name<br>(zh) | (de) | (en) | (es) | (fr) | (it) | (ja) | (ko) | (pt) |
|--------------------------------|------|------|------|------|------|------|------|------|
|                                |      |      |      |      |      |      |      |      |

Availability for Shortcuts.AskAFMAction.automated:  
\*  ready for: ["(en)", "(ko)", "(it)", "(pt)", "(ja)", "(zh)", "(es)", "(fr)", "(de)"]

| Required Resource Name<br>(zh) | (de) | (en) | (es) | (fr) | (it) | (ja) | (ko) | (pt) |
|--------------------------------|------|------|------|------|------|------|------|------|
|                                |      |      |      |      |      |      |      |      |

Availability for Shortcuts.AskAFMAction.automated.image:  
\*  ready for: ["(de)", "(ko)", "(fr)", "(en)", "(ja)", "(zh)", "(pt)", "(it)", "(es)"]

| Required Resource Name<br>(zh) | (de) | (en) | (es) | (fr) | (it) | (ja) | (ko) | (pt) |
|--------------------------------|------|------|------|------|------|------|------|------|
|                                |      |      |      |      |      |      |      |      |

Availability for Shortcuts.AskAFMAction.image:  
\*  ready for: ["(ko)", "(zh)", "(en)", "(de)", "(fr)", "(it)", "(es)", "(pt)", "(ja)"]

| Required Resource Name<br>(zh) | (de) | (en) | (es) | (fr) | (it) | (ja) | (ko) | (pt) |
|--------------------------------|------|------|------|------|------|------|------|------|
|                                |      |      |      |      |      |      |      |      |

Availability for VisualGeneration.GenerativePlayground:  
\*  NOT ready for: ["(it)", "(fr)", "(de)", "(es)", "(pt)", "(ja)", "(en)"]

|  |  |  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|--|--|
|  |  |  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|--|--|

| Required Resource Name                                                   | (de) | (en) | (es) | (fr) | (it) | (ja) | (pt) |
|--------------------------------------------------------------------------|------|------|------|------|------|------|------|
| com.apple.fm.language.instruct_300m.adm_people_grounding.generic         | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    |
| com.apple.fm.language.instruct_300m.adm_prompt_rewriting.generic         | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    |
| com.apple.fm.language.instruct_300m.base.generic                         | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    |
| com.apple.fm.language.instruct_300m.image_tokenizer.generic              | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    |
| com.apple.fm.language.instruct_300m.misc_safety.generic                  | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    |
| com.apple.fm.language.instruct_300m.prepubescent_safety.generic          | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    |
| com.apple.fm.language.instruct_300m.safety.generic                       | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    |
| com.apple.fm.language.instruct_300m.structural_integrity.generic         | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    |
| com.apple.fm.language.instruct_300m.tokenizer.generic                    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    |
| com.apple.fm.visual.image_diffusion_v1.animation.generic                 | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    |
| com.apple.fm.visual.image_diffusion_v1.base.generic                      | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    |
| com.apple.fm.visual.image_diffusion_v1.illustration.generic              | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    |
| com.apple.fm.visual.image_diffusion_v1.personalized_animation.generic    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    |
| com.apple.fm.visual.image_diffusion_v1.personalized_illustration.generic | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    |
| com.apple.fm.visual.image_diffusion_v1.personalized_sketch.generic       | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    |
| com.apple.fm.visual.image_diffusion_v1.sketch.generic                    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    |
| com.apple.fm.visual.imagescaler.upscaler.generic                         | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    |
| com.apple.fm.visual.understanding.conditioning.generic                   | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    |
| com.apple.gm.safety_deny.input.summarization.visual_prompt.generic       | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    |
| com.apple.gm.safety_deny.input.visual_generation.base.generic            | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    |
| com.apple.gm.safety_deny.output.summarization.visual_prompt.generic      | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    |

Availability for VisualGeneration.GenerativePlayground:animation:animation:  
 \* ✗ NOT ready for: ["(all)"]

| Required Resource Name                                   | (all) |
|----------------------------------------------------------|-------|
| com.apple.fm.visual.image_diffusion_v1.animation.generic | ✗     |

Availability for  
 VisualGeneration.GenerativePlayground:animation:personalized\_animation:  
 \* ✗ NOT ready for: ["(all)"]

| Required Resource Name                                   | (all) |
|----------------------------------------------------------|-------|
| com.apple.fm.visual.image_diffusion_v1.animation.generic | ✗     |

Availability for VisualGeneration.GenerativePlayground:animation:style\_scribble:  
\*  NOT ready for: ["(all)"]

| Required Resource Name                                   | (all)                                                                               |
|----------------------------------------------------------|-------------------------------------------------------------------------------------|
| com.apple.fm.visual.image_diffusion_v1.animation.generic |  |

Availability for VisualGeneration.GenerativePlayground:emoji:emoji:  
\*  NOT ready for: ["(all)"]

| Required Resource Name                               | (all)                                                                               |
|------------------------------------------------------|-------------------------------------------------------------------------------------|
| com.apple.fm.visual.image_diffusion_v1.emoji.generic |  |

Availability for VisualGeneration.GenerativePlayground:emoji:personalized\_emoji:  
\*  NOT ready for: ["(all)"]

| Required Resource Name                               | (all)                                                                               |
|------------------------------------------------------|-------------------------------------------------------------------------------------|
| com.apple.fm.visual.image_diffusion_v1.emoji.generic |  |

Availability for  
VisualGeneration.GenerativePlayground:illustration:illustration:  
\*  NOT ready for: ["(all)"]

| Required Resource Name                                      | (all)                                                                                 |
|-------------------------------------------------------------|---------------------------------------------------------------------------------------|
| com.apple.fm.visual.image_diffusion_v1.illustration.generic |  |

Availability for  
VisualGeneration.GenerativePlayground:illustration:personalized\_illustration:  
\*  NOT ready for: ["(all)"]

| Required Resource Name                                      | (all)                                                                                 |
|-------------------------------------------------------------|---------------------------------------------------------------------------------------|
| com.apple.fm.visual.image_diffusion_v1.illustration.generic |  |

Availability for  
VisualGeneration.GenerativePlayground:illustration:style\_scribble:  
\*  NOT ready for: ["(all)"]

| Required Resource Name                                      | (all)                                                                                 |
|-------------------------------------------------------------|---------------------------------------------------------------------------------------|
| com.apple.fm.visual.image_diffusion_v1.illustration.generic |  |

Availability for VisualGeneration.GenerativePlayground:messages-  
background:messages\_backgrounds:  
\*  ready for: ["(all)"]

| Required Resource Name | (all) |
|------------------------|-------|
|                        |       |

Availability for  
VisualGeneration.GenerativePlayground:sketch:personalized\_sketch:  
\*  NOT ready for: ["(all)"]

| Required Resource Name                                | (all) |
|-------------------------------------------------------|-------|
| com.apple.fm.visual.image_diffusion_v1.sketch.generic | ✗     |

Availability for VisualGeneration.GenerativePlayground:sketch:sketch:  
 \* ✗ NOT ready for: ["(all)"]

| Required Resource Name                                | (all) |
|-------------------------------------------------------|-------|
| com.apple.fm.visual.image_diffusion_v1.sketch.generic | ✗     |

Availability for VisualGeneration.GenerativePlayground:sketch:style\_scribble:  
 \* ✗ NOT ready for: ["(all)"]

| Required Resource Name                                | (all) |
|-------------------------------------------------------|-------|
| com.apple.fm.visual.image_diffusion_v1.sketch.generic | ✗     |

Availability for VisualGeneration.KeyboardEmojiGenerator:  
 \* ✗ NOT ready for: ["(en)", "(de)", "(it)", "(pt)", "(fr)", "(ja)", "(es)"]

| Required Resource Name                                              | (en) | (es) | (fr) | (it) | (ja) | (pt) | (de) |
|---------------------------------------------------------------------|------|------|------|------|------|------|------|
| com.apple.fm.language.instruct_300m.adm_people_grounding.generic    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    |
| com.apple.fm.language.instruct_300m.adm_prompt_rewriting.generic    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    |
| com.apple.fm.language.instruct_300m.base.generic                    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    |
| com.apple.fm.language.instruct_300m.image_tokenizer.generic         | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    |
| com.apple.fm.language.instruct_300m.misc_safety.generic             | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    |
| com.apple.fm.language.instruct_300m.prepubescent_safety.generic     | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    |
| com.apple.fm.language.instruct_300m.safety.generic                  | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    |
| com.apple.fm.language.instruct_300m.structural_integrity.generic    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    |
| com.apple.fm.language.instruct_300m.tokenizer.generic               | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    |
| com.apple.fm.visual.image_diffusion_v1.base.generic                 | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    |
| com.apple.fm.visual.image_diffusion_v1.emoji.generic                | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    |
| com.apple.fm.visual.image_diffusion_v1.personalized_emoji.generic   | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    |
| com.apple.fm.visual.imagescaler.upscaler.generic                    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    |
| com.apple.fm.visual.understanding.conditioning.generic              | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    |
| com.apple.gm.safety_deny.input.summarization.visual_prompt.generic  | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    |
| com.apple.gm.safety_deny.input.visual_generation.base.generic       | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    |
| com.apple.gm.safety_deny.output.summarization.visual_prompt.generic | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    |



|                                                                  | (en) | (es) | (fr) | (it) | (ja) | (ko) | (nb) | (nl) | (pt) | (sv) | (tr) | (zh) | (zh_HK) | (zh_TW) |
|------------------------------------------------------------------|------|------|------|------|------|------|------|------|------|------|------|------|---------|---------|
| com.apple.fm.language.instruct_3b.base.generic                   | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗       | ✗       |
| com.apple.fm.language.instruct_3b.tokenizer.generic              | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗       | ✗       |
| com.apple.fm.language.instruct_3b.urgency_classification.generic | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗       | ✗       |
| com.apple.gm.overrides.model_config.all.generic                  | ✓    | ✓    | ✓    | ✓    | ✓    | ✓    | ✓    | ✓    | ✓    | ✓    | ✓    | ✓    | ✓       | ✓       |
| com.apple.gm.safety.disabledusecases.generic                     | ✓    | ✓    | ✓    | ✓    | ✓    | ✓    | ✓    | ✓    | ✓    | ✓    | ✓    | ✓    | ✓       | ✓       |
| com.apple.gm.safety_embedding_deny.all.generic                   | ✓    | ✓    | ✓    | ✓    | ✓    | ✓    | ✓    | ✓    | ✓    | ✓    | ✓    | ✓    | ✓       | ✓       |

Availability for classification.classifyTextMessage:

\* ✗ NOT ready for: ["(da)", "(zh)", "(es)", "(nl)", "(fr)", "(en)", "(zh\_HK)", "(nb)", "(vi)", "(pt)", "(sv)", "(ja)", "(zh\_TW)", "(it)", "(de)", "(ko)", "(tr)"]

| Required Resource Name                                           | (en) | (es) | (fr) | (it) | (ja) | (ko) | (nb) | (nl) | (pt) | (sv) | (tr) | (zh) | (zh_HK) | (zh_TW) |
|------------------------------------------------------------------|------|------|------|------|------|------|------|------|------|------|------|------|---------|---------|
| com.apple.fm.language.instruct_3b.base.generic                   | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗       | ✗       |
| com.apple.fm.language.instruct_3b.tokenizer.generic              | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗       | ✗       |
| com.apple.fm.language.instruct_3b.urgency_classification.generic | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗       | ✗       |
| com.apple.gm.overrides.model_config.all.generic                  | ✓    | ✓    | ✓    | ✓    | ✓    | ✓    | ✓    | ✓    | ✓    | ✓    | ✓    | ✓    | ✓       | ✓       |
| com.apple.gm.safety.disabledusecases.generic                     | ✓    | ✓    | ✓    | ✓    | ✓    | ✓    | ✓    | ✓    | ✓    | ✓    | ✓    | ✓    | ✓       | ✓       |
| com.apple.gm.safety_embedding_deny.all.generic                   | ✓    | ✓    | ✓    | ✓    | ✓    | ✓    | ✓    | ✓    | ✓    | ✓    | ✓    | ✓    | ✓       | ✓       |

Availability for classification.classifyTextMessageThread:

\* ✗ NOT ready for: ["(en)", "(vi)", "(zh)", "(zh\_HK)", "(tr)", "(pt)", "(fr)", "(sv)", "(ko)", "(es)", "(ja)", "(de)", "(da)", "(nl)", "(zh\_TW)", "(it)", "(nb)"]

[illegible]

Availability for classification.classifyUserNotification:

```
* X NOT ready for: ["(zh_HK)", "(zh)", "(nb)", "(ko)", "(vi)", "(es)", "(de)",
"(pt)", "(zh_TW)", "(da)", "(fr)", "(sv)", "(ja)", "(nl)", "(tr)", "(it)",
"(en)"]
```

[illegible]

Availability for com.apple.FoundationModels:

\*  NOT ready for: ["(zh)", "(it)", "(pt)", "(es)", "(fr)", "(ja)", "(de)", "(en)", "(ko)"]

| Required Resource Name                                                  | (en)                                                                              | (es)                                                                              | (fr)                                                                              | (it)                                                                              | (ja)                                                                              | (ko)                                                                              | (pt)                                                                              | (zh)                                                                              | (de)                                                                                |
|-------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| com.apple.fm.language.instruct_3b.base.generic                          |  |  |  |  |  |  |  |  |  |
| com.apple.fm.language.instruct_3b.base_adapter.generic                  |  |  |  |  |  |  |  |  |  |
| com.apple.fm.language.instruct_3b.tokenizer.generic                     |  |  |  |  |  |  |  |  |  |
| com.apple.gm.safety_deny.input.foundation_models_framework.api.generic  |  |  |  |  |  |  |  |  |  |
| com.apple.gm.safety_deny.output.foundation_models_framework.api.generic |  |  |  |  |  |  |  |  |  |
| com.apple.gm.safety_embedding_deny.all.generic                          |  |  |  |  |  |  |  |  |  |

Availability for com.apple.PaperKit.ImageGeneration:

\*  NOT ready for: ["(es)", "(it)", "(de)", "(ja)", "(fr)", "(pt)", "(en)"]

| Required Resource Name                                           | (en)                                                                                | (es)                                                                                | (fr)                                                                                | (it)                                                                                | (ja)                                                                                | (pt)                                                                                | (de)                                                                                  |
|------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| com.apple.fm.language.instruct_300m.adm_people_grounding.generic |  |  |  |  |  |  |  |
| com.apple.fm.language.instruct_300m.adm_prompt_rewriting.generic |  |  |  |  |  |  |  |
| com.apple.fm.language.instruct_300m.base.generic                 |  |  |  |  |  |  |  |
| com.apple.fm.language.instruct_300m.image_tokenizer.generic      |  |  |  |  |  |  |  |
| com.apple.fm.language.instruct_300m.misc_safety.generic          |  |  |  |  |  |  |  |
| com.apple.fm.language.instruct_300m.prepubescent_safety.generic  |  |  |  |  |  |  |  |
| com.apple.fm.language.instruct_300m.safety.generic               |  |  |  |  |  |  |  |
| com.apple.fm.language.instruct_300m.structural_integrity.generic |  |  |  |  |  |  |  |
| com.apple.fm.language.instruct_300m.tokenizer.generic            |  |  |  |  |  |  |  |
| com.apple.fm.visual.image_diffusion_v1.animation.generic         |  |  |  |  |  |  |  |
| com.apple.fm.visual.image_diffusion_v1.base.generic              |  |  |  |  |  |  |  |
| com.apple.fm.visual.image_diffusion_v1.illustration.generic      |  |  |  |  |  |  |  |
| com.apple.fm.visual.image_diffusion_v1.sketch.generic            |  |  |  |  |  |  |  |
| com.apple.fm.visual.image_diffusion_v1.style_scribble.generic    |  |  |  |  |  |  |  |
| com.apple.fm.visual.imagescaler.upscaler.generic                 |  |  |  |  |  |  |  |
| com.apple.fm.visual.understanding.conditioning.generic           |  |  |  |  |  |  |  |





[illegible]

Availability for

```
com.apple.VisualIntelligence.structuredExtraction.addToCalendar:
```

```
* ☒ ready for: ["(pt)", "(de)", "(ja)", "(it)", "(fr)", "(en)", "(zh)",
"(es)", "(ko)"]
```

[illegible]

Availability for

```
com.apple.VisualIntelligence.structuredExtraction.addToContacts:
```

```
* ☒ ready for: ["(it)", "(ko)", "(zh)", "(pt)", "(de)", "(en)", "(ja)",
"(es)", "(fr)"]
```

[illegible]

Availability for com.apple.VisualIntelligenceCamera.ImageSearch:

```
* ☒ ready for: ["(all)"]
```

|                        |       |
|------------------------|-------|
| Required Resource Name | (all) |
|------------------------|-------|

Availability for com.apple.VisualIntelligenceCamera.VisualLookup:

```
* ☒ ready for: ["(all)"]
```

|                        |       |
|------------------------|-------|
| Required Resource Name | (all) |
|------------------------|-------|

Availability for com.apple.WritingTools:

\* **✗** NOT ready for: ["(tr)", "(fr)", "(zh)", "(de)", "(sv)", "(it)", "(pt)", "(zh\_HK)", "(nl)", "(ko)", "(es)", "(en)", "(vi)", "(da)", "(nb)", "(ja)", "(zh\_TW)"]

Required Resource Name (da)

[illegible]

[illegible]

com.apple.gm.server.instruct\_server\_v1.takeaways\_transform.generic

Availability for com.apple.coremotion.fitness:

```
* ☒ ready for: ["(fr)", "(de)", "(it)", "(zh)", "(ko)", "(es)", "(pt)",
"(ja)", "(en)"]
```

[illegible]

Availability for com.apple.mlda.AutoTagger:

```
* ☒ ready for: ["(zh)", "(ko)", "(ja)", "(it)", "(es)", "(pt)", "(en)",
"(de)", "(fr)"]
```

[illegible]

Availability for com.apple.photos.semanticSearch:

```
* ☒ ready for: ["(all)"]
```

| Required Resource Name | (all) |
|------------------------|-------|
|                        |       |

Availability for com.apple.photos.semanticSearch.test:

```
* ☒ ready for: ["(all)"]
```

| Required Resource Name                                | (all)                                                                                 |
|-------------------------------------------------------|---------------------------------------------------------------------------------------|
| com.apple.photos.spatialphotosrelive.fov.main.generic |  |
| com.apple.photos.spatialphotosrelive.main.generic     |  |

Availability for com.apple.secureAnalytics:

```
* ☒ ready for: ["(all)"]
```

|                        |       |
|------------------------|-------|
| Required Resource Name | (all) |
|------------------------|-------|

Availability for com.apple.vision.adt:

\* **✗** NOT ready for: ["(all)"]

| Required Resource Name                      | (all) |
|---------------------------------------------|-------|
| com.apple.vision.adt.detector.generic       | ✗     |
| com.apple.vision.adt.iphone_tracker.generic | ✗     |

Availability for deviceexpert.ContextualRewrite:

\*  ready for: ["(en)"]

| Required Resource Name | (en) |
|------------------------|------|
|                        |      |

Availability for financialInsights.AppleIntelligence:

\*  ready for: ["(en)"]

| Required Resource Name | (en) |
|------------------------|------|
|                        |      |

Availability for handwriting.synthesis:

\*  ready for: ["(tr)", "(da)", "(en)", "(id)", "(vi)", "(sv)", "(ro)", "(pl)", "(cs)", "(fi)", "(de)", "(ms)", "(pt)", "(it)", "(nl)", "(nn)", "(es)", "(fr)", "(nb)"]

\*  NOT ready for: ["(ja)", "(zh\_TW)", "(yue)", "(zh\_HK)", "(ko)", "(zh)"]

| Required Resource Name                                                              |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                       |                                                                                       |                                                                                       | (cs)                                                                                  | (da)                                                                                  | (de)                                                                                  |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| (en)                                                                                | (es)                                                                                | (fi)                                                                                | (fr)                                                                                | (id)                                                                                | (it)                                                                                | (ja)                                                                                | (ko)                                                                                | (ms)                                                                                | (nb)                                                                                  | (nl)                                                                                  |                                                                                       |                                                                                       |                                                                                       |                                                                                       |
| (nn)                                                                                | (pl)                                                                                | (pt)                                                                                | (ro)                                                                                | (sv)                                                                                | (tr)                                                                                | (vi)                                                                                | (yue)                                                                               | (zh)                                                                                | (zh_HK)                                                                               |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |
| (zh_TW)                                                                             |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |
| com.apple.fm.handwriting.synthesis_multilingual.generic                             |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                       |                                                                                       |                                                                                       |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| com.apple.fm.handwriting.synthesis_multilingual.ko                                  |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                       |                                                                                       |                                                                                       |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| com.apple.fm.handwriting.synthesis_multilingual.zhja                                |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                       |                                                                                       |                                                                                       |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |                                                                                     |                                                                                     |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |

Availability for memoryCreation.AssetCuration:

\*  NOT ready for: ["(zh)", "(fr)", "(es)", "(pt)", "(en)", "(de)", "(ja)", "(it)"]

| Required Resource Name                                                           | (de)                                                                              | (en)                                                                              | (es)                                                                              | (fr)                                                                              | (it)                                                                              | (ja)                                                                              | (pt)                                                                              | (zh)                                                                               |
|----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|
| com.apple.fm.language.instruct_300m.base.generic                                 |  |  |  |  |  |  |  |  |
| com.apple.fm.language.instruct_300m.safety.generic                               |  |  |  |  |  |  |  |  |
| com.apple.fm.language.instruct_300m.tokenizer.generic                            |  |  |  |  |  |  |  |  |
| com.apple.gm.overrides.model_config.all.generic                                  |  |  |  |  |  |  |  |  |
| com.apple.gm.safety.disabledusecases.generic                                     |  |  |  |  |  |  |  |  |
| com.apple.gm.safety_deny.input.photos_memories.base.generic                      |  |  |  |  |  |  |  |  |
| com.apple.gm.safety_deny.output.photos_memories.base.generic                     |  |  |  |  |  |  |  |  |
| com.apple.gm.safety_deny.output.photos_memories.sensitive.generic                |  |  |  |  |  |  |  |  |
| com.apple.gm.safety_embedding_deny.all.generic                                   |  |  |  |  |  |  |  |  |
| com.apple.gm.server.instruct_server_v1.photos_memories_asset_curation_v2.generic |  |  |  |  |  |  |  |  |

Availability for memoryCreation.AssetCurationOutlier:

\*  NOT ready for: ["(ja)", "(es)", "(zh)", "(pt)", "(fr)", "(en)", "(de)", "(it)"]

| Required Resource Name                                                                 | (de)                                                                                | (en)                                                                                | (es)                                                                                | (fr)                                                                                | (it)                                                                                | (ja)                                                                                | (pt)                                                                                | (zh)                                                                                 |
|----------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
| com.apple.fm.language.instruct_3b.photos_memories_asset_curation_outlier.draft.generic |  |  |  |  |  |  |  |  |
| com.apple.fm.language.instruct_3b.photos_memories_asset_curation_outlier.generic       |  |  |  |  |  |  |  |  |

Availability for memoryCreation.AutonamingMessages:

\*  NOT ready for: ["(it)", "(en)", "(fr)", "(de)", "(ja)", "(es)", "(pt)", "(zh)"]

| Required Resource Name                                              | (de)                                                                                  |
|---------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| com.apple.fm.language.instruct_3b.autonaming_messages.draft.generic |  |
| com.apple.fm.language.instruct_3b.autonaming_messages.generic       |  |





Availability for memoryCreation.PromptSuggestions:

\*  ready for: ["(all)"]

| Required Resource Name                          | (all)                                                                              |
|-------------------------------------------------|------------------------------------------------------------------------------------|
| com.apple.gm.overrides.model_config.all.generic |  |
| com.apple.gm.safety_embedding_deny.all.generic  |  |

Availability for memoryCreation.QueryUnderstanding:

\*  NOT ready for: ["(it)", "(de)", "(en)", "(pt)", "(zh)", "(fr)", "(ja)", "(es)"]

| Required Resource Name                                                                | (de)                                                                                | (en)                                                                                | (es)                                                                                | (fr)                                                                                | (it)                                                                                | (ja)                                                                                | (pt)                                                                                | (zh)                                                                                |
|---------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| com.apple.fm.language.instruct_300m.base.generic                                      |    |    |    |    |    |    |    |    |
| com.apple.fm.language.instruct_300m.safety.generic                                    |    |    |    |    |    |    |    |    |
| com.apple.fm.language.instruct_300m.tokenizer.generic                                 |    |    |    |    |    |    |    |    |
| com.apple.gm.overrides.model_config.all.generic                                       |    |    |    |    |    |    |    |    |
| com.apple.gm.safety.disabledusecases.generic                                          |   |   |   |   |   |   |   |   |
| com.apple.gm.safety_deny.input.photos_memories.base.generic                           |  |  |  |  |  |  |  |  |
| com.apple.gm.safety_deny.input.photos_memories.user_query.generic                     |  |  |  |  |  |  |  |  |
| com.apple.gm.safety_deny.output.photos_memories.base.generic                          |  |  |  |  |  |  |  |  |
| com.apple.gm.safety_deny.output.photos_memories.sensitive.generic                     |  |  |  |  |  |  |  |  |
| com.apple.gm.safety_deny.output.photos_memories.user_query.generic                    |  |  |  |  |  |  |  |  |
| com.apple.gm.safety_embedding_deny.all.generic                                        |  |  |  |  |  |  |  |  |
| com.apple.gm.server.instruct_server_v1.photos_memories_query_understanding_v3.generic |  |  |  |  |  |  |  |  |

Availability for memoryCreation.Storyteller:

\*  NOT ready for: ["(it)", "(zh)", "(de)", "(en)", "(es)", "(ja)", "(pt)", "(fr)"]

| Required Resource Name                                | (de)                                                                                | (en)                                                                                | (es)                                                                                | (fr)                                                                                | (it)                                                                                | (ja)                                                                                | (pt)                                                                                | (zh)                                                                                |
|-------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| com.apple.fm.language.instruct_300m.base.generic      |  |  |  |  |  |  |  |  |
| com.apple.fm.language.instruct_300m.safety.generic    |  |  |  |  |  |  |  |  |
| com.apple.fm.language.instruct_300m.tokenizer.generic |  |  |  |  |  |  |  |  |
| com.apple.gm.overrides.model_config.all.generic       |  |  |  |  |  |  |  |  |

|                                                                               |   |   |   |   |   |   |   |   |
|-------------------------------------------------------------------------------|---|---|---|---|---|---|---|---|
| com.apple.gm.safety.disabledusecases.generic                                  | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| com.apple.gm.safety_deny.input.photos_memories.base.generic                   | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ |
| com.apple.gm.safety_deny.input.photos_memories.story_title.generic            | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ |
| com.apple.gm.safety_deny.output.photos_memories.base.generic                  | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ |
| com.apple.gm.safety_deny.output.photos_memories.sensitive.generic             | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ |
| com.apple.gm.safety_deny.output.photos_memories.song_id.generic               | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ |
| com.apple.gm.safety_deny.output.photos_memories.story_title.generic           | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ |
| com.apple.gm.safety_embedding_deny.all.generic                                | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| com.apple.gm.server.instruct_server_v1.photos_memories_storyteller_v2.generic | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ |

Availability for memoryCreation.Title:

\* ✗ NOT ready for: ["(it)", "(es)", "(de)", "(pt)", "(fr)", "(en)", "(zh)", "(ja)"]

| Required Resource Name                                                | (en) | (es) | (fr) | (it) | (ja) | (pt) | (zh) | (de) |
|-----------------------------------------------------------------------|------|------|------|------|------|------|------|------|
| com.apple.fm.language.instruct_3b.photos_memories_title.draft.generic | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    |
| com.apple.fm.language.instruct_3b.photos_memories_title.generic       | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    |

Availability for messages.smartReply:

\* ✗ NOT ready for: ["(en)"]

| Required Resource Name                                                  | (en) |
|-------------------------------------------------------------------------|------|
| com.apple.fm.distilled.messages_reply.base.generic                      | ✗    |
| com.apple.fm.distilled.messages_reply.tokenizer.generic                 | ✗    |
| com.apple.gm.overrides.model_config.all.generic                         | ✓    |
| com.apple.gm.safety_deny.input.foundation_models_framework.api.generic  | ✓    |
| com.apple.gm.safety_deny.input.messages_reply.watch.generic             | ✗    |
| com.apple.gm.safety_deny.output.foundation_models_framework.api.generic | ✓    |
| com.apple.gm.safety_deny.output.messages_reply.watch.generic            | ✗    |
| com.apple.gm.safety_embedding_deny.all.generic                          | ✓    |

Availability for safety.codeIntelligence:

\*  ready for: ["(all)"]

| Required Resource Name                                                  |                                                                                     |
|-------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| (all)                                                                   |                                                                                     |
| com.apple.gm.overrides.model_config.all.generic                         |  |
| com.apple.gm.safety_deny.input.code_intelligence.base.generic           |  |
| com.apple.gm.safety_deny.input.foundation_models_framework.api.generic  |  |
| com.apple.gm.safety_deny.output.code_intelligence.base.generic          |  |
| com.apple.gm.safety_deny.output.foundation_models_framework.api.generic |  |
| com.apple.gm.safety_embedding_deny.all.generic                          |  |

Availability for safety.useCaseDisablement:

\*  ready for: ["(all)"]

| Required Resource Name                       | (all)                                                                              |
|----------------------------------------------|------------------------------------------------------------------------------------|
| com.apple.gm.safety.disabledusecases.generic |  |

Availability for spatialPhotos.relive.builtin:

\*  ready for: ["(all)"]

| Required Resource Name | (all) |
|------------------------|-------|
|                        |       |

Availability for spatialPhotos.relive.main:

\*  ready for: ["(all)"]

| Required Resource Name                                | (all)                                                                                 |
|-------------------------------------------------------|---------------------------------------------------------------------------------------|
| com.apple.photos.spatialphotosrelive.fov.main.generic |  |
| com.apple.photos.spatialphotosrelive.main.generic     |  |

Availability for summarization.generativePlayground:

\*  NOT ready for: ["(fr)", "(it)", "(pt)", "(en)", "(ja)", "(de)", "(es)"]

| Required Resource Name                                                              |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     | (de)                                                                                  |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| (en)                                                                                | (es)                                                                                | (fr)                                                                                | (it)                                                                                | (ja)                                                                                | (pt)                                                                                |                                                                                       |
|  |  |  |  |  |  |  |
| com.apple.fm.language.instruct_3b.base.generic                                      |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                       |
|  |  |  |  |  |  |  |
| com.apple.fm.language.instruct_3b.summarization.draft.generic                       |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                       |
|  |  |  |  |  |  |  |
| com.apple.fm.language.instruct_3b.summarization.generic                             |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                       |
|  |  |  |  |  |  |  |
| com.apple.fm.language.instruct_3b.tokenizer.generic                                 |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                       |
|  |  |  |  |  |  |  |
| com.apple.gm.overrides.model_config.all.generic                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                       |

|                                                             |          |         |   |
|-------------------------------------------------------------|----------|---------|---|
| com.apple.gm.safety.disabled                                | usecases | generic | ✓ |
| com.apple.gm.safety_deny.input.summarization.base           | generic  |         | ✓ |
| com.apple.gm.safety_deny.input.summarization.visual_prompt  | generic  |         | ✗ |
| com.apple.gm.safety_deny.output.summarization.base          | generic  |         | ✗ |
| com.apple.gm.safety_deny.output.summarization.visual_prompt | generic  |         | ✗ |
| com.apple.gm.safety_embedding_deny.all                      | generic  |         | ✓ |

| Required Resource Name                                              |      |      |      |      |      |   | (de) |
|---------------------------------------------------------------------|------|------|------|------|------|---|------|
| (en)                                                                | (es) | (fr) | (it) | (ja) | (pt) |   |      |
| com.apple.fm.language.instruct_3b.base.generic                      | ✗    | ✗    | ✗    | ✗    | ✗    | ✗ | ✗    |
| com.apple.fm.language.instruct_3b.summarization.draft.generic       | ✗    | ✗    | ✗    | ✗    | ✗    | ✗ | ✗    |
| com.apple.fm.language.instruct_3b.summarization.generic             | ✗    | ✗    | ✗    | ✗    | ✗    | ✗ | ✗    |
| com.apple.fm.language.instruct_3b.tokenizer.generic                 | ✗    | ✗    | ✗    | ✗    | ✗    | ✗ | ✗    |
| com.apple.gm.overrides.model_config.all.generic                     | ✓    | ✓    | ✓    | ✓    | ✓    | ✓ | ✓    |
| com.apple.gm.safety.disabledusecases.generic                        | ✓    | ✓    | ✓    | ✓    | ✓    | ✓ | ✓    |
| com.apple.gm.safety_deny.input.summarization.base.generic           | ✗    | ✗    | ✗    | ✗    | ✗    | ✗ | ✗    |
| com.apple.gm.safety_deny.input.summarization.visual_prompt.generic  | ✗    | ✗    | ✗    | ✗    | ✗    | ✗ | ✗    |
| com.apple.gm.safety_deny.output.summarization.base.generic          | ✗    | ✗    | ✗    | ✗    | ✗    | ✗ | ✗    |
| com.apple.gm.safety_deny.output.summarization.visual_prompt.generic | ✗    | ✗    | ✗    | ✗    | ✗    | ✗ | ✗    |
| com.apple.gm.safety_embedding_deny.all.generic                      | ✓    | ✓    | ✓    | ✓    | ✓    | ✓ | ✓    |

[illegible]











Availability for summarization.summarizeMailMessageThreadOnDemand:

\*  NOT ready for: ["(da)", "(zh\_TW)", "(de)", "(ja)", "(fr)", "(vi)", "(nl)", "(zh)", "(zh\_HK)", "(pt)", "(ko)", "(tr)", "(en)", "(sv)", "(nb)", "(es)", "(it)"]

| Required Resource Name                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                       |                                                                                       |                                                                                       |
|----------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| (da)                                                                       | (de)                                                                                | (en)                                                                                | (es)                                                                                | (fr)                                                                                | (it)                                                                                | (ja)                                                                                | (ko)                                                                                | (nb)                                                                                | (nl)                                                                                  | (pt)                                                                                  | (sv)                                                                                  |
| (tr)                                                                       | (vi)                                                                                | (zh)                                                                                | (zh_HK)                                                                             | (zh_TW)                                                                             |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                       |                                                                                       |                                                                                       |
| com.apple.gm.overrides.model_config.all.generic                            |    |    |    |    |    |    |    |    |    |    |    |
| com.apple.gm.safety.disabledusecases.generic                               |    |    |    |    |    |    |    |    |    |    |    |
| com.apple.gm.safety_deny.input.summarization.base.generic                  |    |    |    |    |    |    |    |    |    |    |    |
| com.apple.gm.safety_deny.input.summarization.cu_summary.on_demand.generic  |    |    |    |    |    |    |    |    |    |    |    |
| com.apple.gm.safety_deny.output.summarization.base.generic                 |   |   |   |   |   |   |   |   |   |   |   |
| com.apple.gm.safety_deny.output.summarization.cu_summary.on_demand.generic |  |  |  |  |  |  |  |  |  |  |  |
| com.apple.gm.safety_embedding_deny.all.generic                             |  |  |  |  |  |  |  |  |  |  |  |
| com.apple.gm.server.instruct_server_v1.text_summarizer.generic             |  |  |  |  |  |  |  |  |  |  |  |

Availability for summarization.summarizeTextMessage:

\*  NOT ready for: ["(en)", "(nl)", "(ko)", "(it)", "(tr)", "(zh\_TW)", "(zh)", "(fr)", "(ja)", "(vi)", "(nb)", "(pt)", "(zh\_HK)", "(sv)", "(de)", "(es)", "(da)"]

| Required Resource Name                                        |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                       |                                                                                       |                                                                                       |
|---------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| (da)                                                          | (de)                                                                                | (en)                                                                                | (es)                                                                                | (fr)                                                                                | (it)                                                                                | (ja)                                                                                | (ko)                                                                                | (nb)                                                                                | (nl)                                                                                  | (pt)                                                                                  | (sv)                                                                                  |
| (tr)                                                          | (vi)                                                                                | (zh)                                                                                | (zh_HK)                                                                             | (zh_TW)                                                                             |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                       |                                                                                       |                                                                                       |
| com.apple.fm.language.instruct_3b.base.generic                |  |  |  |  |  |  |  |  |  |  |  |
| com.apple.fm.language.instruct_3b.summarization.draft.generic |  |  |  |  |  |  |  |  |  |  |  |
| com.apple.fm.language.instruct_3b.summarization.generic       |  |  |  |  |  |  |  |  |  |  |  |

|                                                                            | com.apple.fm.language.instruct_3b.tokenizer.generic | com.apple.gm.overrides.model_config.all.generic | com.apple.gm.safety.disabledusecases.generic | com.apple.gm.safety_deny.input.summarization.base.generic | com.apple.gm.safety_deny.input.summarization.cu_summary.proactive.generic | com.apple.gm.safety_deny.output.summarization.base.generic | com.apple.gm.safety_deny.output.summarization.cu_summary.proactive.generic | com.apple.gm.safety_embedding_deny.all.generic |
|----------------------------------------------------------------------------|-----------------------------------------------------|-------------------------------------------------|----------------------------------------------|-----------------------------------------------------------|---------------------------------------------------------------------------|------------------------------------------------------------|----------------------------------------------------------------------------|------------------------------------------------|
| com.apple.fm.language.instruct_3b.tokenizer.generic                        | X                                                   | X                                               | X                                            | X                                                         | X                                                                         | X                                                          | X                                                                          | X                                              |
| com.apple.gm.overrides.model_config.all.generic                            | X                                                   | X                                               | X                                            | X                                                         | X                                                                         | X                                                          | X                                                                          | X                                              |
| com.apple.gm.safety.disabledusecases.generic                               | X                                                   | X                                               | X                                            | X                                                         | X                                                                         | X                                                          | X                                                                          | X                                              |
| com.apple.gm.safety_deny.input.summarization.base.generic                  | X                                                   | X                                               | X                                            | X                                                         | X                                                                         | X                                                          | X                                                                          | X                                              |
| com.apple.gm.safety_deny.input.summarization.cu_summary.proactive.generic  | X                                                   | X                                               | X                                            | X                                                         | X                                                                         | X                                                          | X                                                                          | X                                              |
| com.apple.gm.safety_deny.output.summarization.base.generic                 | X                                                   | X                                               | X                                            | X                                                         | X                                                                         | X                                                          | X                                                                          | X                                              |
| com.apple.gm.safety_deny.output.summarization.cu_summary.proactive.generic | X                                                   | X                                               | X                                            | X                                                         | X                                                                         | X                                                          | X                                                                          | X                                              |
| com.apple.gm.safety_embedding_deny.all.generic                             | X                                                   | X                                               | X                                            | X                                                         | X                                                                         | X                                                          | X                                                                          | X                                              |

[illegible]



\* **✗** NOT ready for: ["(es)", "(tr)", "(fr)", "(pt)", "(zh\_HK)", "(de)", "(ko)", "(en)", "(nl)", "(da)", "(nb)", "(it)", "(ja)", "(vi)", "(sv)", "(zh)", "(zh\_TW)"]

\* **✗** NOT ready for: ["(sv)", "(es)", "(tr)", "(pt)", "(it)", "(vi)", "(zh)", "(nb)", "(nl)", "(de)", "(zh\_TW)", "(ja)", "(fr)", "(en)", "(zh\_HK)", "(ko)", "(da)"]











(vi) | (zh) | (zh\_HK) | (zh\_TW) |

[illegible]

Availability for textComposition.MailReplyLongFormBasic:

\* **✗** NOT ready for: ["(ja)", "(tr)", "(en)", "(nl)", "(ko)", "(de)", "(sv)", "(es)", "(vi)", "(da)", "(it)", "(nb)", "(zh\_TW)", "(zh)", "(pt)", "(zh\_HK)", "(fr)"]

[illegible]

| Required Resource Name                                                      |      |      |      |         |         |      |      |      |      |      |   |
|-----------------------------------------------------------------------------|------|------|------|---------|---------|------|------|------|------|------|---|
| (da)                                                                        | (de) | (en) | (es) | (fr)    | (it)    | (ja) | (ko) | (nb) | (nl) | (pt) |   |
| (sv)                                                                        | (tr) | (vi) | (zh) | (zh_HK) | (zh_TW) |      |      |      |      |      |   |
| com.apple.gm.overrides.model_config.all.generic                             |      |      |      |         |         |      |      |      |      |      |   |
| ✓                                                                           | ✓    | ✓    | ✓    | ✓       | ✓       | ✓    | ✓    | ✓    | ✓    | ✓    | ✓ |
| ✓                                                                           | ✓    | ✓    | ✓    | ✓       | ✓       | ✓    |      |      |      |      |   |
| com.apple.gm.safety.disabledusecases.generic                                |      |      |      |         |         |      |      |      |      |      |   |
| ✓                                                                           | ✓    | ✓    | ✓    | ✓       | ✓       | ✓    | ✓    | ✓    | ✓    | ✓    | ✓ |
| ✓                                                                           | ✓    | ✓    | ✓    | ✓       | ✓       | ✓    |      |      |      |      |   |
| com.apple.gm.safety_deny.input.mail_reply.long_form_rewrite.generic         |      |      |      |         |         |      |      |      |      |      |   |
| ✗                                                                           | ✗    | ✗    | ✗    | ✗       | ✗       | ✗    | ✗    | ✗    | ✗    | ✗    | ✗ |
| ✗                                                                           | ✗    | ✗    | ✗    | ✗       | ✗       | ✗    |      |      |      |      |   |
| com.apple.gm.safety_deny.output.mail_reply.long_form_rewrite.generic        |      |      |      |         |         |      |      |      |      |      |   |
| ✗                                                                           | ✗    | ✗    | ✗    | ✗       | ✗       | ✗    | ✗    | ✗    | ✗    | ✗    | ✗ |
| ✗                                                                           | ✗    | ✗    | ✗    | ✗       | ✗       | ✗    |      |      |      |      |   |
| com.apple.gm.safety_embedding_deny.all.generic                              |      |      |      |         |         |      |      |      |      |      |   |
| ✓                                                                           | ✓    | ✓    | ✓    | ✓       | ✓       | ✓    | ✓    | ✓    | ✓    | ✓    | ✓ |
| ✓                                                                           | ✓    | ✓    | ✓    | ✓       | ✓       | ✓    |      |      |      |      |   |
| com.apple.gm.server.instruct_server_v1.mail_reply_long_form_rewrite.generic |      |      |      |         |         |      |      |      |      |      |   |
| ✗                                                                           | ✗    | ✗    | ✗    | ✗       | ✗       | ✗    | ✗    | ✗    | ✗    | ✗    | ✗ |
| ✗                                                                           | ✗    | ✗    | ✗    | ✗       | ✗       | ✗    |      |      |      |      |   |

| Required Resource Name                                          | (en) | (es) | (fr)    | (it)    | (ja) | (ko) | (nb) | (nl) | (pt) | (sv) | (da) | (de) |
|-----------------------------------------------------------------|------|------|---------|---------|------|------|------|------|------|------|------|------|
|                                                                 | (vi) | (zh) | (zh_HK) | (zh_TW) |      |      |      |      |      |      |      |      |
| com.apple.gm.overrides.model_config.all.generic                 |      |      |         |         |      |      |      |      |      |      |      |      |
| com.apple.gm.safety.disabledusecases.generic                    |      |      |         |         |      |      |      |      |      |      |      |      |
| com.apple.gm.safety_deny.input.mail_reply.long_form_qa.generic  |      |      |         |         |      |      |      |      |      |      |      |      |
| com.apple.gm.safety_deny.output.mail_reply.long_form_qa.generic |      |      |         |         |      |      |      |      |      |      |      |      |

|                                                              |  |  |  |  |  |  |  |  |  |  |  |
|--------------------------------------------------------------|--|--|--|--|--|--|--|--|--|--|--|
|                                                              |  |  |  |  |  |  |  |  |  |  |  |
| com.apple.gm.safety_embedding_deny.all.generic               |  |  |  |  |  |  |  |  |  |  |  |
|                                                              |  |  |  |  |  |  |  |  |  |  |  |
| com.apple.gm.server.instruct_server_v1.mail_reply_qa.generic |  |  |  |  |  |  |  |  |  |  |  |
|                                                              |  |  |  |  |  |  |  |  |  |  |  |
|                                                              |  |  |  |  |  |  |  |  |  |  |  |

Availability for textComposition.MessagesAction:

[illegible]

Availability for textComposition.MessagesReply:

| Required Resource Name                                         |      |         |         |      |      |      |      |      |      |      | (da) | (de) |
|----------------------------------------------------------------|------|---------|---------|------|------|------|------|------|------|------|------|------|
| (en)                                                           | (es) | (fr)    | (it)    | (ja) | (ko) | (nb) | (nl) | (pt) | (sv) | (tr) |      |      |
| (vi)                                                           | (zh) | (zh_HK) | (zh_TW) |      |      |      |      |      |      |      |      |      |
| com.apple.fm.language.instruct_300m.base.generic               |      |         |         |      |      |      |      |      |      |      | ✗    | ✗    |
| ✗                                                              | ✗    | ✗       | ✗       | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    |
| ✗                                                              | ✗    | ✗       | ✗       | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    |
| com.apple.fm.language.instruct_300m.tokenizer.generic          |      |         |         |      |      |      |      |      |      |      | ✗    | ✗    |
| ✗                                                              | ✗    | ✗       | ✗       | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    |
| ✗                                                              | ✗    | ✗       | ✗       | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    |
| com.apple.fm.language.instruct_3b.base.generic                 |      |         |         |      |      |      |      |      |      |      | ✗    | ✗    |
| ✗                                                              | ✗    | ✗       | ✗       | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    |
| ✗                                                              | ✗    | ✗       | ✗       | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    |
| com.apple.fm.language.instruct_3b.messages_reply.draft.generic |      |         |         |      |      |      |      |      |      |      | ✗    | ✗    |
| ✗                                                              | ✗    | ✗       | ✗       | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    |
| ✗                                                              | ✗    | ✗       | ✗       | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    |
| com.apple.fm.language.instruct_3b.messages_reply.generic       |      |         |         |      |      |      |      |      |      |      | ✗    | ✗    |
| ✗                                                              | ✗    | ✗       | ✗       | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    |
| ✗                                                              | ✗    | ✗       | ✗       | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    |
| com.apple.fm.language.instruct_3b.tokenizer.generic            |      |         |         |      |      |      |      |      |      |      | ✗    | ✗    |
| ✗                                                              | ✗    | ✗       | ✗       | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    |
| ✗                                                              | ✗    | ✗       | ✗       | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    |
| com.apple.gm.overrides.model_config.all.generic                |      |         |         |      |      |      |      |      |      |      | ✓    | ✓    |

[illegible]

Availability for textComposition.ProfessionalTone:

\* **✗** NOT ready for: ["(fr)", "(nb)", "(es)", "(zh\_TW)", "(zh)", "(vi)", "(ko)", "(tr)", "(pt)", "(it)", "(en)", "(de)", "(nl)", "(ja)", "(zh\_HK)", "(da)", "(sv)"]

[illegible]

Availability for textComposition.ProofreadingReview:

\* **✗** NOT ready for: ["(ja)", "(it)", "(nb)", "(de)", "(da)", "(fr)", "(vi)", "(sv)", "(nl)", "(zh\_TW)", "(en)", "(es)", "(ko)", "(zh)", "(tr)", "(pt)", "(zh\_HK)"]

| Required Resource Name |      |      |         |         |      |      |      |      |      |      |  | (da) |
|------------------------|------|------|---------|---------|------|------|------|------|------|------|--|------|
| (de)                   | (en) | (es) | (fr)    | (it)    | (ja) | (ko) | (nb) | (nl) | (pt) | (sv) |  |      |
| (tr)                   | (vi) | (zh) | (zh_HK) | (zh_TW) |      |      |      |      |      |      |  |      |

| com.apple.fm.language.instruct_3b.base.generic                      | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ |
|---------------------------------------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| com.apple.fm.language.instruct_3b.proofreading_review.draft.generic | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ |
| com.apple.fm.language.instruct_3b.proofreading_review.generic       | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ |
| com.apple.fm.language.instruct_3b.tokenizer.generic                 | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ |
| com.apple.gm.overrides.model_config.all.generic                     | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| com.apple.gm.safety.disabledusecases.generic                        | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| com.apple.gm.safety_deny.input.proofreading_review.generic          | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ |
| com.apple.gm.safety_deny.output.proofreading_review.generic         | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ |
| com.apple.gm.safety_embedding_deny.all.generic                      | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |

Availability for textComposition.SuperAutofill:

\* ✓ ready for: ["(fr)", "(pt)", "(en)", "(ko)", "(zh)", "(it)", "(de)", "(es)", "(ja)"]

| Required Resource Name | (de) | (en) | (es) | (fr) | (it) | (ja) | (ko) | (pt) |
|------------------------|------|------|------|------|------|------|------|------|
| (zh)                   |      |      |      |      |      |      |      |      |

Availability for textComposition.TablesTransform:

\* ✗ NOT ready for: ["(da)", "(fr)", "(zh)", "(es)", "(ja)", "(zh\_TW)", "(de)", "(zh\_HK)", "(vi)", "(ko)", "(nl)", "(en)", "(sv)", "(tr)", "(pt)", "(it)", "(nb)"]

| Required Resource Name                                  | (en) | (es) | (fr) | (it) | (ja) | (ko) | (nb) | (nl) | (pt) | (sv) | (tr) | (da) | (de) |
|---------------------------------------------------------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| (vi)                                                    |      |      |      |      |      |      |      |      |      |      |      |      |      |
| (zh)                                                    |      |      |      |      |      |      |      |      |      |      |      |      |      |
| (zh_HK)                                                 |      |      |      |      |      |      |      |      |      |      |      |      |      |
| (zh_TW)                                                 |      |      |      |      |      |      |      |      |      |      |      |      |      |
| com.apple.gm.overrides.model_config.all.generic         | ✓    | ✓    | ✓    | ✓    | ✓    | ✓    | ✓    | ✓    | ✓    | ✓    | ✓    | ✓    | ✓    |
| com.apple.gm.safety.disabledusecases.generic            | ✓    | ✓    | ✓    | ✓    | ✓    | ✓    | ✓    | ✓    | ✓    | ✓    | ✓    | ✓    | ✓    |
| com.apple.gm.safety_deny.input.tables_transform.generic |      |      |      |      |      |      |      |      |      | ✗    | ✗    |      |      |

|                                                                 |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------------------------------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|
| com.apple.gm.safety_deny.output.tables_transform.generic        | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ |
| com.apple.gm.safety_embedding_deny.all.generic                  | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| com.apple.gm.server.instruct_server_v1.tables_transform.generic | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ |

Availability for textComposition.TakeawaysTransform:  
 \* ✗ NOT ready for: ["(es)", "(vi)", "(zh)", "(zh\_HK)", "(pt)", "(en)", "(it)", "(tr)", "(ja)", "(zh\_TW)", "(da)", "(fr)", "(ko)", "(de)", "(nb)", "(nl)", "(sv)"]

| Required Resource Name                                             | (de) | (en) | (es) | (fr) | (it) | (ja) | (ko) | (nb) | (nl) | (pt) | (sv) | (da) |
|--------------------------------------------------------------------|------|------|------|------|------|------|------|------|------|------|------|------|
| com.apple.gm.overrides.model_config.all.generic                    | ✓    | ✓    | ✓    | ✓    | ✓    | ✓    | ✓    | ✓    | ✓    | ✓    | ✓    | ✓    |
| com.apple.gm.safety.disabledusecases.generic                       | ✓    | ✓    | ✓    | ✓    | ✓    | ✓    | ✓    | ✓    | ✓    | ✓    | ✓    | ✓    |
| com.apple.gm.safety_deny.input.takeaways_transform.generic         | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    |
| com.apple.gm.safety_deny.output.takeaways_transform.generic        | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    |
| com.apple.gm.safety_embedding_deny.all.generic                     | ✓    | ✓    | ✓    | ✓    | ✓    | ✓    | ✓    | ✓    | ✓    | ✓    | ✓    | ✓    |
| com.apple.gm.server.instruct_server_v1.takeaways_transform.generic | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    | ✗    |

Availability for textComposition.TextExpert:  
 \* ✓ ready for: ["(pt)", "(ja)", "(es)", "(zh)", "(fr)", "(it)", "(de)", "(ko)", "(en)"]

| Required Resource Name | (de) | (en) | (es) | (fr) | (it) | (ja) | (ko) | (pt) |
|------------------------|------|------|------|------|------|------|------|------|
|                        |      |      |      |      |      |      |      |      |

Availability for textUnderstanding.BackgroundImagePrompt:  
 \* ✓ ready for: ["(es)", "(en)", "(ja)", "(it)", "(fr)", "(de)", "(pt)"]

| Required Resource Name | (de) | (en) | (es) | (fr) | (it) | (ja) | (pt) |
|------------------------|------|------|------|------|------|------|------|
|                        |      |      |      |      |      |      |      |

Availability for textUnderstanding.StructuredExtraction:

\*  ready for: ["(es)", "(ja)", "(ko)", "(fr)", "(it)", "(zh)", "(en)", "(de)", "(pt)"]

| Required Resource Name | (de) | (en) | (es) | (fr) | (it) | (ja) | (ko) | (pt) |
|------------------------|------|------|------|------|------|------|------|------|
| (zh)                   |      |      |      |      |      |      |      |      |
|                        |      |      |      |      |      |      |      |      |

Availability for textUnderstanding.TextEventExtraction:

\*  NOT ready for: ["(pt)", "(it)", "(ja)", "(es)", "(en)", "(de)", "(fr)", "(ko)", "(zh)"]

| Required Resource Name                                                | (de)                                                                                 |
|-----------------------------------------------------------------------|--------------------------------------------------------------------------------------|
| (en)   (es)   (fr)   (it)   (ja)   (ko)   (pt)   (zh)                 |                                                                                      |
| com.apple.fm.language.instruct_3b.text_event_extraction.draft.generic |   |
| com.apple.fm.language.instruct_3b.text_event_extraction.generic       |  |

Availability for textUnderstanding.TextPersonExtraction:

\*  NOT ready for: ["(ko)", "(es)", "(ja)", "(fr)", "(pt)", "(de)", "(it)", "(zh)", "(en)"]

| Required Resource Name                                           | (de)                                                                                  | (en)                                                                                  |
|------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| (es)   (fr)   (it)   (ja)   (ko)   (pt)   (zh)                   |                                                                                       |                                                                                       |
| com.apple.fm.language.instruct_3b.text_person_extraction.generic |  |  |

Availability for writingTools.compose:

\*  ready for: ["(all)"]

| Required Resource Name | (all) |
|------------------------|-------|
|                        |       |

Availability for writingTools.composeRecentsSummaries:

\*  ready for: ["(all)"]

| Required Resource Name | (all) |
|------------------------|-------|
|                        |       |

=====  
Asset Information



-  available
-  available (sideloaded)
-  coherence: the latest version of the asset is successfully locked and will be coherently vended
-  coherence: there is a mismatch between what is currently vended by coherence, and what is the latest asset that can be fetched
-  downloading
-  network related download error
-  non-network related download error
-  not downloading
-  not subscribed
-  out of space
-  server returned no asset
-  server side asset
-  stalled
-  subscription is managed externally

|                                                       |                |                        |
|-------------------------------------------------------|----------------|------------------------|
| com.apple.MobileAsset.UAF.FM.CodeLM                   |                |                        |
| com.apple.fm.code.generate_large_v3.base              |                |                        |
| generic                                               | LLM.Model      | CodeLMLargeV3          |
| ○                                                     |                |                        |
| com.apple.MobileAsset.UAF.FM.CodeLM                   |                |                        |
| com.apple.fm.code.generate_large_v3.base.draft        |                |                        |
| generic                                               | LLM.DraftModel | CodeLMLargeV3          |
| ○                                                     |                |                        |
| com.apple.MobileAsset.UAF.FM.CodeLM                   |                |                        |
| com.apple.fm.code.generate_large_v3.tokenizer         |                |                        |
| generic                                               | Tokenizer      | CodeLMLargeV3Tokenizer |
| ○                                                     |                |                        |
| com.apple.MobileAsset.UAF.FM.CodeLM                   |                |                        |
| com.apple.fm.code.generate_large_v4.base              |                |                        |
| generic                                               | LLM.Model      | CodeLMLargeV4          |
| ○                                                     |                |                        |
| com.apple.MobileAsset.UAF.FM.CodeLM                   |                |                        |
| com.apple.fm.code.generate_large_v4.base.draft        |                |                        |
| generic                                               | LLM.DraftModel | CodeLMLargeV4          |
| ○                                                     |                |                        |
| com.apple.MobileAsset.UAF.FM.CodeLM                   |                |                        |
| com.apple.fm.code.generate_large_v4.tokenizer         |                |                        |
| generic                                               | Tokenizer      | CodeLMLargeV4Tokenizer |
| ○                                                     |                |                        |
| com.apple.MobileAsset.UAF.FM.CodeLM                   |                |                        |
| com.apple.fm.code.generate_large_v5.base              |                |                        |
| generic                                               | LLM.Model      | CodeLMLargeV5          |
| ○                                                     |                |                        |
| com.apple.MobileAsset.UAF.FM.CodeLM                   |                |                        |
| com.apple.fm.code.generate_large_v5.base.draft        |                |                        |
| generic                                               | LLM.DraftModel | CodeLMLargeV5          |
| ○                                                     |                |                        |
| com.apple.MobileAsset.UAF.FM.CodeLM                   |                |                        |
| com.apple.fm.code.generate_large_v5.tokenizer         |                |                        |
| generic                                               | Tokenizer      | CodeLMLargeV5Tokenizer |
| ○                                                     |                |                        |
| com.apple.MobileAsset.UAF.FM.CodeLM                   |                |                        |
| com.apple.fm.code.generate_safety_guardrail.base      |                |                        |
| generic                                               | LLM.Model      | CodeLMSafetyGuardrail  |
| ○                                                     |                |                        |
| com.apple.MobileAsset.UAF.FM.CodeLM                   |                |                        |
| com.apple.fm.code.generate_safety_guardrail.tokenizer |                |                        |
| generic                                               | Tokenizer      |                        |
| CodeLMSafetyGuardrailTokenizer                        |                | ○                      |
|                                                       |                |                        |
| com.apple.MobileAsset.UAF.FM.CodeLM                   |                |                        |
| com.apple.fm.code.generate_small_v1.base              |                |                        |
| generic                                               | LLM.Model      | CodeLMSmallV1          |
| ○                                                     |                |                        |
| com.apple.MobileAsset.UAF.FM.CodeLM                   |                |                        |
| com.apple.fm.code.generate_small_v1.base.draft        |                |                        |
| generic                                               | LLM.DraftModel | CodeLMSmallV1          |
| ○                                                     |                |                        |
| com.apple.MobileAsset.UAF.FM.CodeLM                   |                |                        |
| com.apple.fm.code.generate_small_v1.tokenizer         |                |                        |
| generic                                               | Tokenizer      | CodeLMSmallV1Tokenizer |
| ○                                                     |                |                        |
| com.apple.MobileAsset.UAF.FM.CodeLM                   |                |                        |
| com.apple.fm.code.generate_small_v2.base              |                |                        |
| generic                                               | LLM.Model      | CodeLMSmallV2          |
| ○                                                     |                |                        |
| com.apple.MobileAsset.UAF.FM.CodeLM                   |                |                        |
| com.apple.fm.code.generate_small_v2.base.draft        |                |                        |
| generic                                               | LLM.DraftModel | CodeLMSmallV2          |

|                                                 |                        |
|-------------------------------------------------|------------------------|
| com.apple.MobileAsset.UAF.FM.CodeLM             |                        |
| com.apple.fm.code.generate_small_v2.tokenizer   |                        |
| generic                                         | CodeLMSmallV2Tokenizer |
| com.apple.MobileAsset.UAF.FM.CodeLM             |                        |
| com.apple.fm.code.generate_small_v3.base        |                        |
| generic                                         | CodeLMSmallV3          |
| com.apple.MobileAsset.UAF.FM.CodeLM             |                        |
| com.apple.fm.code.generate_small_v3.base.draft  |                        |
| generic                                         | CodeLMSmallV3          |
| com.apple.MobileAsset.UAF.FM.CodeLM             |                        |
| com.apple.fm.code.generate_small_v3.tokenizer   |                        |
| generic                                         | CodeLMSmallV3Tokenizer |
| com.apple.MobileAsset.UAF.FM.CodeLM             |                        |
| com.apple.fm.code.generate_small_v4.base        |                        |
| generic                                         | CodeLMSmallV4          |
| com.apple.MobileAsset.UAF.FM.CodeLM             |                        |
| com.apple.fm.code.generate_small_v4.base.draft  |                        |
| generic                                         | CodeLMSmallV4          |
| com.apple.MobileAsset.UAF.FM.CodeLM             |                        |
| com.apple.fm.code.generate_small_v4.tokenizer   |                        |
| generic                                         | CodeLMSmallV4Tokenizer |
| com.apple.MobileAsset.UAF.FM.CodeLM             |                        |
| com.apple.fm.code.generate_small_v5.base        |                        |
| generic                                         | CodeLMSmallV5          |
| com.apple.MobileAsset.UAF.FM.CodeLM             |                        |
| com.apple.fm.code.generate_small_v5.base.draft  |                        |
| generic                                         | CodeLMSmallV5          |
| com.apple.MobileAsset.UAF.FM.CodeLM             |                        |
| com.apple.fm.code.generate_small_v5.tokenizer   |                        |
| generic                                         | CodeLMSmallV5Tokenizer |
| com.apple.MobileAsset.UAF.FM.CodeLM             |                        |
| com.apple.fm.code.generate_v1.base              |                        |
| generic                                         | CodeLM                 |
| com.apple.modelcatalog                          |                        |
| com.apple.fm.code.generate_v1.base.draft        |                        |
| generic                                         | CodeLM                 |
| com.apple.modelcatalog                          |                        |
| com.apple.fm.code.generate_v1.tokenizer         |                        |
| generic                                         | CodeLMTTokenizer       |
| com.apple.modelcatalog                          |                        |
| com.apple.fm.code.generate_v1_ane_3b.base       |                        |
| generic                                         | CodeLMV1ANE3B          |
| com.apple.modelcatalog                          |                        |
| com.apple.fm.code.generate_v1_ane_3b.base.draft |                        |
| generic                                         | CodeLMV1ANE3B          |
| com.apple.modelcatalog                          |                        |
| com.apple.fm.code.generate_v1_ane_3b.tokenizer  |                        |
| generic                                         | CodeLMV1ANE3BTokenizer |

|                                                                    |                |                         |   |
|--------------------------------------------------------------------|----------------|-------------------------|---|
| ○                                                                  |                |                         |   |
| com.apple.modelcatalog                                             |                |                         |   |
| com.apple.fm.code.generate_v2.base                                 |                |                         |   |
| generic                                                            | LLM.Model      | CodeLMV2                |   |
| ○                                                                  |                |                         |   |
| com.apple.modelcatalog                                             |                |                         |   |
| com.apple.fm.code.generate_v2.tokenizer                            |                |                         |   |
| generic                                                            | Tokenizer      | CodeLMTokenizerV2       |   |
| ○                                                                  |                |                         |   |
| com.apple.modelcatalog                                             |                |                         |   |
| com.apple.fm.code.generate_v3.base                                 |                |                         |   |
| generic                                                            | LLM.Model      | CodeLMV3                |   |
| ○                                                                  |                |                         |   |
| com.apple.modelcatalog                                             |                |                         |   |
| com.apple.fm.code.generate_v3.tokenizer                            |                |                         |   |
| generic                                                            | Tokenizer      | CodeLMTokenizerV3       |   |
| ○                                                                  |                |                         |   |
| com.apple.modelcatalog                                             |                |                         |   |
| com.apple.fm.code.generate_v4.base                                 |                |                         |   |
| generic                                                            | LLM.Model      | CodeLMV4                |   |
| ○                                                                  |                |                         |   |
| com.apple.modelcatalog                                             |                |                         |   |
| com.apple.fm.code.generate_v4.tokenizer                            |                |                         |   |
| generic                                                            | Tokenizer      | CodeLMTokenizerV4       |   |
| ○                                                                  |                |                         |   |
| com.apple.modelcatalog                                             |                |                         |   |
| com.apple.fm.coremotion.calorimetry_fm_predicted_wrmets_v1.adaptor |                |                         |   |
| generic                                                            | Motion.Adapter |                         |   |
| CoreMotionCalorimetryFMPredictedWRMets                             |                |                         | ✓ |
| 0.0.3.13.101920,0                                                  |                |                         | 🔒 |
| com.apple.MobileAsset.UAF.CoreMotion.IMUFoundationModel            |                |                         |   |
| com.apple.fm.coremotion.calorimetry_reduced_embeddings.adaptor     |                |                         |   |
| generic                                                            | Motion.Adapter |                         |   |
| CoreMotionCalorimetryReducedEmbeddings                             |                |                         | ✓ |
| 0.0.1.13.101920,0                                                  |                |                         | 🔒 |
| com.apple.MobileAsset.UAF.CoreMotion.IMUFoundationModel            |                |                         |   |
| com.apple.fm.coremotion.imu_v1.base                                |                |                         |   |
| generic                                                            | Motion.Model   |                         |   |
| CoreMotionIMUFoundationModel                                       |                |                         | ✓ |
| 0.0.2.13.101920,0                                                  |                |                         | 🔒 |
| com.apple.MobileAsset.UAF.CoreMotion.IMUFoundationModel            |                |                         |   |
| com.apple.fm.coremotion.pednet_v1.base                             |                |                         |   |
| generic                                                            | Motion.Model   | Pednet                  |   |
| □                                                                  |                |                         |   |
|                                                                    |                |                         |   |
| com.apple.fm.distilled.messages_action.base                        |                |                         |   |
| generic                                                            | LLM.Model      | DistilledMessagesAction |   |
| ○                                                                  |                |                         |   |
| com.apple.modelcatalog                                             |                |                         |   |
| com.apple.fm.distilled.messages_action.tokenizer                   |                |                         |   |
| generic                                                            | Tokenizer      |                         |   |
| DistilledMessagesActionTokenizer                                   |                |                         | ○ |
|                                                                    |                | com.apple.modelcatalog  |   |
|                                                                    |                |                         |   |
| com.apple.fm.distilled.messages_reply.base                         |                |                         |   |
| generic                                                            | LLM.Model      | DistilledMessagesReply  |   |
| ○                                                                  |                |                         |   |
| com.apple.modelcatalog                                             |                |                         |   |
| com.apple.fm.distilled.messages_reply.tokenizer                    |                |                         |   |
| generic                                                            | Tokenizer      |                         |   |
| DistilledMessagesReplyTokenizer                                    |                |                         | ○ |
|                                                                    |                | com.apple.modelcatalog  |   |
|                                                                    |                |                         |   |
| com.apple.fm.handwriting.synthesis                                 |                |                         |   |

|                                                                    |                        |                         |                                                                                       |
|--------------------------------------------------------------------|------------------------|-------------------------|---------------------------------------------------------------------------------------|
| generic                                                            | HandwritingSynthesizer | HandwritingSynthesis    |                                                                                       |
| com.apple.MobileAsset.UAF.Handwriting.Synthesis                    |                        |                         |                                                                                       |
| com.apple.fm.handwriting.synthesis_multilingual                    |                        |                         |                                                                                       |
| generic                                                            | HandwritingSynthesizer |                         |                                                                                       |
| HandwritingSynthesisMultilingual                                   |                        |                         |    |
| 1.20.81716.13.202354,0                                             |                        |                         |    |
| com.apple.MobileAsset.UAF.Handwriting.Synthesis                    |                        |                         |                                                                                       |
| com.apple.fm.handwriting.synthesis_multilingual                    |                        |                         |                                                                                       |
| ko                                                                 | HandwritingSynthesizer |                         |                                                                                       |
| HandwritingSynthesisMultilingual                                   |                        |                         |    |
| com.apple.MobileAsset.UAF.Handwriting.Synthesis                    |                        |                         |                                                                                       |
| com.apple.fm.handwriting.synthesis_multilingual                    |                        |                         |                                                                                       |
| zhja                                                               | HandwritingSynthesizer |                         |                                                                                       |
| HandwritingSynthesisMultilingual                                   |                        |                         |    |
| com.apple.MobileAsset.UAF.Handwriting.Synthesis                    |                        |                         |                                                                                       |
| com.apple.fm.integrity_diagnose.sa_v1.base                         |                        |                         |                                                                                       |
| generic                                                            | SecureAnalytics.Model  | IntegrityDiagnoseModel  |                                                                                       |
| com.apple.fm.language.code_safety_guardrail.base                   |                        |                         |                                                                                       |
| generic                                                            | LLM.Model              | CodeSafetyGuardrail     |                                                                                       |
| com.apple.modelcatalog                                             |                        |                         |                                                                                       |
| com.apple.fm.language.code_safety_guardrail.tokenizer              |                        |                         |                                                                                       |
| generic                                                            | Tokenizer              |                         |                                                                                       |
| CodeSafetyGuardrailTokenizer                                       |                        |                         |   |
|                                                                    |                        | com.apple.modelcatalog  |                                                                                       |
| com.apple.fm.language.gp_query_handling.base                       |                        |                         |                                                                                       |
| generic                                                            | LLM.Model              |                         |                                                                                       |
| VisualGenerationQueryHandlingLite                                  |                        |                         |  |
| com.apple.MobileAsset.UAF.FM.Visual                                |                        |                         |                                                                                       |
| com.apple.fm.language.gp_query_handling.tokenizer                  |                        |                         |                                                                                       |
| generic                                                            | Tokenizer              |                         |                                                                                       |
| VisualGenerationQueryHandlingLiteTokenizer                         |                        |                         |  |
| com.apple.MobileAsset.UAF.FM.Visual                                |                        |                         |                                                                                       |
| com.apple.fm.language.instruct_300m.adm_background_prompt          |                        |                         |                                                                                       |
| generic                                                            | LLM.Adapter            | ADMBackgroundPrompt     |                                                                                       |
| com.apple.modelcatalog                                             |                        |                         |                                                                                       |
| com.apple.fm.language.instruct_300m.adm_people_grounding           |                        |                         |                                                                                       |
| generic                                                            | LLM.Adapter            | ADMPeopleGrounding      |                                                                                       |
| com.apple.modelcatalog                                             |                        |                         |                                                                                       |
| com.apple.fm.language.instruct_300m.adm_prompt_rewriting           |                        |                         |                                                                                       |
| generic                                                            | LLM.Adapter            | ADMPromptRewriting      |                                                                                       |
| com.apple.modelcatalog                                             |                        |                         |                                                                                       |
| com.apple.fm.language.instruct_300m.adm_prompt_rewriting.draft     |                        |                         |                                                                                       |
| generic                                                            | LLM.DraftModel         | ADMPromptRewriting      |                                                                                       |
| com.apple.modelcatalog                                             |                        |                         |                                                                                       |
| com.apple.fm.language.instruct_300m.base                           |                        |                         |                                                                                       |
| generic                                                            | LLM.Model              | AFMTextInstruct300MBase |                                                                                       |
| com.apple.modelcatalog                                             |                        |                         |                                                                                       |
| com.apple.fm.language.instruct_300m.factual_consistency_classifier |                        |                         |                                                                                       |
| generic                                                            | LLM.Adapter            |                         |                                                                                       |
| FactualConsistencyClassifier                                       |                        |                         |  |

|                                                                                           |                       |                        |                        |
|-------------------------------------------------------------------------------------------|-----------------------|------------------------|------------------------|
|                                                                                           |                       |                        | com.apple.modelcatalog |
| com.apple.fm.language.instruct_300m.image_tokenizer                                       |                       |                        |                        |
| generic                                                                                   | ImageTokenizer        | AFMImageTokenizer300M  |                        |
| ○                                                                                         |                       |                        |                        |
| com.apple.modelcatalog                                                                    |                       |                        |                        |
| com.apple.fm.language.instruct_300m.messages_action                                       |                       |                        |                        |
| generic                                                                                   | LLM.Adapter           | MessagesActionSmall    |                        |
| ○                                                                                         |                       |                        |                        |
| com.apple.modelcatalog                                                                    |                       |                        |                        |
| com.apple.fm.language.instruct_300m.messages_reply                                        |                       |                        |                        |
| generic                                                                                   | LLM.Adapter           | MessagesReplyWatch     |                        |
| ○                                                                                         |                       |                        |                        |
| com.apple.modelcatalog                                                                    |                       |                        |                        |
| com.apple.fm.language.instruct_300m.misc_safety                                           |                       |                        |                        |
| generic                                                                                   | LLM.Adapter           | MiscSafety             |                        |
| ○                                                                                         |                       |                        |                        |
| com.apple.modelcatalog                                                                    |                       |                        |                        |
| com.apple.fm.language.instruct_300m.misc_safety_customized                                |                       |                        |                        |
| generic                                                                                   | LLM.Adapter           | MiscSafetyCustomized   |                        |
| ○                                                                                         |                       |                        |                        |
| com.apple.modelcatalog                                                                    |                       |                        |                        |
| com.apple.fm.language.instruct_300m.misc_safety_customized_embedding_preprocessor         |                       |                        |                        |
| generic                                                                                   | EmbeddingPreprocessor |                        |                        |
| MiscSafetyCustomizedEmbeddingPreprocessor                                                 |                       |                        | ○                      |
|                                                                                           |                       | com.apple.modelcatalog |                        |
| com.apple.fm.language.instruct_300m.mm_guard                                              |                       |                        |                        |
| generic                                                                                   | LLM.Adapter           | MMGuardSafetyGuardrail |                        |
| ○                                                                                         |                       |                        |                        |
| com.apple.modelcatalog                                                                    |                       |                        |                        |
| com.apple.fm.language.instruct_300m.mm_safety                                             |                       |                        |                        |
| generic                                                                                   | LLM.Adapter           | MMSafety               |                        |
| ○                                                                                         |                       |                        |                        |
| com.apple.modelcatalog                                                                    |                       |                        |                        |
| com.apple.fm.language.instruct_300m.pqa_verification                                      |                       |                        |                        |
| generic                                                                                   | LLM.Adapter           | PQAVerification        |                        |
| ○                                                                                         |                       |                        |                        |
| com.apple.modelcatalog                                                                    |                       |                        |                        |
| com.apple.fm.language.instruct_300m.pqa_verification_multilingual                         |                       |                        |                        |
|                                                                                           | LLM.Adapter           | PQAVerification        |                        |
| ○                                                                                         |                       |                        |                        |
| com.apple.modelcatalog                                                                    |                       |                        |                        |
| com.apple.fm.language.instruct_300m.prepubescent_safety                                   |                       |                        |                        |
| generic                                                                                   | LLM.Adapter           | PrepubescentSafety     |                        |
| ○                                                                                         |                       |                        |                        |
| com.apple.modelcatalog                                                                    |                       |                        |                        |
| com.apple.fm.language.instruct_300m.prepubescent_safety_customized                        |                       |                        |                        |
| generic                                                                                   | LLM.Adapter           |                        |                        |
| PrepubescentSafetyCustomized                                                              |                       |                        | ○                      |
|                                                                                           |                       | com.apple.modelcatalog |                        |
| com.apple.fm.language.instruct_300m.prepubescent_safety_customized_embedding_preprocessor |                       |                        |                        |
| generic                                                                                   | EmbeddingPreprocessor |                        |                        |
| PrepubescentSafetyCustomizedEmbeddingPreprocessor                                         |                       |                        | ○                      |
|                                                                                           |                       | com.apple.modelcatalog |                        |
| com.apple.fm.language.instruct_300m.safety                                                |                       |                        |                        |
| generic                                                                                   | LLM.Adapter           | Safety                 |                        |
| ○                                                                                         |                       |                        |                        |
| com.apple.modelcatalog                                                                    |                       |                        |                        |
| com.apple.fm.language.instruct_300m.structural_integrity                                  |                       |                        |                        |

|                                                                                            |                |                          |
|--------------------------------------------------------------------------------------------|----------------|--------------------------|
| generic                                                                                    | LLM.Adapter    | StructuralIntegrity      |
| ○                                                                                          |                |                          |
| com.apple.modelcatalog                                                                     |                |                          |
| com.apple.fm.language.instruct_300m.structural_integrity_customized                        |                |                          |
| generic                                                                                    | LLM.Adapter    |                          |
| StructuralIntegrityCustomized                                                              |                | ○                        |
|                                                                                            |                | com.apple.modelcatalog   |
|                                                                                            |                |                          |
| com.apple.fm.language.instruct_300m.structural_integrity_customized_embedding_preprocessor | generic        | EmbeddingPreprocessor    |
| StructuralIntegrityCustomizedEmbeddingPreprocessor                                         |                | ○                        |
|                                                                                            |                | com.apple.modelcatalog   |
|                                                                                            |                |                          |
| com.apple.fm.language.instruct_300m.text_guard                                             |                |                          |
| generic                                                                                    | LLM.Adapter    | TextGuardSafetyGuardrail |
| ○                                                                                          |                |                          |
| com.apple.modelcatalog                                                                     |                |                          |
| com.apple.fm.language.instruct_300m.tokenizer                                              |                |                          |
| generic                                                                                    | Tokenizer      |                          |
| AFMTextInstruct300MTokenizer                                                               |                | ○                        |
|                                                                                            |                | com.apple.modelcatalog   |
|                                                                                            |                |                          |
| com.apple.fm.language.instruct_300m.vi_content_classifier                                  |                |                          |
| generic                                                                                    | LLM.Adapter    | VIContentClassifier      |
| ○                                                                                          |                |                          |
| com.apple.modelcatalog                                                                     |                |                          |
| com.apple.fm.language.instruct_3b.answer_synthesis                                         |                |                          |
| generic                                                                                    | LLM.Adapter    | AnswerSynthesis          |
| ○                                                                                          |                |                          |
| com.apple.modelcatalog                                                                     |                |                          |
| com.apple.fm.language.instruct_3b.answer_synthesis.draft                                   |                |                          |
| generic                                                                                    | LLM.DraftModel | AnswerSynthesis          |
| ○                                                                                          |                |                          |
| com.apple.modelcatalog                                                                     |                |                          |
| com.apple.fm.language.instruct_3b.asr_fullpayloadcorrection                                |                |                          |
| generic                                                                                    | LLM.Adapter    | FullPayloadCorrection    |
| ○                                                                                          |                |                          |
| com.apple.modelcatalog                                                                     |                |                          |
| com.apple.fm.language.instruct_3b.auto_tagger                                              |                |                          |
| generic                                                                                    | LLM.Adapter    | AutoTagger               |
| ○                                                                                          |                |                          |
| com.apple.modelcatalog                                                                     |                |                          |
| com.apple.fm.language.instruct_3b.autonaming_messages                                      |                |                          |
| generic                                                                                    | LLM.Adapter    | AutonamingMessages       |
| ○                                                                                          |                |                          |
| com.apple.modelcatalog                                                                     |                |                          |
| com.apple.fm.language.instruct_3b.autonaming_messages.draft                                |                |                          |
| generic                                                                                    | LLM.DraftModel | AutonamingMessages       |
| ○                                                                                          |                |                          |
| com.apple.modelcatalog                                                                     |                |                          |
| com.apple.fm.language.instruct_3b.base                                                     |                |                          |
| generic                                                                                    | LLM.Model      | AFMTextInstruct3BBase    |
| ○                                                                                          |                |                          |
| com.apple.modelcatalog                                                                     |                |                          |
| com.apple.fm.language.instruct_3b.base.draft                                               |                |                          |
| generic                                                                                    | LLM.DraftModel | InstructBaseDraftModel   |
| ○                                                                                          |                |                          |
| com.apple.modelcatalog                                                                     |                |                          |
| com.apple.fm.language.instruct_3b.base_adapter                                             |                |                          |
| generic                                                                                    | LLM.Adapter    | InstructBaseAdapter      |
| ○                                                                                          |                |                          |
| com.apple.modelcatalog                                                                     |                |                          |
| com.apple.fm.language.instruct_3b.concise_tone                                             |                |                          |

|                                                                    |                       |                        |   |
|--------------------------------------------------------------------|-----------------------|------------------------|---|
| generic                                                            | LLM.Adapter           | ConciseTone            |   |
| ○                                                                  |                       |                        |   |
| com.apple.modelcatalog                                             |                       |                        |   |
| com.apple.fm.language.instruct_3b.concise_tone.draft               |                       |                        |   |
| generic                                                            | LLM.DraftModel        | ConciseTone            |   |
| ○                                                                  |                       |                        |   |
| com.apple.modelcatalog                                             |                       |                        |   |
| com.apple.fm.language.instruct_3b.context_awareness                |                       |                        |   |
| generic                                                            | LLM.Adapter           | ContextAwareness       |   |
| ○                                                                  |                       |                        |   |
| com.apple.modelcatalog                                             |                       |                        |   |
| com.apple.fm.language.instruct_3b.context_program                  |                       |                        |   |
| generic                                                            | LLM.Adapter           | ContextProgram         |   |
| ○                                                                  |                       |                        |   |
| com.apple.modelcatalog                                             |                       |                        |   |
| com.apple.fm.language.instruct_3b.context_program.draft            |                       |                        |   |
| generic                                                            | LLM.DraftModel        | ContextProgram         |   |
| ○                                                                  |                       |                        |   |
| com.apple.modelcatalog                                             |                       |                        |   |
| com.apple.fm.language.instruct_3b.describe_your_edit               |                       |                        |   |
| generic                                                            | LLM.Adapter           | DescribeYourEdit       |   |
| ○                                                                  |                       |                        |   |
| com.apple.modelcatalog                                             |                       |                        |   |
| com.apple.fm.language.instruct_3b.embedding_preprocessor           |                       |                        |   |
| generic                                                            | EmbeddingPreprocessor |                        |   |
| AFMPlusEmbeddingPreprocessor                                       |                       |                        | ○ |
|                                                                    |                       | com.apple.modelcatalog |   |
|                                                                    |                       |                        |   |
| com.apple.fm.language.instruct_3b.fitness_summary                  |                       |                        |   |
| generic                                                            | LLM.Adapter           | FitnessSummary         |   |
| ○                                                                  |                       |                        |   |
| com.apple.modelcatalog                                             |                       |                        |   |
| com.apple.fm.language.instruct_3b.fm_api_content_tagger            |                       |                        |   |
| generic                                                            | LLM.Adapter           | ContentTagger          |   |
| ○                                                                  |                       |                        |   |
| com.apple.modelcatalog                                             |                       |                        |   |
| com.apple.fm.language.instruct_3b.fm_api_generic                   |                       |                        |   |
| generic                                                            | LLM.Adapter           | InstructFMApiGeneric   |   |
| ○                                                                  |                       |                        |   |
| com.apple.modelcatalog                                             |                       |                        |   |
| com.apple.fm.language.instruct_3b.fm_api_generic.draft             |                       |                        |   |
| generic                                                            | LLM.DraftModel        | InstructFMApiGeneric   |   |
| ○                                                                  |                       |                        |   |
| com.apple.modelcatalog                                             |                       |                        |   |
| com.apple.fm.language.instruct_3b.fm_api_third_party_compile.draft |                       |                        |   |
| generic                                                            | LLM.DraftModel        |                        |   |
| InstructFMApiThirdPartyCompileDraft                                |                       |                        | □ |
|                                                                    |                       |                        |   |
|                                                                    |                       |                        |   |
| com.apple.fm.language.instruct_3b.friendly_tone                    |                       |                        |   |
| generic                                                            | LLM.Adapter           | FriendlyTone           |   |
| ○                                                                  |                       |                        |   |
| com.apple.modelcatalog                                             |                       |                        |   |
| com.apple.fm.language.instruct_3b.friendly_tone.draft              |                       |                        |   |
| generic                                                            | LLM.DraftModel        | FriendlyTone           |   |
| ○                                                                  |                       |                        |   |
| com.apple.modelcatalog                                             |                       |                        |   |
| com.apple.fm.language.instruct_3b.image_tokenizer                  |                       |                        |   |
| generic                                                            | ImageTokenizer        | AFMImageTokenizer      |   |
| ○                                                                  |                       |                        |   |
| com.apple.modelcatalog                                             |                       |                        |   |
| com.apple.fm.language.instruct_3b.journal_moments_classification   |                       |                        |   |
| generic                                                            | LLM.Adapter           |                        |   |
| JournalMomentsClassification                                       |                       |                        | ○ |



|                                                                        |                |                          |                        |
|------------------------------------------------------------------------|----------------|--------------------------|------------------------|
|                                                                        |                |                          | com.apple.modelcatalog |
| com.apple.fm.language.instruct_3b.journal_moments_classification.draft |                |                          |                        |
| generic                                                                | LLM.DraftModel |                          |                        |
| JournalMomentsClassification                                           |                |                          | com.apple.modelcatalog |
|                                                                        |                |                          |                        |
| com.apple.fm.language.instruct_3b.journal_moments_reflection           |                |                          |                        |
| generic                                                                | LLM.Adapter    | JournalMomentsReflection |                        |
|                                                                        |                |                          |                        |
| com.apple.modelcatalog                                                 |                |                          |                        |
| com.apple.fm.language.instruct_3b.journal_moments_reflection.draft     |                |                          |                        |
| generic                                                                | LLM.DraftModel | JournalMomentsReflection |                        |
|                                                                        |                |                          |                        |
| com.apple.modelcatalog                                                 |                |                          |                        |
| com.apple.fm.language.instruct_3b.lw_planner_v1                        |                |                          |                        |
| generic                                                                | LLM.Adapter    | LWOnDevicePlannerV1      |                        |
|                                                                        |                |                          |                        |
| com.apple.modelcatalog                                                 |                |                          |                        |
| com.apple.fm.language.instruct_3b.lw_planner_v1.draft                  |                |                          |                        |
| generic                                                                | LLM.DraftModel | LWOnDevicePlannerV1      |                        |
|                                                                        |                |                          |                        |
| com.apple.modelcatalog                                                 |                |                          |                        |
| com.apple.fm.language.instruct_3b.magic_rewrite                        |                |                          |                        |
| generic                                                                | LLM.Adapter    | MagicRewrite             |                        |
|                                                                        |                |                          |                        |
| com.apple.modelcatalog                                                 |                |                          |                        |
| com.apple.fm.language.instruct_3b.magic_rewrite.draft                  |                |                          |                        |
| generic                                                                | LLM.DraftModel | MagicRewrite             |                        |
|                                                                        |                |                          |                        |
| com.apple.modelcatalog                                                 |                |                          |                        |
| com.apple.fm.language.instruct_3b.mail_reply                           |                |                          |                        |
| generic                                                                | LLM.Adapter    | MailReply                |                        |
|                                                                        |                |                          |                        |
| com.apple.modelcatalog                                                 |                |                          |                        |
| com.apple.fm.language.instruct_3b.mail_reply.draft                     |                |                          |                        |
| generic                                                                | LLM.DraftModel | MailReply                |                        |
|                                                                        |                |                          |                        |
| com.apple.modelcatalog                                                 |                |                          |                        |
| com.apple.fm.language.instruct_3b.mail_reply_long_form_basic           |                |                          |                        |
| generic                                                                | LLM.Adapter    | MailReplyLongFormBasic   |                        |
|                                                                        |                |                          |                        |
| com.apple.modelcatalog                                                 |                |                          |                        |
| com.apple.fm.language.instruct_3b.mail_reply_long_form_basic.draft     |                |                          |                        |
| generic                                                                | LLM.DraftModel | MailReplyLongFormBasic   |                        |
|                                                                        |                |                          |                        |
| com.apple.modelcatalog                                                 |                |                          |                        |
| com.apple.fm.language.instruct_3b.mail_reply_long_form_rewrite         |                |                          |                        |
| generic                                                                | LLM.Adapter    | MailReplyLongFormRewrite |                        |
|                                                                        |                |                          |                        |
| com.apple.modelcatalog                                                 |                |                          |                        |
| com.apple.fm.language.instruct_3b.mail_reply_long_form_rewrite.draft   |                |                          |                        |
| generic                                                                | LLM.DraftModel | MailReplyLongFormRewrite |                        |
|                                                                        |                |                          |                        |
| com.apple.modelcatalog                                                 |                |                          |                        |
| com.apple.fm.language.instruct_3b.mail_reply_qa                        |                |                          |                        |
| generic                                                                | LLM.Adapter    | MailReplyQA              |                        |
|                                                                        |                |                          |                        |
| com.apple.modelcatalog                                                 |                |                          |                        |
| com.apple.fm.language.instruct_3b.mail_reply_qa.draft                  |                |                          |                        |
| generic                                                                | LLM.DraftModel | MailReplyQA              |                        |
|                                                                        |                |                          |                        |
| com.apple.modelcatalog                                                 |                |                          |                        |
| com.apple.fm.language.instruct_3b.messages_action                      |                |                          |                        |

|                                                                                |                |                          |   |
|--------------------------------------------------------------------------------|----------------|--------------------------|---|
| generic                                                                        | LLM.Adapter    | MessagesAction           |   |
| ○                                                                              |                |                          |   |
| com.apple.modelcatalog                                                         |                |                          |   |
| com.apple.fm.language.instruct_3b.messages_action.draft                        |                |                          |   |
| generic                                                                        | LLM.DraftModel | MessagesAction           |   |
| ○                                                                              |                |                          |   |
| com.apple.modelcatalog                                                         |                |                          |   |
| com.apple.fm.language.instruct_3b.messages_reply                               |                |                          |   |
| generic                                                                        | LLM.Adapter    | MessagesReply            |   |
| ○                                                                              |                |                          |   |
| com.apple.modelcatalog                                                         |                |                          |   |
| com.apple.fm.language.instruct_3b.messages_reply.draft                         |                |                          |   |
| generic                                                                        | LLM.DraftModel | MessagesReply            |   |
| ○                                                                              |                |                          |   |
| com.apple.modelcatalog                                                         |                |                          |   |
| com.apple.fm.language.instruct_3b.mm_guard                                     |                |                          |   |
| generic                                                                        | LLM.Adapter    | MMGuardSafetyGuardrail3B |   |
| ○                                                                              |                |                          |   |
| com.apple.modelcatalog                                                         |                |                          |   |
| com.apple.fm.language.instruct_3b.nutrition                                    |                |                          |   |
| generic                                                                        | LLM.Adapter    | Nutrition                |   |
| ○                                                                              |                |                          |   |
| com.apple.modelcatalog                                                         |                |                          |   |
| com.apple.fm.language.instruct_3b.personalized_smart_reply                     |                |                          |   |
| generic                                                                        | LLM.Adapter    | PersonalizedSmartReply   |   |
| ○                                                                              |                |                          |   |
| com.apple.modelcatalog                                                         |                |                          |   |
| com.apple.fm.language.instruct_3b.personalized_smart_reply.draft               |                |                          |   |
| generic                                                                        | LLM.DraftModel | PersonalizedSmartReply   |   |
| ○                                                                              |                |                          |   |
| com.apple.modelcatalog                                                         |                |                          |   |
| com.apple.fm.language.instruct_3b.photos_library_understanding_mm              |                |                          |   |
| generic                                                                        | LLM.Adapter    |                          |   |
| PhotosLibraryUnderstandingMM                                                   |                |                          | ○ |
|                                                                                |                | com.apple.modelcatalog   |   |
|                                                                                |                |                          |   |
| com.apple.fm.language.instruct_3b.photos_library_understanding_t2t             |                |                          |   |
| generic                                                                        | LLM.Adapter    |                          |   |
| PhotosLibraryUnderstandingT2T                                                  |                |                          | ○ |
|                                                                                |                | com.apple.modelcatalog   |   |
|                                                                                |                |                          |   |
| com.apple.fm.language.instruct_3b.photos_memories_asset_curation_outlier       |                |                          |   |
| generic                                                                        | LLM.Adapter    |                          |   |
| PhotosMemoriesCreationAssetCurationOutlier3b                                   |                |                          | ○ |
|                                                                                |                | com.apple.modelcatalog   |   |
|                                                                                |                |                          |   |
| com.apple.fm.language.instruct_3b.photos_memories_asset_curation_outlier.draft |                |                          |   |
| generic                                                                        | LLM.DraftModel |                          |   |
| PhotosMemoriesCreationAssetCurationOutlier3b                                   |                |                          | ○ |
|                                                                                |                | com.apple.modelcatalog   |   |
|                                                                                |                |                          |   |
| com.apple.fm.language.instruct_3b.photos_memories_title                        |                |                          |   |
| generic                                                                        | LLM.Adapter    | PhotosMemoriesTitle      |   |
| ○                                                                              |                |                          |   |
| com.apple.modelcatalog                                                         |                |                          |   |
| com.apple.fm.language.instruct_3b.photos_memories_title.draft                  |                |                          |   |
| generic                                                                        | LLM.DraftModel | PhotosMemoriesTitle      |   |
| ○                                                                              |                |                          |   |
| com.apple.modelcatalog                                                         |                |                          |   |
| com.apple.fm.language.instruct_3b.planner_v4                                   |                |                          |   |
| generic                                                                        | LLM.Adapter    | PlannerV4                |   |
| ○                                                                              |                |                          |   |
| com.apple.modelcatalog                                                         |                |                          |   |
| com.apple.fm.language.instruct_3b.planner_v4.draft                             |                |                          |   |

|                                                                        |                |                      |                        |
|------------------------------------------------------------------------|----------------|----------------------|------------------------|
| generic                                                                | LLM.DraftModel | PlannerV4            |                        |
| ○                                                                      |                |                      |                        |
| com.apple.modelcatalog                                                 |                |                      |                        |
| com.apple.fm.language.instruct_3b.planner_v5                           |                |                      |                        |
| generic                                                                | LLM.Adapter    | PlannerV5            |                        |
| ○                                                                      |                |                      |                        |
| com.apple.modelcatalog                                                 |                |                      |                        |
| com.apple.fm.language.instruct_3b.planner_v5.draft                     |                |                      |                        |
| generic                                                                | LLM.DraftModel | PlannerV5            |                        |
| ○                                                                      |                |                      |                        |
| com.apple.modelcatalog                                                 |                |                      |                        |
| com.apple.fm.language.instruct_3b.planner_v6                           |                |                      |                        |
| generic                                                                | LLM.Adapter    | PlannerV6            |                        |
| ○                                                                      |                |                      |                        |
| com.apple.modelcatalog                                                 |                |                      |                        |
| com.apple.fm.language.instruct_3b.planner_v6.draft                     |                |                      |                        |
| generic                                                                | LLM.DraftModel | PlannerV6            |                        |
| ○                                                                      |                |                      |                        |
| com.apple.modelcatalog                                                 |                |                      |                        |
| com.apple.fm.language.instruct_3b.professional_tone                    |                |                      |                        |
| generic                                                                | LLM.Adapter    | ProfessionalTone     |                        |
| ○                                                                      |                |                      |                        |
| com.apple.modelcatalog                                                 |                |                      |                        |
| com.apple.fm.language.instruct_3b.professional_tone.draft              |                |                      |                        |
| generic                                                                | LLM.DraftModel | ProfessionalTone     |                        |
| ○                                                                      |                |                      |                        |
| com.apple.modelcatalog                                                 |                |                      |                        |
| com.apple.fm.language.instruct_3b.proofreading_review                  |                |                      |                        |
| generic                                                                | LLM.Adapter    | ProofreadingReview   |                        |
| ○                                                                      |                |                      |                        |
| com.apple.modelcatalog                                                 |                |                      |                        |
| com.apple.fm.language.instruct_3b.proofreading_review.draft            |                |                      |                        |
| generic                                                                | LLM.DraftModel | ProofreadingReview   |                        |
| ○                                                                      |                |                      |                        |
| com.apple.modelcatalog                                                 |                |                      |                        |
| com.apple.fm.language.instruct_3b.reminders_suggest_action_items       |                |                      |                        |
| generic                                                                | LLM.Adapter    |                      |                        |
| RemindersSuggestActionItems                                            |                |                      | ○                      |
|                                                                        |                |                      | com.apple.modelcatalog |
|                                                                        |                |                      |                        |
| com.apple.fm.language.instruct_3b.reminders_suggest_action_items.draft |                |                      |                        |
| generic                                                                | LLM.DraftModel |                      |                        |
| RemindersSuggestActionItems                                            |                |                      | ○                      |
|                                                                        |                |                      | com.apple.modelcatalog |
|                                                                        |                |                      |                        |
| com.apple.fm.language.instruct_3b.response_generation_v4               |                |                      |                        |
| generic                                                                | LLM.Adapter    | ResponseGenerationV4 |                        |
| ○                                                                      |                |                      |                        |
| com.apple.modelcatalog                                                 |                |                      |                        |
| com.apple.fm.language.instruct_3b.response_generation_v4.draft         |                |                      |                        |
| generic                                                                | LLM.DraftModel | ResponseGenerationV4 |                        |
| ○                                                                      |                |                      |                        |
| com.apple.modelcatalog                                                 |                |                      |                        |
| com.apple.fm.language.instruct_3b.response_generation_v5               |                |                      |                        |
| generic                                                                | LLM.Adapter    | ResponseGenerationV5 |                        |
| ○                                                                      |                |                      |                        |
| com.apple.modelcatalog                                                 |                |                      |                        |
| com.apple.fm.language.instruct_3b.response_generation_v5.draft         |                |                      |                        |
| generic                                                                | LLM.DraftModel | ResponseGenerationV5 |                        |
| ○                                                                      |                |                      |                        |
| com.apple.modelcatalog                                                 |                |                      |                        |
| com.apple.fm.language.instruct_3b.response_generation_v6               |                |                      |                        |
| generic                                                                | LLM.Adapter    | ResponseGenerationV6 |                        |
| ○                                                                      |                |                      |                        |

```

com.apple.modelcatalog
| com.apple.fm.language.instruct_3b.response_generation_v6.draft
| generic | LLM.DraftModel | ResponseGenerationV6
| ○
com.apple.modelcatalog
| com.apple.fm.language.instruct_3b.safety_guardrail
| generic | LLM.Adapter | SafetyGuardrail
| ○
com.apple.modelcatalog
| com.apple.fm.language.instruct_3b.safety_guardrail.draft
| generic | LLM.DraftModel | SafetyGuardrail
| ○
com.apple.modelcatalog
| com.apple.fm.language.instruct_3b.search_query_understanding
| generic | LLM.Adapter
SearchQueryUnderstandingOnDevice | ○
| | com.apple.modelcatalog
| com.apple.fm.language.instruct_3b.search_query_understanding.draft
| generic | LLM.DraftModel
SearchQueryUnderstandingOnDevice | ○
| | com.apple.modelcatalog
| com.apple.fm.language.instruct_3b.shortcuts_ask_afm_action_3b
| generic | LLM.Adapter | ShortcutsAskAFMAction3B
| ○
com.apple.modelcatalog
| com.apple.fm.language.instruct_3b.shortcuts_ask_afm_action_3b.draft
| generic | LLM.DraftModel | ShortcutsAskAFMAction3B
| ○
com.apple.modelcatalog
| com.apple.fm.language.instruct_3b.shortcuts_ask_afm_action_3b_v2
| generic | LLM.Adapter | ShortcutsAskAFMAction3BV2
| ○
com.apple.modelcatalog
| com.apple.fm.language.instruct_3b.shortcuts_ask_afm_action_3b_v2.draft
| generic | LLM.DraftModel | ShortcutsAskAFMAction3BV2
| ○
com.apple.modelcatalog
| com.apple.fm.language.instruct_3b.smart_app_actions
| generic | LLM.Adapter | SmartAppActions
| ○
com.apple.modelcatalog
| com.apple.fm.language.instruct_3b.smart_app_actions.draft
| generic | LLM.DraftModel | SmartAppActions
| ○
com.apple.modelcatalog
| com.apple.fm.language.instruct_3b.structural_extraction
| generic | LLM.Adapter | StructuralExtraction
| ○
com.apple.modelcatalog
| com.apple.fm.language.instruct_3b.structured_extraction
| generic | LLM.Adapter | StructuredExtraction
| ○
com.apple.modelcatalog
| com.apple.fm.language.instruct_3b.structured_extraction.draft
| generic | LLM.DraftModel | StructuredExtraction
| ○
com.apple.modelcatalog
| com.apple.fm.language.instruct_3b.suggest_recipe_items
| generic | LLM.Adapter | SuggestRecipeItems
| ○
com.apple.modelcatalog
| com.apple.fm.language.instruct_3b.suggest_recipe_items.draft

```

|                                                                |                |                           |
|----------------------------------------------------------------|----------------|---------------------------|
| generic                                                        | LLM.DraftModel | SuggestRecipeItems        |
| ○                                                              |                |                           |
| com.apple.modelcatalog                                         |                |                           |
| com.apple.fm.language.instruct_3b.summarization                |                |                           |
| generic                                                        | LLM.Adapter    | Summarization             |
| ○                                                              |                |                           |
| com.apple.modelcatalog                                         |                |                           |
| com.apple.fm.language.instruct_3b.summarization.draft          |                |                           |
| generic                                                        | LLM.DraftModel | Summarization             |
| ○                                                              |                |                           |
| com.apple.modelcatalog                                         |                |                           |
| com.apple.fm.language.instruct_3b.tamale_poi                   |                |                           |
| generic                                                        | LLM.Adapter    | TamalePOI                 |
| ○                                                              |                |                           |
| com.apple.modelcatalog                                         |                |                           |
| com.apple.fm.language.instruct_3b.text_event_extraction        |                |                           |
| generic                                                        | LLM.Adapter    | TextEventExtraction       |
| ○                                                              |                |                           |
| com.apple.modelcatalog                                         |                |                           |
| com.apple.fm.language.instruct_3b.text_event_extraction.draft  |                |                           |
| generic                                                        | LLM.DraftModel | TextEventExtraction       |
| ○                                                              |                |                           |
| com.apple.modelcatalog                                         |                |                           |
| com.apple.fm.language.instruct_3b.text_expert                  |                |                           |
| generic                                                        | LLM.Adapter    | TextExpert                |
| ○                                                              |                |                           |
| com.apple.modelcatalog                                         |                |                           |
| com.apple.fm.language.instruct_3b.text_expert.draft            |                |                           |
| generic                                                        | LLM.DraftModel | TextExpert                |
| ○                                                              |                |                           |
| com.apple.modelcatalog                                         |                |                           |
| com.apple.fm.language.instruct_3b.text_person_extraction       |                |                           |
| generic                                                        | LLM.Adapter    | TextPersonExtraction      |
| ○                                                              |                |                           |
| com.apple.modelcatalog                                         |                |                           |
| com.apple.fm.language.instruct_3b.text_person_extraction.draft |                |                           |
| generic                                                        | LLM.DraftModel | TextPersonExtraction      |
| ○                                                              |                |                           |
| com.apple.modelcatalog                                         |                |                           |
| com.apple.fm.language.instruct_3b.text_understanding.draft     |                |                           |
| generic                                                        | LLM.DraftModel | Textunderstanding         |
| ○                                                              |                |                           |
| com.apple.modelcatalog                                         |                |                           |
| com.apple.fm.language.instruct_3b.third_party                  |                |                           |
| generic                                                        | LLM.Adapter    |                           |
| ○                                                              |                |                           |
| AFMTextInstruct3BThirdParty                                    |                |                           |
|                                                                |                | ○                         |
|                                                                |                | com.apple.modelcatalog    |
|                                                                |                |                           |
| com.apple.fm.language.instruct_3b.third_party.draft            |                |                           |
| generic                                                        | LLM.DraftModel |                           |
| ○                                                              |                |                           |
| AFMTextInstruct3BThirdParty                                    |                |                           |
|                                                                |                | ○                         |
|                                                                |                | com.apple.modelcatalog    |
|                                                                |                |                           |
| com.apple.fm.language.instruct_3b.tokenizer                    |                |                           |
| generic                                                        | Tokenizer      | AFMTextInstructEnglish49k |
| ○                                                              |                |                           |
| com.apple.modelcatalog                                         |                |                           |
| com.apple.fm.language.instruct_3b.ui_grounding                 |                |                           |
| generic                                                        | LLM.Adapter    | UIGrounding               |
| ○                                                              |                |                           |
| com.apple.modelcatalog                                         |                |                           |
| com.apple.fm.language.instruct_3b.ui_previews                  |                |                           |
| generic                                                        | LLM.Adapter    | UIPreviews                |
| ○                                                              |                |                           |

```

com.apple.modelcatalog
| com.apple.fm.language.instruct_3b.ui_previews.draft
| generic | LLM.DraftModel | UIPreviews
| ○
com.apple.modelcatalog
| com.apple.fm.language.instruct_3b.urgency_classification
| generic | LLM.Adapter | UrgencyClassification
| ○
com.apple.modelcatalog
| com.apple.fm.language.instruct_85m.base
| generic | LLM.Model | AFMTextInstruct85MBase
| ○
com.apple.modelcatalog
| com.apple.fm.language.instruct_85m.messages_reply
| generic | LLM.Adapter | SmallMessagesReplyWatch
| ○
com.apple.modelcatalog
| com.apple.fm.language.instruct_85m.tokenizer
| generic | Tokenizer
AFMTextInstruct85MTokenizer
| com.apple.modelcatalog

com.apple.fm.language.instruct_server_v1.accessibility_magnifier
| generic | LLM.Adapter | AccessibilityMagnifier
| □
com.apple.fm.language.instruct_server_v1.answer_synthesis
| generic | LLM.Adapter | AnswerSynthesisServer
| □
com.apple.fm.language.instruct_server_v1.answer_synthesis.draft
| generic | LLM.DraftModel | AnswerSynthesisServer
| □
com.apple.fm.language.instruct_server_v1.answer_synthesis.draft
| multilingual | LLM.DraftModel | AnswerSynthesisServer
| □
com.apple.fm.language.instruct_server_v1.answer_synthesis
| multilingual | LLM.Adapter | AnswerSynthesisServer
| □
com.apple.fm.language.instruct_server_v1.base
| generic | LLM.Model | InstructServerBase
| □
com.apple.fm.language.instruct_server_v1.base_adapter
| generic | LLM.Adapter | BaseAdapter
| □
com.apple.fm.language.instruct_server_v1.bullets_transform
| generic | LLM.Adapter | ServerBulletsTransform
| □
com.apple.fm.language.instruct_server_v1.bullets_transform.draft
| generic | LLM.DraftModel | ServerBulletsTransform
| □
com.apple.fm.language.instruct_server_v1.concise_tone
| generic | LLM.Adapter | ServerConciseTone
| □
com.apple.fm.language.instruct_server_v1.concise_tone.draft
| generic | LLM.DraftModel | ServerConciseTone

```

|                                                                           |                |                           |  |
|---------------------------------------------------------------------------|----------------|---------------------------|--|
| com.apple.fm.language.instruct_server_v1.describe_your_edit               |                |                           |  |
| generic                                                                   | LLM.Adapter    | ServerDescribeYourEdit    |  |
| com.apple.fm.language.instruct_server_v1.fitness_workout_voice            |                |                           |  |
| generic                                                                   | LLM.Adapter    | ServerFitnessWorkoutVoice |  |
| com.apple.fm.language.instruct_server_v1.fitness_workout_voice.draft      |                |                           |  |
| generic                                                                   | LLM.DraftModel | ServerFitnessWorkoutVoice |  |
| com.apple.fm.language.instruct_server_v1.friendly_tone                    |                |                           |  |
| generic                                                                   | LLM.Adapter    | ServerFriendlyTone        |  |
| com.apple.fm.language.instruct_server_v1.friendly_tone.draft              |                |                           |  |
| generic                                                                   | LLM.DraftModel | ServerFriendlyTone        |  |
| com.apple.fm.language.instruct_server_v1.image_tokenizer                  |                |                           |  |
| generic                                                                   | ImageTokenizer | AFMImageTokenizerServer   |  |
| com.apple.fm.language.instruct_server_v1.journal_followup_prompts         |                |                           |  |
| generic                                                                   | LLM.Adapter    | JournalFollowUpPrompts    |  |
| com.apple.fm.language.instruct_server_v1.journal_followup_prompts.draft   |                |                           |  |
| generic                                                                   | LLM.DraftModel | JournalFollowUpPrompts    |  |
| com.apple.fm.language.instruct_server_v1.lw_planner_v1                    |                |                           |  |
| generic                                                                   | LLM.Adapter    | LWPlannerV1               |  |
| com.apple.fm.language.instruct_server_v1.lw_planner_v1.draft              |                |                           |  |
| generic                                                                   | LLM.DraftModel | LWPlannerV1               |  |
| com.apple.fm.language.instruct_server_v1.magic_rewrite                    |                |                           |  |
| generic                                                                   | LLM.Adapter    | ServerMagicRewrite        |  |
| com.apple.fm.language.instruct_server_v1.magic_rewrite.draft              |                |                           |  |
| generic                                                                   | LLM.DraftModel | ServerMagicRewrite        |  |
| com.apple.fm.language.instruct_server_v1.mail_reply_long_form_basic       |                |                           |  |
| generic                                                                   | LLM.Adapter    |                           |  |
| ServerMailReplyLongFormBasic                                              |                |                           |  |
| com.apple.fm.language.instruct_server_v1.mail_reply_long_form_basic.draft |                |                           |  |
| generic                                                                   | LLM.DraftModel |                           |  |
| ServerMailReplyLongFormBasic                                              |                |                           |  |
| com.apple.fm.language.instruct_server_v1.mail_reply_long_form_rewrite     |                |                           |  |
| generic                                                                   | LLM.Adapter    |                           |  |
| ServerMailReplyLongFormRewrite                                            |                |                           |  |

|                                                                             |                |                            |   |  |
|-----------------------------------------------------------------------------|----------------|----------------------------|---|--|
| com.apple.fm.language.instruct_server_v1.mail_reply_long_form_rewrite.draft |                |                            |   |  |
| generic                                                                     | LLM.DraftModel |                            |   |  |
| ServerMailReplyLongFormRewrite                                              |                |                            | □ |  |
| com.apple.fm.language.instruct_server_v1.mail_reply_qa                      |                |                            |   |  |
| generic                                                                     | LLM.Adapter    | ServerMailReplyQA          |   |  |
| □                                                                           |                |                            |   |  |
| com.apple.fm.language.instruct_server_v1.mail_reply_qa.draft                |                |                            |   |  |
| generic                                                                     | LLM.DraftModel | ServerMailReplyQA          |   |  |
| □                                                                           |                |                            |   |  |
| com.apple.fm.language.instruct_server_v1.messages_user_request              |                |                            |   |  |
| generic                                                                     | LLM.Adapter    | MessagesUserRequest        |   |  |
| □                                                                           |                |                            |   |  |
| com.apple.fm.language.instruct_server_v1.messages_user_request.draft        |                |                            |   |  |
| generic                                                                     | LLM.DraftModel | MessagesUserRequest        |   |  |
| □                                                                           |                |                            |   |  |
| com.apple.fm.language.instruct_server_v1.mm_guard                           |                |                            |   |  |
| generic                                                                     | LLM.Adapter    |                            |   |  |
| MMGuardSafetyGuardrailServer                                                |                |                            | □ |  |
| com.apple.fm.language.instruct_server_v1.open_ended_interaction             |                |                            |   |  |
| generic                                                                     | LLM.Adapter    | OpenEndedInteraction       |   |  |
| □                                                                           |                |                            |   |  |
| com.apple.fm.language.instruct_server_v1.open_ended_interaction.draft       |                |                            |   |  |
| generic                                                                     | LLM.DraftModel | OpenEndedInteraction       |   |  |
| □                                                                           |                |                            |   |  |
| com.apple.fm.language.instruct_server_v1.open_ended_reflection              |                |                            |   |  |
| generic                                                                     | LLM.Adapter    | OpenEndedReflection        |   |  |
| □                                                                           |                |                            |   |  |
| com.apple.fm.language.instruct_server_v1.open_ended_reflection.draft        |                |                            |   |  |
| generic                                                                     | LLM.DraftModel | OpenEndedReflection        |   |  |
| □                                                                           |                |                            |   |  |
| com.apple.fm.language.instruct_server_v1.open_ended_schema                  |                |                            |   |  |
| generic                                                                     | LLM.Adapter    | OpenEndedSchema            |   |  |
| □                                                                           |                |                            |   |  |
| com.apple.fm.language.instruct_server_v1.open_ended_schema.draft            |                |                            |   |  |
| generic                                                                     | LLM.DraftModel | OpenEndedSchema            |   |  |
| □                                                                           |                |                            |   |  |
| com.apple.fm.language.instruct_server_v1.open_ended_tone                    |                |                            |   |  |
| generic                                                                     | LLM.Adapter    | OpenEndedTone              |   |  |
| □                                                                           |                |                            |   |  |
| com.apple.fm.language.instruct_server_v1.open_ended_tone.draft              |                |                            |   |  |
| generic                                                                     | LLM.DraftModel | OpenEndedTone              |   |  |
| □                                                                           |                |                            |   |  |
| com.apple.fm.language.instruct_server_v1.open_ended_tone_query_response     |                |                            |   |  |
| generic                                                                     | LLM.Adapter    | OpenEndedToneQueryResponse |   |  |
| □                                                                           |                |                            |   |  |
| com.apple.fm.language.instruct_server_v1.open_ended_tone_query_response_v2  |                |                            |   |  |



|                                                                                  |                |              |   |  |
|----------------------------------------------------------------------------------|----------------|--------------|---|--|
| generic                                                                          | LLM.Adapter    |              |   |  |
| OpenEndedToneQueryResponseV2                                                     |                |              | □ |  |
|                                                                                  |                |              |   |  |
| com.apple.fm.language.instruct_server_v1.personalized_smart_reply                |                |              |   |  |
| generic                                                                          | LLM.Adapter    |              |   |  |
| ServerPersonalizedSmartReply                                                     |                |              | □ |  |
|                                                                                  |                |              |   |  |
| com.apple.fm.language.instruct_server_v1.personalized_smart_reply.draft          |                |              |   |  |
| generic                                                                          | LLM.DraftModel |              |   |  |
| ServerPersonalizedSmartReply                                                     |                |              | □ |  |
|                                                                                  |                |              |   |  |
| com.apple.fm.language.instruct_server_v1.photos_common                           |                |              |   |  |
| generic                                                                          | LLM.Adapter    | PhotosCommon |   |  |
| □                                                                                |                |              |   |  |
|                                                                                  |                |              |   |  |
| com.apple.fm.language.instruct_server_v1.photos_common.draft                     |                |              |   |  |
| generic                                                                          | LLM.DraftModel | PhotosCommon |   |  |
| □                                                                                |                |              |   |  |
|                                                                                  |                |              |   |  |
| com.apple.fm.language.instruct_server_v1.photos_memories_asset_curation          |                |              |   |  |
| generic                                                                          | LLM.Adapter    |              |   |  |
| PhotosMemoriesCreationAssetCuration                                              |                |              | □ |  |
|                                                                                  |                |              |   |  |
| com.apple.fm.language.instruct_server_v1.photos_memories_asset_curation.draft    |                |              |   |  |
| generic                                                                          | LLM.DraftModel |              |   |  |
| PhotosMemoriesCreationAssetCuration                                              |                |              | □ |  |
|                                                                                  |                |              |   |  |
| com.apple.fm.language.instruct_server_v1.photos_memories_asset_curation_v2       |                |              |   |  |
| generic                                                                          | LLM.Adapter    |              |   |  |
| PhotosMemoriesCreationAssetCurationV2                                            |                |              | □ |  |
|                                                                                  |                |              |   |  |
| com.apple.fm.language.instruct_server_v1.photos_memories_asset_curation_v2.draft |                |              |   |  |
| generic                                                                          | LLM.DraftModel |              |   |  |
| PhotosMemoriesCreationAssetCurationV2                                            |                |              | □ |  |
|                                                                                  |                |              |   |  |
| com.apple.fm.language.instruct_server_v1.photos_memories_global_traits           |                |              |   |  |
| generic                                                                          | LLM.Adapter    |              |   |  |
| PhotosMemoriesCreationGlobalTraits                                               |                |              | □ |  |
|                                                                                  |                |              |   |  |
| com.apple.fm.language.instruct_server_v1.photos_memories_global_traits.draft     |                |              |   |  |
| generic                                                                          | LLM.DraftModel |              |   |  |
| PhotosMemoriesCreationGlobalTraits                                               |                |              | □ |  |
|                                                                                  |                |              |   |  |
| com.apple.fm.language.instruct_server_v1.photos_memories_global_traits_v2        |                |              |   |  |
| generic                                                                          | LLM.Adapter    |              |   |  |
| PhotosMemoriesCreationGlobalTraitsV2                                             |                |              | □ |  |
|                                                                                  |                |              |   |  |
| com.apple.fm.language.instruct_server_v1.photos_memories_global_traits_v2.draft  |                |              |   |  |
| generic                                                                          | LLM.DraftModel |              |   |  |
| PhotosMemoriesCreationGlobalTraitsV2                                             |                |              | □ |  |
|                                                                                  |                |              |   |  |

|                                                                                       |         |                |  |   |  |
|---------------------------------------------------------------------------------------|---------|----------------|--|---|--|
| com.apple.fm.language.instruct_server_v1.photos_memories_global_traits_v3             | generic | LLM.Adapter    |  |   |  |
| PhotosMemoriesCreationGlobalTraitsV3                                                  |         |                |  | □ |  |
|                                                                                       |         |                |  |   |  |
| com.apple.fm.language.instruct_server_v1.photos_memories_global_traits_v3.draft       | generic | LLM.DraftModel |  |   |  |
| PhotosMemoriesCreationGlobalTraitsV3                                                  |         |                |  | □ |  |
|                                                                                       |         |                |  |   |  |
| com.apple.fm.language.instruct_server_v1.photos_memories_query_understanding          | generic | LLM.Adapter    |  |   |  |
| PhotosMemoriesCreationQueryUnderstanding                                              |         |                |  | □ |  |
|                                                                                       |         |                |  |   |  |
| com.apple.fm.language.instruct_server_v1.photos_memories_query_understanding.draft    | generic | LLM.DraftModel |  |   |  |
| PhotosMemoriesCreationQueryUnderstanding                                              |         |                |  | □ |  |
|                                                                                       |         |                |  |   |  |
| com.apple.fm.language.instruct_server_v1.photos_memories_query_understanding_v2       | generic | LLM.Adapter    |  |   |  |
| PhotosMemoriesCreationQueryUnderstandingV2                                            |         |                |  | □ |  |
|                                                                                       |         |                |  |   |  |
| com.apple.fm.language.instruct_server_v1.photos_memories_query_understanding_v2.draft | generic | LLM.DraftModel |  |   |  |
| PhotosMemoriesCreationQueryUnderstandingV2                                            |         |                |  | □ |  |
|                                                                                       |         |                |  |   |  |
| com.apple.fm.language.instruct_server_v1.photos_memories_query_understanding_v3       | generic | LLM.Adapter    |  |   |  |
| PhotosMemoriesCreationQueryUnderstandingV3                                            |         |                |  | □ |  |
|                                                                                       |         |                |  |   |  |
| com.apple.fm.language.instruct_server_v1.photos_memories_query_understanding_v3.draft | generic | LLM.DraftModel |  |   |  |
| PhotosMemoriesCreationQueryUnderstandingV3                                            |         |                |  | □ |  |
|                                                                                       |         |                |  |   |  |
| com.apple.fm.language.instruct_server_v1.photos_memories_storyteller                  | generic | LLM.Adapter    |  |   |  |
| PhotosMemoriesCreationStoryteller                                                     |         |                |  | □ |  |
|                                                                                       |         |                |  |   |  |
| com.apple.fm.language.instruct_server_v1.photos_memories_storyteller.draft            | generic | LLM.DraftModel |  |   |  |
| PhotosMemoriesCreationStoryteller                                                     |         |                |  | □ |  |
|                                                                                       |         |                |  |   |  |
| com.apple.fm.language.instruct_server_v1.photos_memories_storyteller_v2               | generic | LLM.Adapter    |  |   |  |
| PhotosMemoriesCreationStorytellerV2                                                   |         |                |  | □ |  |
|                                                                                       |         |                |  |   |  |
| com.apple.fm.language.instruct_server_v1.photos_memories_storyteller_v2.draft         | generic | LLM.DraftModel |  |   |  |
| PhotosMemoriesCreationStorytellerV2                                                   |         |                |  | □ |  |

|                                                           |                |           |  |
|-----------------------------------------------------------|----------------|-----------|--|
|                                                           |                |           |  |
| com.apple.fm.language.instruct_server_v1.planner          |                |           |  |
| generic                                                   | LLM.Adapter    | Planner   |  |
| □                                                         |                |           |  |
| com.apple.fm.language.instruct_server_v1.planner.draft    |                |           |  |
| generic                                                   | LLM.DraftModel | Planner   |  |
| □                                                         |                |           |  |
| com.apple.fm.language.instruct_server_v1.planner_v2       |                |           |  |
| generic                                                   | LLM.Adapter    | PlannerV2 |  |
| □                                                         |                |           |  |
| com.apple.fm.language.instruct_server_v1.planner_v2.draft |                |           |  |
| generic                                                   | LLM.DraftModel | PlannerV2 |  |
| □                                                         |                |           |  |
| com.apple.fm.language.instruct_server_v1.planner_v2.draft |                |           |  |
| multilingual                                              | LLM.DraftModel | PlannerV2 |  |
| □                                                         |                |           |  |
| com.apple.fm.language.instruct_server_v1.planner_v2       |                |           |  |
| multilingual                                              | LLM.Adapter    | PlannerV2 |  |
| □                                                         |                |           |  |
| com.apple.fm.language.instruct_server_v1.planner_v3       |                |           |  |
| generic                                                   | LLM.Adapter    | PlannerV3 |  |
| □                                                         |                |           |  |
| com.apple.fm.language.instruct_server_v1.planner_v3.draft |                |           |  |
| generic                                                   | LLM.DraftModel | PlannerV3 |  |
| □                                                         |                |           |  |
| com.apple.fm.language.instruct_server_v1.planner_v3.draft |                |           |  |
| multilingual                                              | LLM.DraftModel | PlannerV3 |  |
| □                                                         |                |           |  |
| com.apple.fm.language.instruct_server_v1.planner_v3       |                |           |  |
| multilingual                                              | LLM.Adapter    | PlannerV3 |  |
| □                                                         |                |           |  |
| com.apple.fm.language.instruct_server_v1.planner_v7       |                |           |  |
| generic                                                   | LLM.Adapter    | PlannerV7 |  |
| □                                                         |                |           |  |
| com.apple.fm.language.instruct_server_v1.planner_v7.draft |                |           |  |
| generic                                                   | LLM.DraftModel | PlannerV7 |  |
| □                                                         |                |           |  |
| com.apple.fm.language.instruct_server_v1.planner_v7.draft |                |           |  |
| multilingual                                              | LLM.DraftModel | PlannerV7 |  |
| □                                                         |                |           |  |
| com.apple.fm.language.instruct_server_v1.planner_v7       |                |           |  |
| multilingual                                              | LLM.Adapter    | PlannerV7 |  |
| □                                                         |                |           |  |
| com.apple.fm.language.instruct_server_v1.planner_v8       |                |           |  |
| generic                                                   | LLM.Adapter    | PlannerV8 |  |
| □                                                         |                |           |  |
| com.apple.fm.language.instruct_server_v1.planner_v8.draft |                |           |  |
| generic                                                   | LLM.DraftModel | PlannerV8 |  |

|                                                                                |                |                          |  |
|--------------------------------------------------------------------------------|----------------|--------------------------|--|
| com.apple.fm.language.instruct_server_v1.planner_v8.draft                      |                |                          |  |
| multilingual                                                                   | LLM.DraftModel | PlannerV8                |  |
| com.apple.fm.language.instruct_server_v1.planner_v8                            |                |                          |  |
| multilingual                                                                   | LLM.Adapter    | PlannerV8                |  |
| com.apple.fm.language.instruct_server_v1.planner_v9                            |                |                          |  |
| generic                                                                        | LLM.Adapter    | PlannerV9                |  |
| com.apple.fm.language.instruct_server_v1.planner_v9.draft                      |                |                          |  |
| generic                                                                        | LLM.DraftModel | PlannerV9                |  |
| com.apple.fm.language.instruct_server_v1.planner_v9.draft                      |                |                          |  |
| multilingual                                                                   | LLM.DraftModel | PlannerV9                |  |
| com.apple.fm.language.instruct_server_v1.planner_v9                            |                |                          |  |
| multilingual                                                                   | LLM.Adapter    | PlannerV9                |  |
| com.apple.fm.language.instruct_server_v1.pqa_verification                      |                |                          |  |
| generic                                                                        | LLM.Adapter    | ServerPQAVerification    |  |
| com.apple.fm.language.instruct_server_v1.professional_tone                     |                |                          |  |
| generic                                                                        | LLM.Adapter    | ServerProfessionalTone   |  |
| com.apple.fm.language.instruct_server_v1.professional_tone.draft               |                |                          |  |
| generic                                                                        | LLM.DraftModel | ServerProfessionalTone   |  |
| com.apple.fm.language.instruct_server_v1.proofreading_review                   |                |                          |  |
| generic                                                                        | LLM.Adapter    | ServerProofreadingReview |  |
| com.apple.fm.language.instruct_server_v1.proofreading_review.draft             |                |                          |  |
| generic                                                                        | LLM.DraftModel | ServerProofreadingReview |  |
| com.apple.fm.language.instruct_server_v1.reminders_auto_categorized_list       |                |                          |  |
| generic                                                                        | LLM.Adapter    |                          |  |
| RemindersAutoCategorizeList                                                    |                |                          |  |
| com.apple.fm.language.instruct_server_v1.reminders_auto_categorized_list.draft |                |                          |  |
| generic                                                                        | LLM.DraftModel |                          |  |
| RemindersAutoCategorizeList                                                    |                |                          |  |
| com.apple.fm.language.instruct_server_v1.response_generation                   |                |                          |  |
| generic                                                                        | LLM.Adapter    | ResponseGeneration       |  |
| com.apple.fm.language.instruct_server_v1.response_generation.draft             |                |                          |  |
| generic                                                                        | LLM.DraftModel | ResponseGeneration       |  |

|                                                                           |                |                      |   |  |
|---------------------------------------------------------------------------|----------------|----------------------|---|--|
| com.apple.fm.language.instruct_server_v1.response_generation_v2           |                |                      |   |  |
| generic                                                                   | LLM.Adapter    | ResponseGenerationV2 |   |  |
| □                                                                         |                |                      |   |  |
| com.apple.fm.language.instruct_server_v1.response_generation_v2.draft     |                |                      |   |  |
| generic                                                                   | LLM.DraftModel | ResponseGenerationV2 |   |  |
| □                                                                         |                |                      |   |  |
| com.apple.fm.language.instruct_server_v1.response_generation_v3           |                |                      |   |  |
| generic                                                                   | LLM.Adapter    | ResponseGenerationV3 |   |  |
| □                                                                         |                |                      |   |  |
| com.apple.fm.language.instruct_server_v1.response_generation_v3.draft     |                |                      |   |  |
| generic                                                                   | LLM.DraftModel | ResponseGenerationV3 |   |  |
| □                                                                         |                |                      |   |  |
| com.apple.fm.language.instruct_server_v1.response_generation_v3.draft     |                |                      |   |  |
| multilingual                                                              | LLM.DraftModel | ResponseGenerationV3 |   |  |
| □                                                                         |                |                      |   |  |
| com.apple.fm.language.instruct_server_v1.response_generation_v3           |                |                      |   |  |
| multilingual                                                              | LLM.Adapter    | ResponseGenerationV3 |   |  |
| □                                                                         |                |                      |   |  |
| com.apple.fm.language.instruct_server_v1.response_generation_v7           |                |                      |   |  |
| generic                                                                   | LLM.Adapter    | ResponseGenerationV7 |   |  |
| □                                                                         |                |                      |   |  |
| com.apple.fm.language.instruct_server_v1.response_generation_v7.draft     |                |                      |   |  |
| generic                                                                   | LLM.DraftModel | ResponseGenerationV7 |   |  |
| □                                                                         |                |                      |   |  |
| com.apple.fm.language.instruct_server_v1.response_generation_v7.draft     |                |                      |   |  |
| multilingual                                                              | LLM.DraftModel | ResponseGenerationV7 |   |  |
| □                                                                         |                |                      |   |  |
| com.apple.fm.language.instruct_server_v1.response_generation_v7           |                |                      |   |  |
| multilingual                                                              | LLM.Adapter    | ResponseGenerationV7 |   |  |
| □                                                                         |                |                      |   |  |
| com.apple.fm.language.instruct_server_v1.response_generation_v8           |                |                      |   |  |
| generic                                                                   | LLM.Adapter    | ResponseGenerationV8 |   |  |
| □                                                                         |                |                      |   |  |
| com.apple.fm.language.instruct_server_v1.response_generation_v8.draft     |                |                      |   |  |
| generic                                                                   | LLM.DraftModel | ResponseGenerationV8 |   |  |
| □                                                                         |                |                      |   |  |
| com.apple.fm.language.instruct_server_v1.response_generation_v8.draft     |                |                      |   |  |
| multilingual                                                              | LLM.DraftModel | ResponseGenerationV8 |   |  |
| □                                                                         |                |                      |   |  |
| com.apple.fm.language.instruct_server_v1.response_generation_v8           |                |                      |   |  |
| multilingual                                                              | LLM.Adapter    | ResponseGenerationV8 |   |  |
| □                                                                         |                |                      |   |  |
| com.apple.fm.language.instruct_server_v1.search_query_understanding       |                |                      |   |  |
| generic                                                                   | LLM.Adapter    |                      |   |  |
| SearchQueryUnderstandingServer                                            |                |                      | □ |  |
|                                                                           |                |                      |   |  |
| com.apple.fm.language.instruct_server_v1.search_query_understanding.draft |                |                      |   |  |
| generic                                                                   | LLM.DraftModel |                      |   |  |
| SearchQueryUnderstandingServer                                            |                |                      | □ |  |

|                                                                          |                |                            |   |
|--------------------------------------------------------------------------|----------------|----------------------------|---|
|                                                                          |                |                            |   |
| com.apple.fm.language.instruct_server_v1.shortcuts_ask_afm_action        |                |                            |   |
| generic                                                                  | LLM.Adapter    | ShortcutsAskAFMAction      |   |
| ▫                                                                        |                |                            |   |
| com.apple.fm.language.instruct_server_v1.shortcuts_ask_afm_action_v2     |                |                            |   |
| generic                                                                  | LLM.Adapter    | ShortcutsAskAFMActionV2    |   |
| ▫                                                                        |                |                            |   |
| com.apple.fm.language.instruct_server_v1.structured_extraction           |                |                            |   |
| generic                                                                  | LLM.Adapter    | ServerStructuredExtraction |   |
| ▫                                                                        |                |                            |   |
| com.apple.fm.language.instruct_server_v1.structured_extraction.draft     |                |                            |   |
| generic                                                                  | LLM.DraftModel | ServerStructuredExtraction |   |
| ▫                                                                        |                |                            |   |
| com.apple.fm.language.instruct_server_v1.stx_multimodal                  |                |                            |   |
| generic                                                                  | LLM.Adapter    | STXMultimodal              |   |
| ▫                                                                        |                |                            |   |
| com.apple.fm.language.instruct_server_v1.stx_multimodal.draft            |                |                            |   |
| generic                                                                  | LLM.DraftModel | STXMultimodal              |   |
| ▫                                                                        |                |                            |   |
| com.apple.fm.language.instruct_server_v1.super_autofill_multimodal       |                |                            |   |
| generic                                                                  | LLM.Adapter    | SuperAutofillMultimodal    |   |
| ▫                                                                        |                |                            |   |
| com.apple.fm.language.instruct_server_v1.super_autofill_multimodal.draft |                |                            |   |
| generic                                                                  | LLM.DraftModel | SuperAutofillMultimodal    |   |
| ▫                                                                        |                |                            |   |
| com.apple.fm.language.instruct_server_v1.tables_transform                |                |                            |   |
| generic                                                                  | LLM.Adapter    | ServerTablesTransform      |   |
| ▫                                                                        |                |                            |   |
| com.apple.fm.language.instruct_server_v1.tables_transform.draft          |                |                            |   |
| generic                                                                  | LLM.DraftModel | ServerTablesTransform      |   |
| ▫                                                                        |                |                            |   |
| com.apple.fm.language.instruct_server_v1.takeaways_transform             |                |                            |   |
| generic                                                                  | LLM.Adapter    | ServerTakeawaysTransform   |   |
| ▫                                                                        |                |                            |   |
| com.apple.fm.language.instruct_server_v1.takeaways_transform.draft       |                |                            |   |
| generic                                                                  | LLM.DraftModel | ServerTakeawaysTransform   |   |
| ▫                                                                        |                |                            |   |
| com.apple.fm.language.instruct_server_v1.text_summarizer                 |                |                            |   |
| generic                                                                  | LLM.Adapter    |                            |   |
| SummarizationTextSummarizer                                              |                |                            | ▫ |
|                                                                          |                |                            |   |
| com.apple.fm.language.instruct_server_v1.text_summarizer.draft           |                |                            |   |
| generic                                                                  | LLM.DraftModel |                            |   |
| SummarizationTextSummarizer                                              |                |                            | ▫ |
|                                                                          |                |                            |   |
| com.apple.fm.language.instruct_server_v1.tokenizer                       |                |                            |   |
| generic                                                                  | Tokenizer      | InstructServerTokenizer    |   |
| ▫                                                                        |                |                            |   |

|                                                               |                   |                   |                            |  |
|---------------------------------------------------------------|-------------------|-------------------|----------------------------|--|
| com.apple.fm.language.instruct_server_v1.wallet_insights      | generic           | LLM.Adapter       | FinancialInsights          |  |
| com.apple.fm.language.photos_memories_creation.base           | generic           | LLM.Model         | PhotosMemoriesCreationBase |  |
| com.apple.fm.language.pqa_verification.base                   | generic           | LLM.Model         | PQAVerificationBase        |  |
| com.apple.modelcatalog                                        |                   |                   |                            |  |
| com.apple.fm.language.summarization.text_summarizer.base      | generic           | LLM.Model         |                            |  |
| SummarizationTextSummarizerBase                               |                   |                   |                            |  |
| com.apple.fm.language.summarization.text_summarizer_ajax.base | generic           | LLM.Model         |                            |  |
| SummarizationTextSummarizerAjaxBase                           |                   |                   |                            |  |
| com.apple.fm.photos.genedit.magiccleanup                      | generic           | ImageMagicCleanUp |                            |  |
| GenerativeEditsMagicCleanUp                                   |                   |                   |                            |  |
| 6.0.81716.13.202356,0                                         |                   |                   |                            |  |
| com.apple.MobileAsset.UAF.Photos.MagicCleanup                 |                   |                   |                            |  |
| com.apple.fm.visual.image_diffusion_v1.animation              | generic           | Diffusion.Adapter | Animation                  |  |
| com.apple.MobileAsset.UAF.FM.Visual                           |                   |                   |                            |  |
| com.apple.fm.visual.image_diffusion_v1.animation              | generic_alternate | Diffusion.Adapter | Animation                  |  |
| com.apple.MobileAsset.UAF.FM.Visual                           |                   |                   |                            |  |
| com.apple.fm.visual.image_diffusion_v1.base                   | generic           | Diffusion.Model   | VisualGenerationBase       |  |
| com.apple.MobileAsset.UAF.FM.Visual                           |                   |                   |                            |  |
| com.apple.fm.visual.image_diffusion_v1.base                   | generic_alternate | Diffusion.Model   | VisualGenerationBase       |  |
| com.apple.MobileAsset.UAF.FM.Visual                           |                   |                   |                            |  |
| com.apple.fm.visual.image_diffusion_v1.emoji                  | generic           | Diffusion.Adapter | Emoji                      |  |
| com.apple.MobileAsset.UAF.FM.Visual                           |                   |                   |                            |  |
| com.apple.fm.visual.image_diffusion_v1.emoji                  | generic_alternate | Diffusion.Adapter | Emoji                      |  |
| com.apple.MobileAsset.UAF.FM.Visual                           |                   |                   |                            |  |
| com.apple.fm.visual.image_diffusion_v1.illustration           | generic           | Diffusion.Adapter | Illustration               |  |
| com.apple.MobileAsset.UAF.FM.Visual                           |                   |                   |                            |  |
| com.apple.fm.visual.image_diffusion_v1.illustration           | generic_alternate | Diffusion.Adapter | Illustration               |  |
| com.apple.MobileAsset.UAF.FM.Visual                           |                   |                   |                            |  |
| com.apple.fm.visual.image_diffusion_v1.messages_backgrounds   | generic           | Diffusion.Adapter | MessagesBackgrounds        |  |
| com.apple.MobileAsset.UAF.FM.Visual                           |                   |                   |                            |  |
| com.apple.fm.visual.image_diffusion_v1.messages_backgrounds   |                   |                   |                            |  |

|                                                                    |                   |                          |
|--------------------------------------------------------------------|-------------------|--------------------------|
| generic_alternate                                                  | Diffusion.Adapter | MessagesBackgrounds      |
| com.apple.MobileAsset.UAF.FM.Visual                                |                   |                          |
| com.apple.fm.visual.image_diffusion_v1.personalized_animation      |                   |                          |
| generic                                                            | Diffusion.Adapter | PersonalizedAnimation    |
| com.apple.MobileAsset.UAF.FM.Visual                                |                   |                          |
| com.apple.fm.visual.image_diffusion_v1.personalized_animation      |                   |                          |
| generic_alternate                                                  | Diffusion.Adapter | PersonalizedAnimation    |
| com.apple.MobileAsset.UAF.FM.Visual                                |                   |                          |
| com.apple.fm.visual.image_diffusion_v1.personalized_emoji          |                   |                          |
| generic                                                            | Diffusion.Adapter | PersonalizedEmoji        |
| com.apple.MobileAsset.UAF.FM.Visual                                |                   |                          |
| com.apple.fm.visual.image_diffusion_v1.personalized_emoji          |                   |                          |
| generic_alternate                                                  | Diffusion.Adapter | PersonalizedEmoji        |
| com.apple.MobileAsset.UAF.FM.Visual                                |                   |                          |
| com.apple.fm.visual.image_diffusion_v1.personalized_illustration   |                   |                          |
| generic                                                            | Diffusion.Adapter | PersonalizedIllustration |
| com.apple.MobileAsset.UAF.FM.Visual                                |                   |                          |
| com.apple.fm.visual.image_diffusion_v1.personalized_illustration   |                   |                          |
| generic_alternate                                                  | Diffusion.Adapter | PersonalizedIllustration |
| com.apple.MobileAsset.UAF.FM.Visual                                |                   |                          |
| com.apple.fm.visual.image_diffusion_v1.personalized_sketch         |                   |                          |
| generic                                                            | Diffusion.Adapter | PersonalizedSketch       |
| com.apple.MobileAsset.UAF.FM.Visual                                |                   |                          |
| com.apple.fm.visual.image_diffusion_v1.personalized_sketch         |                   |                          |
| generic_alternate                                                  | Diffusion.Adapter | PersonalizedSketch       |
| com.apple.MobileAsset.UAF.FM.Visual                                |                   |                          |
| com.apple.fm.visual.image_diffusion_v1.personalized_style_scribble |                   |                          |
| generic                                                            | Diffusion.Adapter | PersonalizedScribble     |
| com.apple.MobileAsset.UAF.FM.Visual                                |                   |                          |
| com.apple.fm.visual.image_diffusion_v1.personalized_style_scribble |                   |                          |
| generic_alternate                                                  | Diffusion.Adapter | PersonalizedScribble     |
| com.apple.MobileAsset.UAF.FM.Visual                                |                   |                          |
| com.apple.fm.visual.image_diffusion_v1.refiner                     |                   |                          |
| generic                                                            | Diffusion.Adapter | Refiner                  |
| com.apple.MobileAsset.UAF.FM.Visual                                |                   |                          |
| com.apple.fm.visual.image_diffusion_v1.refiner                     |                   |                          |
| generic_alternate                                                  | Diffusion.Adapter | Refiner                  |
| com.apple.MobileAsset.UAF.FM.Visual                                |                   |                          |
| com.apple.fm.visual.image_diffusion_v1.sketch                      |                   |                          |
| generic                                                            | Diffusion.Adapter | Sketch                   |
| com.apple.MobileAsset.UAF.FM.Visual                                |                   |                          |
| com.apple.fm.visual.image_diffusion_v1.sketch                      |                   |                          |
| generic_alternate                                                  | Diffusion.Adapter | Sketch                   |
| com.apple.MobileAsset.UAF.FM.Visual                                |                   |                          |
| com.apple.fm.visual.image_diffusion_v1.skintone_emoji              |                   |                          |
| generic                                                            | Diffusion.Adapter | SkinToneEmoji            |
| com.apple.MobileAsset.UAF.FM.Visual                                |                   |                          |
| com.apple.fm.visual.image_diffusion_v1.skintone_emoji              |                   |                          |



|                                                            |                               |                                    |  |  |
|------------------------------------------------------------|-------------------------------|------------------------------------|--|--|
| generic_alternate                                          | Diffusion.Adapter             | SkinToneEmoji                      |  |  |
| com.apple.MobileAsset.UAF.FM.Visual                        |                               |                                    |  |  |
| com.apple.fm.visual.image_diffusion_v1.style_scribble      |                               |                                    |  |  |
| generic                                                    | Diffusion.Adapter             | Scribble                           |  |  |
| com.apple.MobileAsset.UAF.FM.Visual                        |                               |                                    |  |  |
| com.apple.fm.visual.image_diffusion_v1.style_scribble      |                               |                                    |  |  |
| generic_alternate                                          | Diffusion.Adapter             | Scribble                           |  |  |
| com.apple.MobileAsset.UAF.FM.Visual                        |                               |                                    |  |  |
| com.apple.fm.visual.imageplayground.curatedprompts         |                               |                                    |  |  |
| generic                                                    | ImageCuratedPrompts           | All                                |  |  |
| com.apple.MobileAsset.UAF.FM.Visual                        |                               |                                    |  |  |
| com.apple.fm.visual.imagescaler.upscaler                   |                               |                                    |  |  |
| generic                                                    | ImageScaler                   |                                    |  |  |
| GenerativePlaygroundsUpscaler                              |                               |                                    |  |  |
| com.apple.MobileAsset.UAF.FM.Visual                        |                               |                                    |  |  |
| com.apple.fm.visual.understanding.conditioning             |                               |                                    |  |  |
| generic                                                    | ImageFilter                   | Conditioning                       |  |  |
| com.apple.MobileAsset.UAF.FM.Visual                        |                               |                                    |  |  |
| com.apple.fm.visual.understanding.conditioning             |                               |                                    |  |  |
| generic_alternate                                          | ImageFilter                   | Conditioning                       |  |  |
| com.apple.MobileAsset.UAF.FM.Visual                        |                               |                                    |  |  |
| com.apple.gm.overrides.model_config.all                    |                               |                                    |  |  |
| generic                                                    | ModelConfigurationReplacement | All                                |  |  |
|                                                            |                               | 32025010.20251009.91600.100.1651,0 |  |  |
| com.apple.MobileAsset.UAF.FM.Overrides                     |                               |                                    |  |  |
| com.apple.gm.prompt_allow_list.input.delta_lexicon         |                               |                                    |  |  |
| generic                                                    | PromptAllowList               |                                    |  |  |
| DeltaLexiconInputPromptAllowList                           |                               |                                    |  |  |
| com.apple.MobileAsset.UAF.FM.Overrides                     |                               |                                    |  |  |
| com.apple.gm.safety.disabledusecases                       |                               |                                    |  |  |
| generic                                                    | DisabledUseCaseList           | All                                |  |  |
|                                                            |                               | 1.0.5.100.1380,0                   |  |  |
| com.apple.MobileAsset.UAF.FM.Overrides                     |                               |                                    |  |  |
| com.apple.gm.safety_deny.input.adm_background_prompt       |                               |                                    |  |  |
| generic                                                    | TokenInputDenyList            |                                    |  |  |
| ADMBackgroundPromptInputDenyList                           |                               |                                    |  |  |
| com.apple.MobileAsset.UAF.FM.Overrides                     |                               |                                    |  |  |
| com.apple.gm.safety_deny.input.ask_generative_model_action |                               |                                    |  |  |
| generic                                                    | TokenInputDenyList            |                                    |  |  |
| AskGenerativeModelActionInputDenyList                      |                               |                                    |  |  |
| com.apple.MobileAsset.UAF.FM.Overrides                     |                               |                                    |  |  |
| com.apple.gm.safety_deny.input.bullets_transform           |                               |                                    |  |  |
| generic                                                    | TokenInputDenyList            |                                    |  |  |
| WritingToolsBulletsTransformInputDenyList                  |                               |                                    |  |  |
| com.apple.MobileAsset.UAF.FM.Overrides                     |                               |                                    |  |  |
| com.apple.gm.safety_deny.input.code_intelligence.base      |                               |                                    |  |  |
| generic                                                    | TokenInputDenyList            |                                    |  |  |
| CodeIntelligenceBaseInputDenyList                          |                               |                                    |  |  |
|                                                            |                               | 32025010.20251009.91600.100.1651,0 |  |  |
| com.apple.MobileAsset.UAF.FM.Overrides                     |                               |                                    |  |  |
| com.apple.gm.safety_deny.input.concise_tone                |                               |                                    |  |  |
| generic                                                    | TokenInputDenyList            |                                    |  |  |
| WritingToolsConciseToneInputDenyList                       |                               |                                    |  |  |

|                                                                                |                    |  |   |   |
|--------------------------------------------------------------------------------|--------------------|--|---|---|
| com.apple.MobileAsset.UAF.FM.Overrides                                         |                    |  |   |   |
| com.apple.gm.safety_deny.input.foundation_models_framework.api                 |                    |  |   |   |
| generic                                                                        | TokenInputDenyList |  |   |   |
| FoundationModelsFrameworkApiInputDenyList                                      |                    |  | ✓ | 🔒 |
| 32025010.20251009.91600.100.1651,0                                             |                    |  |   |   |
| com.apple.MobileAsset.UAF.FM.Overrides                                         |                    |  |   |   |
| com.apple.gm.safety_deny.input.friendly_tone                                   |                    |  |   |   |
| generic                                                                        | TokenInputDenyList |  |   |   |
| WritingToolsFriendlyToneInputDenyList                                          |                    |  | ○ |   |
| com.apple.MobileAsset.UAF.FM.Overrides                                         |                    |  |   |   |
| com.apple.gm.safety_deny.input.generative_assistant.composition                |                    |  |   |   |
| generic                                                                        | TokenInputDenyList |  |   |   |
| GenerativeAssistantCompositionInputDenyList                                    |                    |  | ○ |   |
| com.apple.MobileAsset.UAF.FM.Overrides                                         |                    |  |   |   |
| com.apple.gm.safety_deny.input.generative_assistant.knowledge                  |                    |  |   |   |
| generic                                                                        | TokenInputDenyList |  |   |   |
| GenerativeAssistantKnowledgeInputDenyList                                      |                    |  | ○ |   |
| com.apple.MobileAsset.UAF.FM.Overrides                                         |                    |  |   |   |
| com.apple.gm.safety_deny.input.generative_assistant.knowledge_fallback         |                    |  |   |   |
| generic                                                                        | TokenInputDenyList |  |   |   |
| GenerativeAssistantKnowledgeFallbackInputDenyList                              |                    |  | ○ |   |
| com.apple.MobileAsset.UAF.FM.Overrides                                         |                    |  |   |   |
| com.apple.gm.safety_deny.input.generative_assistant.media_qa                   |                    |  |   |   |
| generic                                                                        | TokenInputDenyList |  |   |   |
| GenerativeAssistantMediaQAInputDenyList                                        |                    |  | ○ |   |
| com.apple.MobileAsset.UAF.FM.Overrides                                         |                    |  |   |   |
| com.apple.gm.safety_deny.input.generative_assistant.visual_intelligence_camera |                    |  |   |   |
| generic                                                                        | TokenInputDenyList |  |   |   |
| GenerativeAssistantVisualIntelligenceCameraInputDenyList                       |                    |  | ○ |   |
| com.apple.MobileAsset.UAF.FM.Overrides                                         |                    |  |   |   |
| com.apple.gm.safety_deny.input.magic_rewrite                                   |                    |  |   |   |
| generic                                                                        | TokenInputDenyList |  |   |   |
| WritingToolsMagicRewriteInputDenyList                                          |                    |  | ○ |   |
| com.apple.MobileAsset.UAF.FM.Overrides                                         |                    |  |   |   |
| com.apple.gm.safety_deny.input.mail_reply.long_form_basic                      |                    |  |   |   |
| generic                                                                        | TokenInputDenyList |  |   |   |
| MailReplyLongFormBasicInputDenyList                                            |                    |  | ○ |   |
| com.apple.MobileAsset.UAF.FM.Overrides                                         |                    |  |   |   |
| com.apple.gm.safety_deny.input.mail_reply.long_form_qa                         |                    |  |   |   |
| generic                                                                        | TokenInputDenyList |  |   |   |
| MailReplyLongFormQAInputDenyList                                               |                    |  | ○ |   |
| com.apple.MobileAsset.UAF.FM.Overrides                                         |                    |  |   |   |
| com.apple.gm.safety_deny.input.mail_reply.long_form_rewrite                    |                    |  |   |   |
| generic                                                                        | TokenInputDenyList |  |   |   |
| MailReplyLongFormRewriteInputDenyList                                          |                    |  | ○ |   |
| com.apple.MobileAsset.UAF.FM.Overrides                                         |                    |  |   |   |
| com.apple.gm.safety_deny.input.mail_reply.personalized_smart_reply             |                    |  |   |   |
| generic                                                                        | TokenInputDenyList |  |   |   |
| PersonalizedSmartReplyInputDenyList                                            |                    |  | ○ |   |
| com.apple.MobileAsset.UAF.FM.Overrides                                         |                    |  |   |   |
| com.apple.gm.safety_deny.input.mail_reply.snippet                              |                    |  |   |   |
| generic                                                                        | TokenInputDenyList |  |   |   |

|                                                                  |                    |  |  |   |  |
|------------------------------------------------------------------|--------------------|--|--|---|--|
| MailReplySnippetInputDenyList                                    |                    |  |  | ○ |  |
| com.apple.MobileAsset.UAF.FM.Overrides                           |                    |  |  |   |  |
| com.apple.gm.safety_deny.input.messages_action                   |                    |  |  |   |  |
| generic                                                          | TokenInputDenyList |  |  |   |  |
| MessagesActionBaseInputDenyList                                  |                    |  |  | ○ |  |
| com.apple.MobileAsset.UAF.FM.Overrides                           |                    |  |  |   |  |
| com.apple.gm.safety_deny.input.messages_reply.all                |                    |  |  |   |  |
| generic                                                          | TokenInputDenyList |  |  |   |  |
| MessagesReplyBaseInputDenyList                                   |                    |  |  | ○ |  |
| com.apple.MobileAsset.UAF.FM.Overrides                           |                    |  |  |   |  |
| com.apple.gm.safety_deny.input.messages_reply.watch              |                    |  |  |   |  |
| generic                                                          | TokenInputDenyList |  |  |   |  |
| MessagesReplyWatchInputDenyList                                  |                    |  |  | ○ |  |
| com.apple.MobileAsset.UAF.FM.Overrides                           |                    |  |  |   |  |
| com.apple.gm.safety_deny.input.open_ended_interaction            |                    |  |  |   |  |
| generic                                                          | TokenInputDenyList |  |  |   |  |
| OpenEndedInteractionInputDenyList                                |                    |  |  | ○ |  |
| com.apple.MobileAsset.UAF.FM.Overrides                           |                    |  |  |   |  |
| com.apple.gm.safety_deny.input.open_ended_reflection             |                    |  |  |   |  |
| generic                                                          | TokenInputDenyList |  |  |   |  |
| OpenEndedReflectionInputDenyList                                 |                    |  |  | ○ |  |
| com.apple.MobileAsset.UAF.FM.Overrides                           |                    |  |  |   |  |
| com.apple.gm.safety_deny.input.open_ended_schema                 |                    |  |  |   |  |
| generic                                                          | TokenInputDenyList |  |  |   |  |
| WritingToolsOpenEndedSchemaInputDenyList                         |                    |  |  | ○ |  |
| com.apple.MobileAsset.UAF.FM.Overrides                           |                    |  |  |   |  |
| com.apple.gm.safety_deny.input.open_ended_tone                   |                    |  |  |   |  |
| generic                                                          | TokenInputDenyList |  |  |   |  |
| WritingToolsOpenEndedToneInputDenyList                           |                    |  |  | ○ |  |
| com.apple.MobileAsset.UAF.FM.Overrides                           |                    |  |  |   |  |
| com.apple.gm.safety_deny.input.open_ended_tone_base              |                    |  |  |   |  |
| generic                                                          | TokenInputDenyList |  |  |   |  |
| WritingToolsOpenEndedToneBaseInputDenyList                       |                    |  |  | ○ |  |
| com.apple.MobileAsset.UAF.FM.Overrides                           |                    |  |  |   |  |
| com.apple.gm.safety_deny.input.open_ended_tone_query_response    |                    |  |  |   |  |
| generic                                                          | TokenInputDenyList |  |  |   |  |
| WritingToolsOpenEndedToneQueryResponseInputDenyList              |                    |  |  | ○ |  |
| com.apple.MobileAsset.UAF.FM.Overrides                           |                    |  |  |   |  |
| com.apple.gm.safety_deny.input.open_ended_tone_query_response_v2 |                    |  |  |   |  |
| generic                                                          | TokenInputDenyList |  |  |   |  |
| WritingToolsOpenEndedToneQueryResponseV2InputDenyList            |                    |  |  | ○ |  |
| com.apple.MobileAsset.UAF.FM.Overrides                           |                    |  |  |   |  |
| com.apple.gm.safety_deny.input.photos_memories.base              |                    |  |  |   |  |
| generic                                                          | TokenInputDenyList |  |  |   |  |
| PhotosMemoriesCreationBaseInputDenyList                          |                    |  |  | ○ |  |
| com.apple.MobileAsset.UAF.FM.Overrides                           |                    |  |  |   |  |
| com.apple.gm.safety_deny.input.photos_memories.global_trait      |                    |  |  |   |  |
| generic                                                          | TokenInputDenyList |  |  |   |  |
| PhotosMemoriesCreationGlobalTraitInputDenyList                   |                    |  |  | ○ |  |
| com.apple.MobileAsset.UAF.FM.Overrides                           |                    |  |  |   |  |
| com.apple.gm.safety_deny.input.photos_memories.story_title       |                    |  |  |   |  |

|                                                                         |                    |  |   |  |
|-------------------------------------------------------------------------|--------------------|--|---|--|
| generic                                                                 | TokenInputDenyList |  |   |  |
| PhotosMemoriesCreationStoryTitleInputDenyList                           |                    |  | ○ |  |
| com.apple.MobileAsset.UAF.FM.Overrides                                  |                    |  |   |  |
| com.apple.gm.safety_deny.input.photos_memories.user_query               |                    |  |   |  |
| generic                                                                 | TokenInputDenyList |  |   |  |
| PhotosMemoriesCreationUserQueryInputDenyList                            |                    |  | ○ |  |
| com.apple.MobileAsset.UAF.FM.Overrides                                  |                    |  |   |  |
| com.apple.gm.safety_deny.input.professional_tone                        |                    |  |   |  |
| generic                                                                 | TokenInputDenyList |  |   |  |
| WritingToolsProfessionalToneInputDenyList                               |                    |  | ○ |  |
| com.apple.MobileAsset.UAF.FM.Overrides                                  |                    |  |   |  |
| com.apple.gm.safety_deny.input.proofreading_review                      |                    |  |   |  |
| generic                                                                 | TokenInputDenyList |  |   |  |
| WritingToolsProofreadingReviewInputDenyList                             |                    |  | ○ |  |
| com.apple.MobileAsset.UAF.FM.Overrides                                  |                    |  |   |  |
| com.apple.gm.safety_deny.input.shortcuts_ask_afm_action                 |                    |  |   |  |
| generic                                                                 | TokenInputDenyList |  |   |  |
| ShortcutsAskAFMActionInputDenyList                                      |                    |  | ○ |  |
| com.apple.MobileAsset.UAF.FM.Overrides                                  |                    |  |   |  |
| com.apple.gm.safety_deny.input.shortcuts_ask_afm_action_3b              |                    |  |   |  |
| generic                                                                 | TokenInputDenyList |  |   |  |
| ShortcutsAskAFMAction3BInputDenyList                                    |                    |  | ○ |  |
| com.apple.MobileAsset.UAF.FM.Overrides                                  |                    |  |   |  |
| com.apple.gm.safety_deny.input.summarization.base                       |                    |  |   |  |
| generic                                                                 | TokenInputDenyList |  |   |  |
| SummarizationKitBaseInputDenyList                                       |                    |  | ○ |  |
| com.apple.MobileAsset.UAF.FM.Overrides                                  |                    |  |   |  |
| com.apple.gm.safety_deny.input.summarization.cu_summary                 |                    |  |   |  |
| generic                                                                 | TokenInputDenyList |  |   |  |
| SummarizationKitCUSummaryInputDenyList                                  |                    |  | ○ |  |
| com.apple.MobileAsset.UAF.FM.Overrides                                  |                    |  |   |  |
| com.apple.gm.safety_deny.input.summarization.cu_summary.on_demand       |                    |  |   |  |
| generic                                                                 | TokenInputDenyList |  |   |  |
| SummarizationKitCUSummaryOnDemandInputDenyList                          |                    |  | ○ |  |
| com.apple.MobileAsset.UAF.FM.Overrides                                  |                    |  |   |  |
| com.apple.gm.safety_deny.input.summarization.cu_summary.proactive       |                    |  |   |  |
| generic                                                                 | TokenInputDenyList |  |   |  |
| SummarizationKitCUSummaryProactiveInputDenyList                         |                    |  | ○ |  |
| com.apple.MobileAsset.UAF.FM.Overrides                                  |                    |  |   |  |
| com.apple.gm.safety_deny.input.summarization.cu_urgency                 |                    |  |   |  |
| generic                                                                 | TokenInputDenyList |  |   |  |
| SummarizationKitCUUrgencyInputDenyList                                  |                    |  | ○ |  |
| com.apple.MobileAsset.UAF.FM.Overrides                                  |                    |  |   |  |
| com.apple.gm.safety_deny.input.summarization.text_assistant             |                    |  |   |  |
| generic                                                                 | TokenInputDenyList |  |   |  |
| SummarizationKitTextAssistantInputDenyList                              |                    |  | ○ |  |
| com.apple.MobileAsset.UAF.FM.Overrides                                  |                    |  |   |  |
| com.apple.gm.safety_deny.input.summarization.visual_intelligence_camera |                    |  |   |  |
| generic                                                                 | TokenInputDenyList |  |   |  |
| SummarizationKitVisualIntelligenceCameraInputDenyList                   |                    |  | ○ |  |
| com.apple.MobileAsset.UAF.FM.Overrides                                  |                    |  |   |  |

|                                                                                          |                     |                    |   |  |
|------------------------------------------------------------------------------------------|---------------------|--------------------|---|--|
| com.apple.gm.safety_deny.input.summarization.visual_prompt                               |                     |                    |   |  |
| generic                                                                                  | TokenInputDenyList  |                    |   |  |
| SummarizationKitVisualPromptInputDenyList                                                |                     |                    | ○ |  |
| com.apple.MobileAsset.UAF.FM.Overrides                                                   |                     |                    |   |  |
| com.apple.gm.safety_deny.input.super_autofill_multimodal                                 |                     |                    |   |  |
| generic                                                                                  | TokenInputDenyList  |                    |   |  |
| SuperAutofillMultimodalInputDenyList                                                     |                     |                    | ○ |  |
| com.apple.MobileAsset.UAF.FM.Overrides                                                   |                     |                    |   |  |
| com.apple.gm.safety_deny.input.tables_transform                                          |                     |                    |   |  |
| generic                                                                                  | TokenInputDenyList  |                    |   |  |
| WritingToolsTablesTransformInputDenyList                                                 |                     |                    | ○ |  |
| com.apple.MobileAsset.UAF.FM.Overrides                                                   |                     |                    |   |  |
| com.apple.gm.safety_deny.input.takeaways_transform                                       |                     |                    |   |  |
| generic                                                                                  | TokenInputDenyList  |                    |   |  |
| WritingToolsTakeawaysTransformInputDenyList                                              |                     |                    | ○ |  |
| com.apple.MobileAsset.UAF.FM.Overrides                                                   |                     |                    |   |  |
| com.apple.gm.safety_deny.input.visual_generation.base                                    |                     |                    |   |  |
| generic                                                                                  | TokenInputDenyList  |                    |   |  |
| VisualGenerationBaseInputDenyList                                                        |                     |                    | ○ |  |
| com.apple.MobileAsset.UAF.FM.Overrides                                                   |                     |                    |   |  |
| com.apple.gm.safety_deny.input.visual_intelligence                                       |                     |                    |   |  |
| generic                                                                                  | TokenInputDenyList  |                    |   |  |
| VisualIntelligenceInputDenyList                                                          |                     |                    | ○ |  |
| com.apple.MobileAsset.UAF.FM.Overrides                                                   |                     |                    |   |  |
| com.apple.gm.safety_deny.input.visual_intelligence.structured_extraction.add_to_calendar | generic             | TokenInputDenyList |   |  |
| VisualIntelligenceStructuredExtractionAddToCalendarInputDenyList                         |                     |                    | ○ |  |
| com.apple.MobileAsset.UAF.FM.Overrides                                                   |                     |                    |   |  |
| com.apple.gm.safety_deny.input.visual_intelligence.structured_extraction.add_to_contacts | generic             | TokenInputDenyList |   |  |
| VisualIntelligenceStructuredExtractionAddToContactsInputDenyList                         |                     |                    | ○ |  |
| com.apple.MobileAsset.UAF.FM.Overrides                                                   |                     |                    |   |  |
| com.apple.gm.safety_deny.input.writing_tools.compose                                     |                     |                    |   |  |
| generic                                                                                  | TokenInputDenyList  |                    |   |  |
| WritingToolsComposeInputDenyList                                                         |                     |                    | ○ |  |
| com.apple.MobileAsset.UAF.FM.Overrides                                                   |                     |                    |   |  |
| com.apple.gm.safety_deny.input.writing_tools.compose_recents_summaries                   |                     |                    |   |  |
| generic                                                                                  | TokenInputDenyList  |                    |   |  |
| WritingToolsComposeRecentsSummariesInputDenyList                                         |                     |                    | ○ |  |
| com.apple.MobileAsset.UAF.FM.Overrides                                                   |                     |                    |   |  |
| com.apple.gm.safety_deny.output.adm_background_prompt                                    |                     |                    |   |  |
| generic                                                                                  | TokenOutputDenyList |                    |   |  |
| ADMBackgroundPromptOutputDenyList                                                        |                     |                    | ○ |  |
| com.apple.MobileAsset.UAF.FM.Overrides                                                   |                     |                    |   |  |
| com.apple.gm.safety_deny.output.ask_generative_model_action                              |                     |                    |   |  |
| generic                                                                                  | TokenOutputDenyList |                    |   |  |
| AskGenerativeModelActionOutputDenyList                                                   |                     |                    | ○ |  |
| com.apple.MobileAsset.UAF.FM.Overrides                                                   |                     |                    |   |  |
| com.apple.gm.safety_deny.output.bullets_transform                                        |                     |                    |   |  |
| generic                                                                                  | TokenOutputDenyList |                    |   |  |

|                                                                                            |                     |  |  |                                     |  |
|--------------------------------------------------------------------------------------------|---------------------|--|--|-------------------------------------|--|
| WritingToolsBulletsTransformOutputDenyList                                                 |                     |  |  | <input type="radio"/>               |  |
| com.apple.MobileAsset.UAF.FM.Overrides                                                     |                     |  |  |                                     |  |
| com.apple.gm.safety_deny.output.code_intelligence.base<br>generic                          | TokenOutputDenyList |  |  | <input checked="" type="checkbox"/> |  |
| CodeIntelligenceBaseOutputDenyList                                                         |                     |  |  |                                     |  |
| 32025010.20251009.91600.100.1651,0                                                         |                     |  |  |                                     |  |
| com.apple.MobileAsset.UAF.FM.Overrides                                                     |                     |  |  |                                     |  |
| com.apple.gm.safety_deny.output.concise_tone<br>generic                                    | TokenOutputDenyList |  |  | <input type="radio"/>               |  |
| WritingToolsConciseToneOutputDenyList                                                      |                     |  |  |                                     |  |
| com.apple.MobileAsset.UAF.FM.Overrides                                                     |                     |  |  |                                     |  |
| com.apple.gm.safety_deny.output.foundation_models_framework.api<br>generic                 | TokenOutputDenyList |  |  | <input checked="" type="checkbox"/> |  |
| FoundationModelsFrameworkApiOutputDenyList                                                 |                     |  |  |                                     |  |
| 32025010.20251009.91600.100.1651,0                                                         |                     |  |  |                                     |  |
| com.apple.MobileAsset.UAF.FM.Overrides                                                     |                     |  |  |                                     |  |
| com.apple.gm.safety_deny.output.friendly_tone<br>generic                                   | TokenOutputDenyList |  |  | <input type="radio"/>               |  |
| WritingToolsFriendlyToneOutputDenyList                                                     |                     |  |  |                                     |  |
| com.apple.MobileAsset.UAF.FM.Overrides                                                     |                     |  |  |                                     |  |
| com.apple.gm.safety_deny.output.generative_assistant.composition<br>generic                | TokenOutputDenyList |  |  | <input type="radio"/>               |  |
| GenerativeAssistantCompositionOutputDenyList                                               |                     |  |  |                                     |  |
| com.apple.MobileAsset.UAF.FM.Overrides                                                     |                     |  |  |                                     |  |
| com.apple.gm.safety_deny.output.generative_assistant.knowledge<br>generic                  | TokenOutputDenyList |  |  | <input type="radio"/>               |  |
| GenerativeAssistantKnowledgeOutputDenyList                                                 |                     |  |  |                                     |  |
| com.apple.MobileAsset.UAF.FM.Overrides                                                     |                     |  |  |                                     |  |
| com.apple.gm.safety_deny.output.generative_assistant.knowledge_fallback<br>generic         | TokenOutputDenyList |  |  | <input type="radio"/>               |  |
| GenerativeAssistantKnowledgeFallbackOutputDenyList                                         |                     |  |  |                                     |  |
| com.apple.MobileAsset.UAF.FM.Overrides                                                     |                     |  |  |                                     |  |
| com.apple.gm.safety_deny.output.generative_assistant.media_qa<br>generic                   | TokenOutputDenyList |  |  | <input type="radio"/>               |  |
| GenerativeAssistantMediaQAOutputDenyList                                                   |                     |  |  |                                     |  |
| com.apple.MobileAsset.UAF.FM.Overrides                                                     |                     |  |  |                                     |  |
| com.apple.gm.safety_deny.output.generative_assistant.visual_intelligence_camera<br>generic | TokenOutputDenyList |  |  | <input type="radio"/>               |  |
| GenerativeAssistantVisualIntelligenceCameraOutputDenyList                                  |                     |  |  |                                     |  |
| com.apple.MobileAsset.UAF.FM.Overrides                                                     |                     |  |  |                                     |  |
| com.apple.gm.safety_deny.output.magic_rewrite<br>generic                                   | TokenOutputDenyList |  |  | <input type="radio"/>               |  |
| WritingToolsMagicRewriteOutputDenyList                                                     |                     |  |  |                                     |  |
| com.apple.MobileAsset.UAF.FM.Overrides                                                     |                     |  |  |                                     |  |
| com.apple.gm.safety_deny.output.mail_reply.long_form_basic<br>generic                      | TokenOutputDenyList |  |  | <input type="radio"/>               |  |
| MailReplyLongFormBasicOutputDenyList                                                       |                     |  |  |                                     |  |
| com.apple.MobileAsset.UAF.FM.Overrides                                                     |                     |  |  |                                     |  |
| com.apple.gm.safety_deny.output.mail_reply.long_form_qa<br>generic                         | TokenOutputDenyList |  |  | <input type="radio"/>               |  |
| MailReplyLongFormQAOutputDenyList                                                          |                     |  |  |                                     |  |
| com.apple.MobileAsset.UAF.FM.Overrides                                                     |                     |  |  |                                     |  |

|                                                                                |                     |  |   |  |
|--------------------------------------------------------------------------------|---------------------|--|---|--|
| com.apple.gm.safety_deny.output.mail_reply.long_form_rewrite<br>generic        | TokenOutputDenyList |  |   |  |
| MailReplyLongFormRewriteOutputDenyList                                         |                     |  | ○ |  |
| com.apple.MobileAsset.UAF.FM.Overrides                                         |                     |  |   |  |
| com.apple.gm.safety_deny.output.mail_reply.personalized_smart_reply<br>generic | TokenOutputDenyList |  |   |  |
| PersonalizedSmartReplyOutputDenyList                                           |                     |  | ○ |  |
| com.apple.MobileAsset.UAF.FM.Overrides                                         |                     |  |   |  |
| com.apple.gm.safety_deny.output.mail_reply.snippet<br>generic                  | TokenOutputDenyList |  |   |  |
| MailReplySnippetOutputDenyList                                                 |                     |  | ○ |  |
| com.apple.MobileAsset.UAF.FM.Overrides                                         |                     |  |   |  |
| com.apple.gm.safety_deny.output.messages_action<br>generic                     | TokenOutputDenyList |  |   |  |
| MessagesActionBaseOutputDenyList                                               |                     |  | ○ |  |
| com.apple.MobileAsset.UAF.FM.Overrides                                         |                     |  |   |  |
| com.apple.gm.safety_deny.output.messages_reply.all<br>generic                  | TokenOutputDenyList |  |   |  |
| MessagesReplyBaseOutputDenyList                                                |                     |  | ○ |  |
| com.apple.MobileAsset.UAF.FM.Overrides                                         |                     |  |   |  |
| com.apple.gm.safety_deny.output.messages_reply.watch<br>generic                | TokenOutputDenyList |  |   |  |
| MessagesReplyWatchOutputDenyList                                               |                     |  | ○ |  |
| com.apple.MobileAsset.UAF.FM.Overrides                                         |                     |  |   |  |
| com.apple.gm.safety_deny.output.open_ended_interaction<br>generic              | TokenOutputDenyList |  |   |  |
| OpenEndedInteractionOutputDenyList                                             |                     |  | ○ |  |
| com.apple.MobileAsset.UAF.FM.Overrides                                         |                     |  |   |  |
| com.apple.gm.safety_deny.output.open_ended_reflection<br>generic               | TokenOutputDenyList |  |   |  |
| OpenEndedReflectionOutputDenyList                                              |                     |  | ○ |  |
| com.apple.MobileAsset.UAF.FM.Overrides                                         |                     |  |   |  |
| com.apple.gm.safety_deny.output.open_ended_schema<br>generic                   | TokenOutputDenyList |  |   |  |
| WritingToolsOpenEndedSchemaOutputDenyList                                      |                     |  | ○ |  |
| com.apple.MobileAsset.UAF.FM.Overrides                                         |                     |  |   |  |
| com.apple.gm.safety_deny.output.open_ended_tone<br>generic                     | TokenOutputDenyList |  |   |  |
| WritingToolsOpenEndedToneOutputDenyList                                        |                     |  | ○ |  |
| com.apple.MobileAsset.UAF.FM.Overrides                                         |                     |  |   |  |
| com.apple.gm.safety_deny.output.open_ended_tone_base<br>generic                | TokenOutputDenyList |  |   |  |
| WritingToolsOpenEndedToneBaseOutputDenyList                                    |                     |  | ○ |  |
| com.apple.MobileAsset.UAF.FM.Overrides                                         |                     |  |   |  |
| com.apple.gm.safety_deny.output.open_ended_tone_query_response<br>generic      | TokenOutputDenyList |  |   |  |
| WritingToolsOpenEndedToneQueryResponseOutputDenyList                           |                     |  | ○ |  |
| com.apple.MobileAsset.UAF.FM.Overrides                                         |                     |  |   |  |
| com.apple.gm.safety_deny.output.open_ended_tone_query_response_v2<br>generic   | TokenOutputDenyList |  |   |  |
| WritingToolsOpenEndedToneQueryResponseV2OutputDenyList                         |                     |  | ○ |  |

|                                                                    |                     |   |  |
|--------------------------------------------------------------------|---------------------|---|--|
| com.apple.MobileAsset.UAF.FM.Overrides                             |                     |   |  |
| com.apple.gm.safety_deny.output.photos_memories.base               |                     |   |  |
| generic                                                            | TokenOutputDenyList |   |  |
| PhotosMemoriesCreationBaseOutputDenyList                           |                     | ○ |  |
| com.apple.MobileAsset.UAF.FM.Overrides                             |                     |   |  |
| com.apple.gm.safety_deny.output.photos_memories.global_trait       |                     |   |  |
| generic                                                            | TokenOutputDenyList |   |  |
| PhotosMemoriesCreationGlobalTraitOutputDenyList                    |                     | ○ |  |
| com.apple.MobileAsset.UAF.FM.Overrides                             |                     |   |  |
| com.apple.gm.safety_deny.output.photos_memories.sensitive          |                     |   |  |
| generic                                                            | TokenOutputDenyList |   |  |
| PhotosMemoriesCreationSensitiveOutputDenyList                      |                     | ○ |  |
| com.apple.MobileAsset.UAF.FM.Overrides                             |                     |   |  |
| com.apple.gm.safety_deny.output.photos_memories.song_id            |                     |   |  |
| generic                                                            | TokenOutputDenyList |   |  |
| PhotosMemoriesCreationMusicSongIdOutputDenyList                    |                     | ○ |  |
| com.apple.MobileAsset.UAF.FM.Overrides                             |                     |   |  |
| com.apple.gm.safety_deny.output.photos_memories.story_title        |                     |   |  |
| generic                                                            | TokenOutputDenyList |   |  |
| PhotosMemoriesCreationStoryTitleOutputDenyList                     |                     | ○ |  |
| com.apple.MobileAsset.UAF.FM.Overrides                             |                     |   |  |
| com.apple.gm.safety_deny.output.photos_memories.user_query         |                     |   |  |
| generic                                                            | TokenOutputDenyList |   |  |
| PhotosMemoriesCreationUserQueryOutputDenyList                      |                     | ○ |  |
| com.apple.MobileAsset.UAF.FM.Overrides                             |                     |   |  |
| com.apple.gm.safety_deny.output.professional_tone                  |                     |   |  |
| generic                                                            | TokenOutputDenyList |   |  |
| WritingToolsProfessionalToneOutputDenyList                         |                     | ○ |  |
| com.apple.MobileAsset.UAF.FM.Overrides                             |                     |   |  |
| com.apple.gm.safety_deny.output.proofreading_review                |                     |   |  |
| generic                                                            | TokenOutputDenyList |   |  |
| WritingToolsProofreadingReviewOutputDenyList                       |                     | ○ |  |
| com.apple.MobileAsset.UAF.FM.Overrides                             |                     |   |  |
| com.apple.gm.safety_deny.output.shortcuts_ask_afm_action           |                     |   |  |
| generic                                                            | TokenOutputDenyList |   |  |
| ShortcutsAskAFMActionOutputDenyList                                |                     | ○ |  |
| com.apple.MobileAsset.UAF.FM.Overrides                             |                     |   |  |
| com.apple.gm.safety_deny.output.shortcuts_ask_afm_action_3b        |                     |   |  |
| generic                                                            | TokenOutputDenyList |   |  |
| ShortcutsAskAFMAction3BOutputDenyList                              |                     | ○ |  |
| com.apple.MobileAsset.UAF.FM.Overrides                             |                     |   |  |
| com.apple.gm.safety_deny.output.summarization.base                 |                     |   |  |
| generic                                                            | TokenOutputDenyList |   |  |
| SummarizationKitBaseOutputDenyList                                 |                     | ○ |  |
| com.apple.MobileAsset.UAF.FM.Overrides                             |                     |   |  |
| com.apple.gm.safety_deny.output.summarization.cu_summary           |                     |   |  |
| generic                                                            | TokenOutputDenyList |   |  |
| SummarizationKitCUSummaryOutputDenyList                            |                     | ○ |  |
| com.apple.MobileAsset.UAF.FM.Overrides                             |                     |   |  |
| com.apple.gm.safety_deny.output.summarization.cu_summary.on_demand |                     |   |  |
| generic                                                            | TokenOutputDenyList |   |  |
| SummarizationKitCUSummaryOnDemandOutputDenyList                    |                     | ○ |  |



|                                                                                           |                     |  |   |
|-------------------------------------------------------------------------------------------|---------------------|--|---|
| com.apple.MobileAsset.UAF.FM.Overrides                                                    |                     |  |   |
| com.apple.gm.safety_deny.output.summarization.cu_summary.proactive                        |                     |  |   |
| generic                                                                                   | TokenOutputDenyList |  |   |
| SummarizationKitCUSummaryProactiveOutputDenyList                                          |                     |  | ○ |
| com.apple.MobileAsset.UAF.FM.Overrides                                                    |                     |  |   |
| com.apple.gm.safety_deny.output.summarization.cu_urgency                                  |                     |  |   |
| generic                                                                                   | TokenOutputDenyList |  |   |
| SummarizationKitCUUrgencyOutputDenyList                                                   |                     |  | ○ |
| com.apple.MobileAsset.UAF.FM.Overrides                                                    |                     |  |   |
| com.apple.gm.safety_deny.output.summarization.text_assistant                              |                     |  |   |
| generic                                                                                   | TokenOutputDenyList |  |   |
| SummarizationKitTextAssistantOutputDenyList                                               |                     |  | ○ |
| com.apple.MobileAsset.UAF.FM.Overrides                                                    |                     |  |   |
| com.apple.gm.safety_deny.output.summarization.visual_intelligence_camera                  |                     |  |   |
| generic                                                                                   | TokenOutputDenyList |  |   |
| SummarizationKitVisualIntelligenceCameraOutputDenyList                                    |                     |  | ○ |
| com.apple.MobileAsset.UAF.FM.Overrides                                                    |                     |  |   |
| com.apple.gm.safety_deny.output.summarization.visual_prompt                               |                     |  |   |
| generic                                                                                   | TokenOutputDenyList |  |   |
| SummarizationKitVisualPromptOutputDenyList                                                |                     |  | ○ |
| com.apple.MobileAsset.UAF.FM.Overrides                                                    |                     |  |   |
| com.apple.gm.safety_deny.output.super_autofill_multimodal                                 |                     |  |   |
| generic                                                                                   | TokenOutputDenyList |  |   |
| SuperAutofillMultimodalOutputDenyList                                                     |                     |  | ○ |
| com.apple.MobileAsset.UAF.FM.Overrides                                                    |                     |  |   |
| com.apple.gm.safety_deny.output.tables_transform                                          |                     |  |   |
| generic                                                                                   | TokenOutputDenyList |  |   |
| WritingToolsTablesTransformOutputDenyList                                                 |                     |  | ○ |
| com.apple.MobileAsset.UAF.FM.Overrides                                                    |                     |  |   |
| com.apple.gm.safety_deny.output.takeaways_transform                                       |                     |  |   |
| generic                                                                                   | TokenOutputDenyList |  |   |
| WritingToolsTakeawaysTransformOutputDenyList                                              |                     |  | ○ |
| com.apple.MobileAsset.UAF.FM.Overrides                                                    |                     |  |   |
| com.apple.gm.safety_deny.output.visual_intelligence                                       |                     |  |   |
| generic                                                                                   | TokenOutputDenyList |  |   |
| VisualIntelligenceOutputDenyList                                                          |                     |  | ○ |
| com.apple.MobileAsset.UAF.FM.Overrides                                                    |                     |  |   |
| com.apple.gm.safety_deny.output.visual_intelligence.structured_extraction.add_to_calendar |                     |  |   |
| generic                                                                                   | TokenOutputDenyList |  |   |
| VisualIntelligenceStructuredExtractionAddToCalendarOutputDenyList                         |                     |  | ○ |
| com.apple.MobileAsset.UAF.FM.Overrides                                                    |                     |  |   |
| com.apple.gm.safety_deny.output.visual_intelligence.structured_extraction.add_to_contacts |                     |  |   |
| generic                                                                                   | TokenOutputDenyList |  |   |
| VisualIntelligenceStructuredExtractionAddToContactsOutputDenyList                         |                     |  | ○ |
| com.apple.MobileAsset.UAF.FM.Overrides                                                    |                     |  |   |
| com.apple.gm.safety_deny.output.writing_tools.compose                                     |                     |  |   |
| generic                                                                                   | TokenOutputDenyList |  |   |
| WritingToolsComposeOutputDenyList                                                         |                     |  | ○ |
| com.apple.MobileAsset.UAF.FM.Overrides                                                    |                     |  |   |

|                                                                         |              |                                    |                           |
|-------------------------------------------------------------------------|--------------|------------------------------------|---------------------------|
| com.apple.gm.safety_deny.output.writing_tools.compose_recents_summaries | generic      | TokenOutputDenyList                |                           |
| WritingToolsComposeRecentsSummariesOutputDenyList                       |              |                                    | ○                         |
| com.apple.MobileAsset.UAF.FM.Overrides                                  |              |                                    |                           |
| com.apple.gm.safety_embedding_deny.all                                  | generic      | EmbeddingDenyList                  | All                       |
| com.apple.MobileAsset.UAF.FM.Overrides                                  | ✓            | 32025010.20251002.91621.100.1632,0 |                           |
| com.apple.gm.safety_retain.output.proofreading_output_retain_list       | generic      | TokenOutputRetainList              | ProofreadingRetainList    |
| com.apple.MobileAsset.UAF.FM.Overrides                                  | ○            |                                    |                           |
| com.apple.gm.safety_retain.output.structure_extraction_safety_word_list | generic      | TokenOutputRetainList              | STXSafetyWordList         |
| com.apple.MobileAsset.UAF.FM.Overrides                                  | ○            |                                    |                           |
| com.apple.gm.server.instruct_server_v1.accessibility_magnifier          | generic      | LLM.ServerConfiguration            | AccessibilityMagnifier    |
| com.apple.modelcatalog                                                  | ○            |                                    |                           |
| com.apple.gm.server.instruct_server_v1.answer_synthesis                 | generic      | LLM.ServerConfiguration            | AnswerSynthesisServer     |
| com.apple.modelcatalog                                                  | ○            |                                    |                           |
| com.apple.gm.server.instruct_server_v1.answer_synthesis                 | multilingual | LLM.ServerConfiguration            | AnswerSynthesisServer     |
| com.apple.modelcatalog                                                  | ○            |                                    |                           |
| com.apple.gm.server.instruct_server_v1.base                             | generic      | LLM.ServerConfiguration            | InstructServerBase        |
| com.apple.modelcatalog                                                  | ○            |                                    |                           |
| com.apple.gm.server.instruct_server_v1.bullets_transform                | generic      | LLM.ServerConfiguration            | ServerBulletsTransform    |
| com.apple.modelcatalog                                                  | ○            |                                    |                           |
| com.apple.gm.server.instruct_server_v1.concise_tone                     | generic      | LLM.ServerConfiguration            | ServerConciseTone         |
| com.apple.modelcatalog                                                  | ○            |                                    |                           |
| com.apple.gm.server.instruct_server_v1.describe_your_edit               | generic      | LLM.ServerConfiguration            | ServerDescribeYourEdit    |
| com.apple.modelcatalog                                                  | ○            |                                    |                           |
| com.apple.gm.server.instruct_server_v1.fitness_workout_voice            | generic      | LLM.ServerConfiguration            | ServerFitnessWorkoutVoice |
| com.apple.modelcatalog                                                  | ○            |                                    |                           |
| com.apple.gm.server.instruct_server_v1.friendly_tone                    | generic      | LLM.ServerConfiguration            | ServerFriendlyTone        |
| com.apple.modelcatalog                                                  | ○            |                                    |                           |
| com.apple.gm.server.instruct_server_v1.journal_followup_prompts         | generic      | LLM.ServerConfiguration            | JournalFollowUpPrompts    |
| com.apple.modelcatalog                                                  | ○            |                                    |                           |
| com.apple.gm.server.instruct_server_v1.lw_planner_v1                    | generic      | LLM.ServerConfiguration            | LWPlannerV1               |
| com.apple.modelcatalog                                                  | ○            |                                    |                           |
| com.apple.gm.server.instruct_server_v1.magic_rewrite                    | generic      | LLM.ServerConfiguration            | ServerMagicRewrite        |
| com.apple.modelcatalog                                                  | ○            |                                    |                           |

```

com.apple.modelcatalog
| com.apple.gm.server.instruct_server_v1.mail_reply_long_form_basic
| generic | LLM.ServerConfiguration |
ServerMailReplyLongFormBasic | com.apple.modelcatalog

| com.apple.gm.server.instruct_server_v1.mail_reply_long_form_rewrite
| generic | LLM.ServerConfiguration |
ServerMailReplyLongFormRewrite | com.apple.modelcatalog

| com.apple.gm.server.instruct_server_v1.mail_reply_qa
| generic | LLM.ServerConfiguration | ServerMailReplyQA
○ |

com.apple.modelcatalog
| com.apple.gm.server.instruct_server_v1.messages_user_request
| generic | LLM.ServerConfiguration | MessagesUserRequest
○ |

com.apple.modelcatalog
| com.apple.gm.server.instruct_server_v1.mm_guard
| generic | LLM.ServerConfiguration |
MMGuardSafetyGuardrailServer | com.apple.modelcatalog

| com.apple.gm.server.instruct_server_v1.open_ended_interaction
| generic | LLM.ServerConfiguration | OpenEndedInteraction
○ |

com.apple.modelcatalog
| com.apple.gm.server.instruct_server_v1.open_ended_reflection
| generic | LLM.ServerConfiguration | OpenEndedReflection
○ |

com.apple.modelcatalog
| com.apple.gm.server.instruct_server_v1.open_ended_schema
| generic | LLM.ServerConfiguration | OpenEndedSchema
○ |

com.apple.modelcatalog
| com.apple.gm.server.instruct_server_v1.open_ended_tone
| generic | LLM.ServerConfiguration | OpenEndedTone
○ |

com.apple.modelcatalog
| com.apple.gm.server.instruct_server_v1.open_ended_tone_base
| generic | LLM.ServerConfiguration | OpenEndedToneBase
○ |

com.apple.modelcatalog
| com.apple.gm.server.instruct_server_v1.open_ended_tone_query_response
| generic | LLM.ServerConfiguration | OpenEndedToneQueryResponse
○ |


com.apple.modelcatalog
| com.apple.gm.server.instruct_server_v1.open_ended_tone_query_response_v2
| generic | LLM.ServerConfiguration |
OpenEndedToneQueryResponseV2 | com.apple.modelcatalog

| com.apple.gm.server.instruct_server_v1.personalized_smart_reply
| generic | LLM.ServerConfiguration |
ServerPersonalizedSmartReply | com.apple.modelcatalog

| com.apple.gm.server.instruct_server_v1.photos_common
| generic | LLM.ServerConfiguration | PhotosCommon
○ |

com.apple.modelcatalog
| com.apple.gm.server.instruct_server_v1.photos_memories_asset_curation
| generic | LLM.ServerConfiguration |

```



|                                                                        |              |                         |                             |
|------------------------------------------------------------------------|--------------|-------------------------|-----------------------------|
| com.apple.gm.server.instruct_server_v1.planner_v3                      | multilingual | LLM.ServerConfiguration | PlannerV3                   |
| com.apple.modelcatalog                                                 |              |                         |                             |
| com.apple.gm.server.instruct_server_v1.planner_v7                      | generic      | LLM.ServerConfiguration | PlannerV7                   |
| com.apple.modelcatalog                                                 |              |                         |                             |
| com.apple.gm.server.instruct_server_v1.planner_v7                      | multilingual | LLM.ServerConfiguration | PlannerV7                   |
| com.apple.modelcatalog                                                 |              |                         |                             |
| com.apple.gm.server.instruct_server_v1.planner_v8                      | generic      | LLM.ServerConfiguration | PlannerV8                   |
| com.apple.modelcatalog                                                 |              |                         |                             |
| com.apple.gm.server.instruct_server_v1.planner_v8                      | multilingual | LLM.ServerConfiguration | PlannerV8                   |
| com.apple.modelcatalog                                                 |              |                         |                             |
| com.apple.gm.server.instruct_server_v1.planner_v9                      | generic      | LLM.ServerConfiguration | PlannerV9                   |
| com.apple.modelcatalog                                                 |              |                         |                             |
| com.apple.gm.server.instruct_server_v1.planner_v9                      | multilingual | LLM.ServerConfiguration | PlannerV9                   |
| com.apple.modelcatalog                                                 |              |                         |                             |
| com.apple.gm.server.instruct_server_v1.pqa_verification                | generic      | LLM.ServerConfiguration | ServerPQAVerification       |
| com.apple.modelcatalog                                                 |              |                         |                             |
| com.apple.gm.server.instruct_server_v1.professional_tone               | generic      | LLM.ServerConfiguration | ServerProfessionalTone      |
| com.apple.modelcatalog                                                 |              |                         |                             |
| com.apple.gm.server.instruct_server_v1.proofreading_review             | generic      | LLM.ServerConfiguration | ServerProofreadingReview    |
| com.apple.modelcatalog                                                 |              |                         |                             |
| com.apple.gm.server.instruct_server_v1.reminders_auto_categorized_list | generic      | LLM.ServerConfiguration | RemindersAutoCategorizeList |
|                                                                        |              |                         | com.apple.modelcatalog      |
| com.apple.gm.server.instruct_server_v1.response_generation             | generic      | LLM.ServerConfiguration | ResponseGeneration          |
| com.apple.modelcatalog                                                 |              |                         |                             |
| com.apple.gm.server.instruct_server_v1.response_generation_v2          | generic      | LLM.ServerConfiguration | ResponseGenerationV2        |
| com.apple.modelcatalog                                                 |              |                         |                             |
| com.apple.gm.server.instruct_server_v1.response_generation_v3          | generic      | LLM.ServerConfiguration | ResponseGenerationV3        |
| com.apple.modelcatalog                                                 |              |                         |                             |
| com.apple.gm.server.instruct_server_v1.response_generation_v3          | multilingual | LLM.ServerConfiguration | ResponseGenerationV3        |
| com.apple.modelcatalog                                                 |              |                         |                             |
| com.apple.gm.server.instruct_server_v1.response_generation_v7          | generic      | LLM.ServerConfiguration | ResponseGenerationV7        |
|                                                                        |              |                         |                             |

```

com.apple.modelcatalog
| com.apple.gm.server.instruct_server_v1.response_generation_v7
| multilingual | LLM.ServerConfiguration | ResponseGenerationV7
| ○ | | |
com.apple.modelcatalog
| com.apple.gm.server.instruct_server_v1.response_generation_v8
| generic | LLM.ServerConfiguration | ResponseGenerationV8
| ○ | | |
com.apple.modelcatalog
| com.apple.gm.server.instruct_server_v1.response_generation_v8
| multilingual | LLM.ServerConfiguration | ResponseGenerationV8
| ○ | | |
com.apple.modelcatalog
| com.apple.gm.server.instruct_server_v1.search_query_understanding
| generic | LLM.ServerConfiguration |
SearchQueryUnderstandingServer | ○ |
| | | com.apple.modelcatalog
|
| com.apple.gm.server.instruct_server_v1.shortcuts_ask_afm_action
| generic | LLM.ServerConfiguration | ShortcutsAskAFMAction
| ○ | | |
com.apple.modelcatalog
| com.apple.gm.server.instruct_server_v1.shortcuts_ask_afm_action_v2
| generic | LLM.ServerConfiguration | ShortcutsAskAFMActionV2
| ○ | | |
com.apple.modelcatalog
| com.apple.gm.server.instruct_server_v1.structured_extraction
| generic | LLM.ServerConfiguration | ServerStructuredExtraction
| ○ | | |
com.apple.modelcatalog
| com.apple.gm.server.instruct_server_v1.stx_multimodal
| generic | LLM.ServerConfiguration | STXMultimodal
| ○ | | |
com.apple.modelcatalog
| com.apple.gm.server.instruct_server_v1.super_autofill_multimodal
| generic | LLM.ServerConfiguration | SuperAutofillMultimodal
| ○ | | |
com.apple.modelcatalog
| com.apple.gm.server.instruct_server_v1.tables_transform
| generic | LLM.ServerConfiguration | ServerTablesTransform
| ○ | | |
com.apple.modelcatalog
| com.apple.gm.server.instruct_server_v1.takeaways_transform
| generic | LLM.ServerConfiguration | ServerTakeawaysTransform
| ○ | | |
com.apple.modelcatalog
| com.apple.gm.server.instruct_server_v1.text_summarizer
| generic | LLM.ServerConfiguration |
SummarizationTextSummarizer | ○ |
| | | com.apple.modelcatalog
|
| com.apple.gm.server.instruct_server_v1.visual_intelligence
| generic | LLM.ServerConfiguration | VisualIntelligence
| ○ | | |
com.apple.modelcatalog
| com.apple.gm.server.instruct_server_v1.wallet_insights
| generic | LLM.ServerConfiguration | FinancialInsights
| ○ | | |
com.apple.modelcatalog
| com.apple.gm.server.nlrouter.base
| generic | LLM.ServerConfiguration | NLRouterBase
| ○ | | |
com.apple.modelcatalog
| com.apple.gm.server.nlrouter.base

```

|                                                   |                         |              |  |
|---------------------------------------------------|-------------------------|--------------|--|
| da                                                | LLM.ServerConfiguration | NLRouterBase |  |
| ○                                                 |                         |              |  |
| com.apple.modelcatalog                            |                         |              |  |
| com.apple.gm.server.nlrouter.base                 |                         |              |  |
| de                                                | LLM.ServerConfiguration | NLRouterBase |  |
| ○                                                 |                         |              |  |
| com.apple.modelcatalog                            |                         |              |  |
| com.apple.gm.server.nlrouter.base                 |                         |              |  |
| es                                                | LLM.ServerConfiguration | NLRouterBase |  |
| ○                                                 |                         |              |  |
| com.apple.modelcatalog                            |                         |              |  |
| com.apple.gm.server.nlrouter.base                 |                         |              |  |
| fr                                                | LLM.ServerConfiguration | NLRouterBase |  |
| ○                                                 |                         |              |  |
| com.apple.modelcatalog                            |                         |              |  |
| com.apple.gm.server.nlrouter.base                 |                         |              |  |
| it                                                | LLM.ServerConfiguration | NLRouterBase |  |
| ○                                                 |                         |              |  |
| com.apple.modelcatalog                            |                         |              |  |
| com.apple.gm.server.nlrouter.base                 |                         |              |  |
| ja                                                | LLM.ServerConfiguration | NLRouterBase |  |
| ○                                                 |                         |              |  |
| com.apple.modelcatalog                            |                         |              |  |
| com.apple.gm.server.nlrouter.base                 |                         |              |  |
| ko                                                | LLM.ServerConfiguration | NLRouterBase |  |
| ○                                                 |                         |              |  |
| com.apple.modelcatalog                            |                         |              |  |
| com.apple.gm.server.nlrouter.base                 |                         |              |  |
| nb                                                | LLM.ServerConfiguration | NLRouterBase |  |
| ○                                                 |                         |              |  |
| com.apple.modelcatalog                            |                         |              |  |
| com.apple.gm.server.nlrouter.base                 |                         |              |  |
| nl                                                | LLM.ServerConfiguration | NLRouterBase |  |
| ○                                                 |                         |              |  |
| com.apple.modelcatalog                            |                         |              |  |
| com.apple.gm.server.nlrouter.base                 |                         |              |  |
| pt                                                | LLM.ServerConfiguration | NLRouterBase |  |
| ○                                                 |                         |              |  |
| com.apple.modelcatalog                            |                         |              |  |
| com.apple.gm.server.nlrouter.base                 |                         |              |  |
| sv                                                | LLM.ServerConfiguration | NLRouterBase |  |
| ○                                                 |                         |              |  |
| com.apple.modelcatalog                            |                         |              |  |
| com.apple.gm.server.nlrouter.base                 |                         |              |  |
| tr                                                | LLM.ServerConfiguration | NLRouterBase |  |
| ○                                                 |                         |              |  |
| com.apple.modelcatalog                            |                         |              |  |
| com.apple.gm.server.nlrouter.base                 |                         |              |  |
| vi                                                | LLM.ServerConfiguration | NLRouterBase |  |
| ○                                                 |                         |              |  |
| com.apple.modelcatalog                            |                         |              |  |
| com.apple.gm.server.nlrouter.base                 |                         |              |  |
| zh                                                | LLM.ServerConfiguration | NLRouterBase |  |
| ○                                                 |                         |              |  |
| com.apple.modelcatalog                            |                         |              |  |
| com.apple.gm.server.nlrouter.base                 |                         |              |  |
| zh_HK                                             | LLM.ServerConfiguration | NLRouterBase |  |
| ○                                                 |                         |              |  |
| com.apple.modelcatalog                            |                         |              |  |
| com.apple.gm.server.nlrouter.base                 |                         |              |  |
| zh_TW                                             | LLM.ServerConfiguration | NLRouterBase |  |
| ○                                                 |                         |              |  |
| com.apple.modelcatalog                            |                         |              |  |
| com.apple.gm.server.photos_memories_creation.base |                         |              |  |

|                                                                                                                                                                     |                               |                            |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|----------------------------|
| generic                                                                                                                                                             | LLM.ServerConfiguration       | PhotosMemoriesCreationBase |
| com.apple.modelcatalog                                                                                                                                              |                               |                            |
| com.apple.gm.server.research.adapter                                                                                                                                |                               |                            |
| generic                                                                                                                                                             | LLM.ServerConfiguration       |                            |
| PrivateCloudResearchAdapter                                                                                                                                         |                               | com.apple.modelcatalog     |
|                                                                                                                                                                     |                               |                            |
| com.apple.gm.server.summarization.summarizer_ajax.base                                                                                                              |                               |                            |
| generic                                                                                                                                                             | LLM.ServerConfiguration       |                            |
| SummarizationTextSummarizerAjaxBase                                                                                                                                 |                               | com.apple.modelcatalog     |
|                                                                                                                                                                     |                               |                            |
| com.apple.if.planner.nlrouter.base                                                                                                                                  |                               |                            |
| generic                                                                                                                                                             | LLM.Model                     | NLRouterBase               |
|   | 4000016.303.81716.13.202404,0 |                            |
| com.apple.if.planner                                                                                                                                                |                               |                            |
| com.apple.if.planner.nlrouter.base                                                                                                                                  |                               |                            |
| da                                                                                                                                                                  | LLM.Model                     | NLRouterBase               |
|                                                                                    |                               |                            |
| com.apple.if.planner                                                                                                                                                |                               |                            |
| com.apple.if.planner.nlrouter.base                                                                                                                                  |                               |                            |
| de                                                                                                                                                                  | LLM.Model                     | NLRouterBase               |
|                                                                                    |                               |                            |
| com.apple.if.planner                                                                                                                                                |                               |                            |
| com.apple.if.planner.nlrouter.base                                                                                                                                  |                               |                            |
| es                                                                                                                                                                  | LLM.Model                     | NLRouterBase               |
|                                                                                   |                               |                            |
| com.apple.if.planner                                                                                                                                                |                               |                            |
| com.apple.if.planner.nlrouter.base                                                                                                                                  |                               |                            |
| fr                                                                                                                                                                  | LLM.Model                     | NLRouterBase               |
|                                                                                  |                               |                            |
| com.apple.if.planner                                                                                                                                                |                               |                            |
| com.apple.if.planner.nlrouter.base                                                                                                                                  |                               |                            |
| it                                                                                                                                                                  | LLM.Model                     | NLRouterBase               |
|                                                                                  |                               |                            |
| com.apple.if.planner                                                                                                                                                |                               |                            |
| com.apple.if.planner.nlrouter.base                                                                                                                                  |                               |                            |
| ja                                                                                                                                                                  | LLM.Model                     | NLRouterBase               |
|                                                                                  |                               |                            |
| com.apple.if.planner                                                                                                                                                |                               |                            |
| com.apple.if.planner.nlrouter.base                                                                                                                                  |                               |                            |
| ko                                                                                                                                                                  | LLM.Model                     | NLRouterBase               |
|                                                                                  |                               |                            |
| com.apple.if.planner                                                                                                                                                |                               |                            |
| com.apple.if.planner.nlrouter.base                                                                                                                                  |                               |                            |
| nb                                                                                                                                                                  | LLM.Model                     | NLRouterBase               |
|                                                                                  |                               |                            |
| com.apple.if.planner                                                                                                                                                |                               |                            |
| com.apple.if.planner.nlrouter.base                                                                                                                                  |                               |                            |
| nl                                                                                                                                                                  | LLM.Model                     | NLRouterBase               |
|                                                                                  |                               |                            |
| com.apple.if.planner                                                                                                                                                |                               |                            |
| com.apple.if.planner.nlrouter.base                                                                                                                                  |                               |                            |
| pt                                                                                                                                                                  | LLM.Model                     | NLRouterBase               |
|                                                                                  |                               |                            |
| com.apple.if.planner                                                                                                                                                |                               |                            |
| com.apple.if.planner.nlrouter.base                                                                                                                                  |                               |                            |
| sv                                                                                                                                                                  | LLM.Model                     | NLRouterBase               |
|                                                                                  |                               |                            |
| com.apple.if.planner                                                                                                                                                |                               |                            |
| com.apple.if.planner.nlrouter.base                                                                                                                                  |                               |                            |
| tr                                                                                                                                                                  | LLM.Model                     | NLRouterBase               |
|                                                                                  |                               |                            |



|                                         |                             |                   |  |
|-----------------------------------------|-----------------------------|-------------------|--|
| com.apple.if.planner                    |                             |                   |  |
| com.apple.if.planner.nlrouter.base      |                             |                   |  |
| vi                                      | LLM.Model                   | NLRouterBase      |  |
| com.apple.if.planner                    |                             |                   |  |
| com.apple.if.planner.nlrouter.base      |                             |                   |  |
| zh                                      | LLM.Model                   | NLRouterBase      |  |
| com.apple.if.planner                    |                             |                   |  |
| com.apple.if.planner.nlrouter.base      |                             |                   |  |
| zh_HK                                   | LLM.Model                   | NLRouterBase      |  |
| com.apple.if.planner                    |                             |                   |  |
| com.apple.if.planner.nlrouter.base      |                             |                   |  |
| zh_TW                                   | LLM.Model                   | NLRouterBase      |  |
| com.apple.if.planner                    |                             |                   |  |
| com.apple.if.planner.nlrouter.tokenizer |                             |                   |  |
| generic                                 | Tokenizer                   | NLRouterTokenizer |  |
| ✓                                       | 🔒 4000016.303.0.13.101956,0 |                   |  |
| com.apple.if.planner                    |                             |                   |  |
| com.apple.if.planner.nlrouter.tokenizer |                             |                   |  |
| da                                      | Tokenizer                   | NLRouterTokenizer |  |
| com.apple.if.planner                    |                             |                   |  |
| com.apple.if.planner.nlrouter.tokenizer |                             |                   |  |
| de                                      | Tokenizer                   | NLRouterTokenizer |  |
| com.apple.if.planner                    |                             |                   |  |
| com.apple.if.planner.nlrouter.tokenizer |                             |                   |  |
| es                                      | Tokenizer                   | NLRouterTokenizer |  |
| com.apple.if.planner                    |                             |                   |  |
| com.apple.if.planner.nlrouter.tokenizer |                             |                   |  |
| fr                                      | Tokenizer                   | NLRouterTokenizer |  |
| com.apple.if.planner                    |                             |                   |  |
| com.apple.if.planner.nlrouter.tokenizer |                             |                   |  |
| it                                      | Tokenizer                   | NLRouterTokenizer |  |
| com.apple.if.planner                    |                             |                   |  |
| com.apple.if.planner.nlrouter.tokenizer |                             |                   |  |
| ja                                      | Tokenizer                   | NLRouterTokenizer |  |
| com.apple.if.planner                    |                             |                   |  |
| com.apple.if.planner.nlrouter.tokenizer |                             |                   |  |
| ko                                      | Tokenizer                   | NLRouterTokenizer |  |
| com.apple.if.planner                    |                             |                   |  |
| com.apple.if.planner.nlrouter.tokenizer |                             |                   |  |
| nb                                      | Tokenizer                   | NLRouterTokenizer |  |
| com.apple.if.planner                    |                             |                   |  |
| com.apple.if.planner.nlrouter.tokenizer |                             |                   |  |
| nl                                      | Tokenizer                   | NLRouterTokenizer |  |
| com.apple.if.planner                    |                             |                   |  |
| com.apple.if.planner.nlrouter.tokenizer |                             |                   |  |
| pt                                      | Tokenizer                   | NLRouterTokenizer |  |
| com.apple.if.planner                    |                             |                   |  |
| com.apple.if.planner.nlrouter.tokenizer |                             |                   |  |
| sv                                      | Tokenizer                   | NLRouterTokenizer |  |

|                                                      |                          |                            |
|------------------------------------------------------|--------------------------|----------------------------|
| com.apple.if.planner                                 |                          |                            |
| com.apple.if.planner.nlrouter.tokenizer              |                          | NLRouterTokenizer          |
| tr                                                   |                          |                            |
| com.apple.if.planner                                 |                          |                            |
| com.apple.if.planner.nlrouter.tokenizer              |                          | NLRouterTokenizer          |
| vi                                                   |                          |                            |
| com.apple.if.planner                                 |                          |                            |
| com.apple.if.planner.nlrouter.tokenizer              |                          | NLRouterTokenizer          |
| zh                                                   |                          |                            |
| com.apple.if.planner                                 |                          |                            |
| com.apple.if.planner.nlrouter.tokenizer              |                          | NLRouterTokenizer          |
| zh_HK                                                |                          |                            |
| com.apple.if.planner                                 |                          |                            |
| com.apple.if.planner.nlrouter.tokenizer              |                          | NLRouterTokenizer          |
| zh_TW                                                |                          |                            |
| com.apple.if.planner                                 |                          |                            |
| com.apple.openai.chatgpt                             |                          |                            |
| generic                                              | LLM.Model                | ChatGPT                    |
| □                                                    |                          |                            |
| com.apple.openai.chatgpt.tokenizer                   |                          |                            |
| generic                                              | Tokenizer                | ChatGPTTokenizer           |
| □                                                    |                          |                            |
| com.apple.photos.spatialphotosrelive.builtin         |                          |                            |
| generic                                              | ImageSpatialPhotosRelive | SpatialPhotosReliveBuiltin |
| □                                                    |                          |                            |
| com.apple.photos.spatialphotosrelive.fov.builtin     |                          |                            |
| generic                                              | ImageSpatialPhotosRelive | FOVEstimatorBuiltin        |
| □                                                    |                          |                            |
| com.apple.photos.spatialphotosrelive.fov.main        |                          |                            |
| generic                                              | ImageSpatialPhotosRelive | FOVEstimatorMain           |
| ✓                                                    | 🔒 17.0.81716.13.202357,0 |                            |
| com.apple.MobileAsset.UAF.Photos.SpatialPhotosRelive |                          |                            |
| com.apple.photos.spatialphotosrelive.main            |                          |                            |
| generic                                              | ImageSpatialPhotosRelive | SpatialPhotosReliveMain    |
| ✓                                                    | 🔒 17.1.81716.13.202357,0 |                            |
| com.apple.MobileAsset.UAF.Photos.SpatialPhotosRelive |                          |                            |
| com.apple.vision.adt.detector                        |                          |                            |
| generic                                              | AppleDeviceTracking      | Detector                   |
| ⊖                                                    |                          |                            |
| com.apple.MobileAsset.UAF.Vision.ADT                 |                          |                            |
| com.apple.vision.adt.iphone_tracker                  |                          |                            |
| generic                                              | AppleDeviceTracking      | IPhoneTracker              |
| ⊖                                                    |                          |                            |
| com.apple.MobileAsset.UAF.Vision.ADT                 |                          |                            |
| com.apple.vision.adt.macbook_tracker                 |                          |                            |
| generic                                              | AppleDeviceTracking      | MacbookTracker             |
| □                                                    |                          |                            |
| com.apple.vision.adt.magic_keyboard_tracker          |                          |                            |
| generic                                              | AppleDeviceTracking      | MagicKeyboardTracker       |
| □                                                    |                          |                            |

---

---

=====

Coherence

=====

asset set: com.apple.MobileAsset.UAF.Photos.MagicCleanup, current token: 6613BFCD-79AA-44D5-9F08-ED415CBF82F8, pidsLockingToken: []  
asset set: com.apple.MobileAsset.UAF.FM.Overrides, current token: 3AC5BD93-D95C-4BB5-99D3-60AE09B5F137, pidsLockingToken: []  
asset set: com.apple.MobileAsset.UAF.FM.CodeLM, current token: 9931B03A-9373-4ABC-B1E1-AA9D38E7234C, pidsLockingToken: []  
asset set: com.apple.modelcatalog, current token: C7BC4393-0FEF-4E19-994B-2A12F2FE92D0, pidsLockingToken: []  
asset set: com.apple.MobileAsset.UAF.Photos.SpatialPhotosRelive, current token: D2E852C3-F80F-4111-967F-CB3E83D9E9A1, pidsLockingToken: []  
asset set: com.apple.MobileAsset.UAF.FM.Visual, current token: 9D9F555F-5927-4E83-B968-948AE8312871, pidsLockingToken: []  
asset set: com.apple.MobileAsset.UAF.CoreMotion.IMUFoundationModel, current token: 90182DD2-25D4-4688-983D-C53E8C77048E, pidsLockingToken: []  
asset set: com.apple.MobileAsset.UAF.Vision.ADT, current token: CDC12E08-EE35-40B0-9D96-05420409EE32, pidsLockingToken: []  
asset set: com.apple.MobileAsset.UAF.Handwriting.Synthesis, current token: FB2B6B80-2C39-4403-903B-8E1763946451, pidsLockingToken: []  
asset set: com.apple.if.planner, current token: C6174539-E106-4234-B6B6-26DFFA6971D4, pidsLockingToken: [("assistantd", 37)]

Tool command completed in 3.421962022781372 seconds